

SUBJECT INDEX TO VOLUME 50

Acetylhyaluronate

softening effect on stratum corneum, 171

Acids

acetic, 307, 363

α -hydroxy (including glycolic, lactic), 85(*I**),
159, 307, 315

amino, 363

benzoic, 363

butyric, 307

carboxylic, 363

fatty, 188

L-ascorbic, 281

nucleic, 287

salicylic, 315, 363

tartaric, 307

thiolactic, 307

urocanic, 119

Aerosol foams

bubble size, 351

coalescence rate, 351

containing aqueous cationic polymer and
anionic surfactant, 351

dissolved state of components in, 351

flow curve, 351

gas volume fraction, 351

stability, 351

viscosity, 351

yield curve, 351

Alkali metal hydroxides

as hair-straightening agents, 121

Anti-irritants

epidermis, effects on, 190

in vitro methods for screening, 190

in vivo assessment, 190

Antioxidants

α -tocopherol, 249, 281

in hydroquinone cream, 221

L-ascorbic acid, 281

in *Piper nigrum* Linn., 221

Trolox, 21

Autooxidation

of citral, 281

in micellar solutions and microemulsions, 281

Ceramides

organization in the skin barrier, 188

Chitosan

N-aminoethyl, as drug delivery vehicle, 307

N-carboxyethyl, as drug delivery vehicle, 307

Coconut oil

in prevention of hair damage, 327

Copolymers (*see also* Polymers)

polyacrilamide, 50

polyethylene glycol-8/SMDI, 133

DNA

damage, 341

in human scalp hair, 297

repair, 341

Electrophoresis

of human scalp hair, 297

Emulsions (*see also* Microemulsion gels;

Microemulsions)

aqueous phase, 15

β -cyclodextrin-stabilized paraffin oil/water,
15

droplet size, 9, 15

formation, 15

fragrance emulsion system, 203

influence of temperature, centrifugation, 9, 15

particle size, 15

preparation, 9, 15

rheological properties, 15

solid phase, 15

stability, 15, 205

storage, 15

sunscreen gel, 9

*Because of an error in the pagination of issues 1 and 2, the designation of pages 69-98 was duplicated. For these page numbers, the text location of the index entry is indicated throughout the index by the appearance of the correct volume number in parentheses.

Fatty acids

organization in the skin barrier, 188

Fragrances

alcohol-free or low-alcohol-content, 281
in a model emulsion system, 203
odorous molecules, 281
2-methylfuran derivatives, 91(2), 99

Hair

alignment, 23
alopecia, 126
bleaching, 327
boiling water, effect on, 327
craze formation, 69(2)
cuticle, 23, 69(2), 327
cyclical torsion of fibers, 69(2)
damage, 327
differential friction, 23
DNA content, 297
18-MEA content, 23
fatigue analysis, 198
melanized, 126
porosity, 121
protein loss, 327
scalp hair, 297
scalp surface detritus, 23
shear bands, 69(2)
surface, self-repairing, 23
swelling, 121
tangling, 23
water-retention index, 327

Hair care

biological changes with age, 112
dyes, 124, 130, 231
straightening agents, 121
styling, use of conditioning polymers, 59

Hair cuticle

A-layer, 23
 β -layers, 23
cell membrane complex (CMC), 23, 327
chemistry, 23
contributions to hair's overall behavior, 23
cracks, 69(2)
damage, 327
damage patterns, 69(2)
 δ -layer, 23
endocuticle, 23, 327
exocuticle, 23, 327
fracture, 69(2)
gross structure, 23
inner layer, 23
internal structure, 23
lipids in β -layers of, 23
mechanical attrition of, 23
monolayers, 23
physical properties, 23
plastic yielding, 69(2)
protein, 23

"split ends," 69(2), 327

torsion, effect at varying relative humidities, 69(2)

Hair dyes

dye-matrix mixtures, 231
intermediates, 231
matrix compounds, 231
natural dyes, 130
oxidative dyes, analysis by HPLC, 231
oxidative dyes based on polymeric thickeners, 124

Hair-straightening agents

differential scanning calorimetry, 121
fiber tensile testing, 121
single-fiber tensile kinetics, 121

Heavy elements

One-atom-at-a-time chemistry of, 96

High-performance liquid chromatography (HPLC)

in analysis of oxidative hair dyes, 231
for determination of acids, 315
in measurement of drug concentrations, 363

Hydroquinone

absorption studies, 114
cream, antioxidant activity of, 221
dermal effects, 114
in skin-lightening products, 114
toxicity, 115

Hydroxy acids

α -hydroxydecanoic acid, 315
 α -hydroxyoctanoic acid, 315
in cosmetic products and salon preparations, 315
delivery to the skin, 85(I), 159
glycolic acid, 315
lactic acid, 315
mechanisms of action, 159

Irritants

in vivo assessment of, 192

Kerolytic agents

analysis for, in commercial products, 315

Laureth-4

in fragrance emulsion system, 203

Liposomes

in transdermal drug absorption, 249

Matrix compounds

in analysis of oxidative hair dyes, 231

Maturity

hair, 112
skin, 117

Micellar solutions

as vehicle for odorous molecules, 281

Micelles, swollen

obtained with citral, 281
obtained with limonene, 281
obtained with linalool, 281

Microemulsion gels

- isopropyl myristate, polysorbate 80, glycerol, and water, 1
- phase study, 1
- rheological study, 1
- thixotropy, 1
- viscosity, 1

Microemulsions

- droplets, diameters of, 203
- oil-in-water, 1
- systems, 281
- as vehicles for odorous molecules, 281

Microscopy

- fluorescent analysis of human scalp hair, 297

Microspectroscopy

- analysis of human scalp hair, 297

Nail care products

- enamel removers, 69(I)
- in vitro* assessment of, 69(2)
- latex polish, 67, 105
- solvent-borne polish, 67, 105
- topical products for treatment of onychomycosis, 363
- water-based polish, additives for, 67, 105
- water-borne polish, 67, 105

Nails

- amino acid composition, 363
- biochemical properties, 71(I)
- blood supply, 363
- chemical composition, 363
- growth, 363
- keratin matrix, 363
- permeability properties, 363
- physical properties, 363
- softening, 363
- structural characteristics: matrix, bed, plate, 363
- swelling tests, 363
- topical treatment of onychomycosis, 71(I), 363

Natural cosmetic actives

- betulin, 87(I)
- fennel, 87(I)
- natural hair dyes, 130
- seeds of *Piper nigrum* Linn., 221
- soy vacuolar protein, 52

Nuclear hormone receptors

- role in regulating epidermal differentiation, 186

Nucleic acid

- as macromolecule of human scalp hair, 297

Oils

- coconut oil, 327
- natural emulsification of, by β -casein, poly(L-aspartic acid), *Manduca sexta* apolipoprotein III, and a soybean vacuolar protein, 52
- sandalwood oil, 194

pH

- in cosmetic products and salon preparations, 315
- effect on nail permeability using ionizable drugs, 363
- effect on phase behavior of dodecyltrimethylammonium bromide and polyvinylamine solutions, 81(I)

Phenol

- determination of, in cosmetic products, 315

Photoprotection

- by tanning enhancers, 341
- by vitamin E, 249

Polymers (*see also* Copolymers)

- in aerosol foams, 351
- cationic, optical and frictional properties of, 201
- conditioning, for hair styling, 59
- drug/polymer binding, 133
- ionic composition, 79(I)
- polyampholytes, 79(I)
- polymer-surfactant complexes, 79(I), 81(I), 351
- thickeners in oxidative hair dyes, 124

Polysaccharides

- oligosaccharide extracted from membrane of *Laminaria digitata*, for use in skin care, 94(I)

Resorcinol

- determination of, in cosmetic products, 315

Sandalwood oil

- identification and distinction between natural and synthetic, 194

Sebum

- Clinical model for measurement, 196

Silicones

- emulsions, 9
- reactive, use in deposition of naturally derived hair color, 130
- thickening technology, 83(I)

Skin

- acne vulgaris, 249
- barrier, 188
- cosmetic formulations, skin penetration properties, 147
- cutaneous inflammatory response, 77(I)
- DNA damage, 341
- D-panthenol penetration, 147
- delivery of hydroxy acids to, 85(I)
- dry skin condition, 171
- epidermal differentiation, 186
- erythema and edema, 249
- glycolic acid penetration, 159
- immune reactions, 77(I)
- in vitro* absorption/metabolism studies, 63
- irritants, 190, 192
- maturity, effects of, 117
- melanogenesis, 341

photocarcinogenesis, 249
 photodamage, 119, 249
 physiology, 171
 sebum, surface, 196
 sensitive, women's self-perception of, 65
 viability assays, 63
 vitamin A penetration, 159
 vitamin B6 permeation, 307
 vitamin E penetration, 147, 249
 water-holding capacity, 171

Skin care

hydration, 263
 hydroquinone in creams, lotions, and gels, 114
Laminaria digitata, use of, 94(1)
 lightening and darkening materials, 61
 photoprotection by tanning enhancers, 341
 photoprotection by vitamin E, 249
 smoothness and softening by vitamin E, 263
 softening by ACHA lotion, 171
 treatment, active ingredients, 90(1)

Soaps

behavioral properties, 57

Solubilization

of citral, 281
 of limonene, 281
 of linalool, 281

Stability factors

in model fragrance emulsion system, 203

Stratum corneum (*see also* Skin)

dynamic elastic modulus, 171
 softening effect of acetylhyaluronate on, 171

Sunscreen emulsions

benzophenone-3, 79(2)
 distribution from diisopropyl adipate oil
 prototype formulations, 79(2)
 distribution from hydroalcoholic prototype
 formulations, 79(2)
 gel, 9
 octyl methoxycinnamate, 79(2)
 water resistance of, 79(2)

Surfactants

anionic complexes, 79(1), 351
 behavioral properties of, 57
 DPGS, 281
 non-ethoxylated, 281
 nonionic, 351
 polymer-surfactant complexes, 79(1), 81(1),
 351
 SaccharoseML, 281

Topically applied drugs

antifungals, for treatment of onychomycosis,
 71(1), 363
 glycolic acid, 159
 lactic acid, delivery of, 133
 nail penetration, 363
 oil- and water-soluble vitamins, penetration
 of, 147
 salicylic acid, delivery of, 133
 vitamin A, 159
 vitamin B6, chitosan as vehicle for delivery
 of, 307
 vitamin E, 147, 249

2-methylfuran

odor characteristics, 91(2), 99
 physicochemical characteristics, 91(2), 99

Urocanic acid

photoisomerization of, 119
 and skin photodamage, 119

Vapor pressures

in model fragrance emulsion system, 203

Viscosity tests

in gels, 307

Vitamin A

penetration, in dermocosmetic skin
 formulations, 159

Vitamin B6

permeation of skin, 307

Vitamin E

as antioxidant, 281
 α -tocopherol, 249
 biological actions on topical administration,
 249
 chemistry, 249
 detection in skin, 147
 distribution, 249
 in erythema and edema, 249
 esters, skin metabolism of, 249
 liposomes in absorption of, 249
 mechanism of action, 249
 membrane stabilization by, 249
 percutaneous absorption, 249
 photoprotection by, 249
 regeneration of, 249
 skin delivery, 249
 skin concentrations, 249
 tocotrienol, 249