

AUTHOR INDEX TO VOLUME 54

- Afflito, J.**, see Johnston, C. T., 113
Agnelli, J. A. M., see Monteiro, V. F., 271
Ahmad, S.A., see Syed, T. A., 104
Al-Bawab, A., Investigation of the phase behavior and an evaporation study of systems of lavender oil, water, Laureth 4, and Tween 80, 429
Ananthakrishnan, T. N., see Polefka, T. G., 283
Anderson, F., see Zimmerman, A., 108
Ando, M., see Tokunaga, H., 318
Arai, S., see Kobayashi, N., 317
Argembeaux, H., see Mayser, P., 263
Aubert, A., see Lintner, C., 98
Bartolone, J., see Prem, P., 395
Beau, P., see Lintner, K., 98
Belletti, K. M. S., Evaluation of hair fiber hydration by differential scanning calorimetry, gas chromatography, and sensory analysis, 527
Berger, R. S., see Bowman, J. P., 443
Bierbaum, A., see Wortmann, F.-J., 301
Blankschtein, D., see Moore, P. N., 29, 143
Bonda, C., Solvent polarity and sunscreen photostability (2002 Annual Scientific Meeting), 87
Bortolotti, F., see Esposito, E., 239
Bou-Chacra, N. A., Evaluation of preservative systems in a sunscreen formula by the linear regression method, 1
Boucsein, W., see Eisfeld, W., 94
Boustra, J. A., The skin barrier: A unique interplay between corneocytes and lipids (2002 Annual Scientific Meeting), 102; see Wiechers, J. W., 110
Bowman, J. P., The 21-day cumulative irritation test can be reduced to 14 days without loss of sensitivity, 443
Carlone, L., see Stapleton, L., 100
Carlotti, M. E., O/W microemulsion as a vehicle for sunscreens, 451; see Vione, D., 513
Carreño, N. L. V., see Belletti, K. M. S., 527
Chang, M Y., see Lim, J. M., 483
Chen, R. H., Skin hydration effects, film formation time, and physicochemical properties of a moisture mask containing *Monostroma nitidum* water-soluble mucilage, 9
Chen, W. Y., see Chen, R. H., 9
Cho, W. G., see Lim, J. M., 483
Choe, T., Inhibition of matrix metalloproteinase-1 and -2 expression using nitric oxide synthase inhibitors in UV-irradiated human dermal fibroblasts, 229
Choi, S. Y., see Lim, J. M., 483
Choulis, N. H., see Sourla, D. E., 421
Clegg, R. M., see Hansson, K. M., 589
Cornwell, P. A., see Heywood, D. M., 21
Cortesi, R., see Esposito, E., 239
Cyjon, R. L., see Laden, K., 251
Dallas, P. P., see Sourla, D. E., 421
Date, M., see Kusakari, K., 321
de Graaff, A., see Wiechers, J. W., 110
de Jesus A. Pinto, T., see Bou-Chacra, N. A., 1
de Villiers, M. M., see Grove, C., 537
Dressler, W., Exposure considerations related to hair dye safety (2002 Annual Scientific Meeting), 208
du Preez, J. L., see Grove, C., 537
Dube, K. J., see Prem, P., 395
Dus, C., see Stapleton, L., 100
Eisfeld, W., Modification of cosmetic product perception by emotional factors (2002 Annual Scientific Meeting), 94
Erickson, M. C. E., see Sun, J. Z., 559
Esposito, E., Diffusion of preservatives from topical dosage forms: A comparative study, 239
Feferman, I. H., see Belletti, K. M. S., 527
Ferrero, L., Efficiency of a continuous height distribution model of sunscreen film geometry to predict a realistic sun protection factor, 463

- Fiori, J. E.**, see Starch, M. S., 193
- Fujimura, T.**, see Tsukahara, K., 499
- Fujiwara, N.**, see Ota, N., 525
- Fukuda, T.**, see Kobayashi, N., 317
- Fukui, H.**, see Kusakari, K., 321
- Futamura, K.**, see Kojima, Y., 319
- Fuwa, T.**, see Morita, M., 318
- Gallarate, M.**, see Carlotti, M. E., 451
- Gooris, G.**, see Bouwstra, J., 102
- Grove, C.**, Improving the aqueous solubility of triclosan by solubilization, complexation, and *in situ* salt formation, 537
- Guenin, E.**, see Johnston, C. T., 113
- Hanson, K. M.**, Bioconvertible vitamin antioxidants improve sunscreen photoprotection against UV-induced reactive oxygen species, 589
- Hattori, M.**, see Tsukahara, K., 499
- Hayase, M.**, Enhancement of percutaneous absorption and its application to skincare products (Abstract, JSCC Japan), 317
- Heise, H. M.**, see Lampen, P., 119
- Hem, S. L.**, see Pongcharoenkiat, N., 47; see Johnston, C. T., 113
- Heo, M. Y.**, see Lee, K. T., 133
- Heywood, D. M.**, Analysis of DNA in hair fibers, 21
- Hirai, Y.**, see Ota, N., 525
- Hoath, S. B.**, see Visscher, M. O., 289
- Hong, S.**, see Choe, B., 229
- Hornby, S.**, see Simion, F. A., 218
- Inoue, Sa.**, see Yamazaki, K., 526
- Inoue, Sh.**, see Okamoto, M., 353
- Irisawa, K.**, see Yamazaki, K., 526
- Ishimori, T.**, see Takarada, K., 526
- Jachowicz, J.**, see Locke, B., 212; see McMullen, R., 335
- Jeong, J. H.**, see Lee, K. T., 133
- Jo, B. K.**, see Lee, K. T., 133
- Johnston, C. T.**, Potentiometric/turbidometric titration of antiperspirant actives, 113
- Ju, H.-K.**, Nano-structured biphasic polymer film on the hair surface from PEGylated polymer latexes, 569
- Jungmann, H.**, see Lampen, P., 119
- Kamath, Y. K.**, see Ruetsch, S. B., 63, 210, 379, 579
- Kang, H.-H.**, see Ju, H.-K., 569
- Kang, N. G.**, see Lim, J. M., 483
- Kang, S. H.**, see Lim, J. M., 483
- Kariya, E.**, see Okamoto, M., 353
- Kasahara, T.**, see Ota, N., 525
- Kashibuchi, N.**, see Ota, N., 525
- Kato, T.**, Preparation of high-internal-phase-ratio w/o type emulsions by cross linked silicone (Abstract, JSCC Japan), 427
- Kietzmann, M.**, see Lampen, P., 119
- Kim, H. P.**, see Lee K. T., 133
- Kim, J.-W.**, see Ju, H.-K., 569
- Kintrup, L.**, see Ruetsch, S. B., 579
- Klein, J. Y.**, see Laden, K., 251
- Klein, K.**, Sunscreens: A brief introduction and overview (2002 Annual Scientific Meeting), 86
- Klein, M.**, see Simion, F. A., 218
- Kligman, A.**, see Zimmerman, A., 108; see Bowman, J. P., 443
- Knaggs, H.**, Post adolescent acne: Cosmetic relevance (2002 Annual Scientific Meeting), 226
- Ko, R.**, see Tokunaga, H., 318
- Kobayashi, N.**, Analysis of eye movement in skin assessment (Abstract, JSCC Japan), 317
- Koda, S.**, see Kojima, Y., 319
- Kohno, Y.**, Usefulness of skin hydration for skin care and development of cosmetics (JSCC Japan), 526
- Kojima, Y.**, Sonochemical effects due to cavitation generated by an ultrasonic wave beauty care device (Abstract, JSCC Japan), 319
- Kupper, T. S.**, T cells, skin immunosurveillance, and the human immune response (2002 Annual Scientific Meeting), 90
- Kusakari, K.**, Evaluation of post-application rheological changes in cosmetics using a novel measuring device: Relationship to sensory evaluation, 321
- Kuwahara, T.**, see Yamashita, T., 428
- Laden, K.**, N,N',N"-tris(dihydroxyphosphorylmethyl)-1,4,7-triazacyclononane (Deofix™) A high-affinity, high-specificity chelator for first transition series metal cations with significant deodorant, antimicrobial, and antioxidant activity, 251
- Lampen, P.**, Penetration studies of vitamin E acetate applied from cosmetic formulations to the stratum corneum of an *in vitro* model using quantification by tape stripping, UV spectroscopy, and HPLC, 119
- Lamy, F.**, see Mas-Chamberlain, C., 222
- Lee, B.**, see Choe, T., 229
- Lee, K. S.**, see Lee, K. T., 133
- Lee, K. T.**, Inhibitory effects of *Ramulus mori* extracts on melanogenesis, 133
- Lee, Y. H.**, see Lim, J. M., 483
- Leite, E. R.**, see Monteiro, V. F., 271; see Belletti, K. M. S., 527
- Liang, L.-J.**, see Polefka, T. G., 283
- Liebenberg, W.**, see Grove, C., 537
- Lim, J. M.**, Penetration enhancement in mouse

- skin and lipolysis in adipocytes by TAT-GKH, a new cosmetic ingredient, 483
- Lin, Z.**, see Starch, M.S., 193
- Lintner, K.**, A lie-detector investigation to measure neuromodulating activity of a topically applied peptide: Double blind clinical study of N-acetyl-tyr-arg-cetylester versus placebo (2002 Annual Scientific Meeting), 98; see Mas-Chamberlain, C., 222
- Locke, B.**, Protection of artificial haircolor (2002 Annual Scientific Meeting), 212
- Longo, E.**, see Monteiro, V. F., 271; see Belletti, K. M. S., 527
- Madison, S. A.**, see Prem, P., 395
- Malczewski, R. M.**, Identification and investigation of potential fragrance-retaining materials using analytical and sensory methods (2002 Annual Scientific Meeting), 96
- Mamada, A.**, see Okamoto, M., 353
- Marguerie, S.**, see Ferrero, L., 463
- Mas-Chamberlain, C.**, see Lintner, K., 98; Synergies in combating acne prone skin: Oleic acid and nordihydroguaiaretic acid inhibit 5-alpha reductase, keratinocyte proliferation and inflammatory response—In vitro and in vivo studies (2002 Annual Scientific Meeting), 222
- Matsuzaki, F.**, see Kusakari, K., 321
- Mattai, J.**, see Johnston, C. T., 113
- Mayser, P.**, The hair strand test – A new method for testing antifungal effects of antidandruff preparations, 263
- McMullen, R.**, Optical properties of hair: Effects of treatments on luster as quantified by image analysis, 335
- Mendes, T. R. O.**, see Belletti, K. M. S., 527
- Menegatti, E.**, see Esposito, E., 239
- Mercadante, P.**, see Stapleton, L., 100
- Meyers, D. L.**, see Malczewski, R. M., 96
- Mills, O. H.**, see Bowman, J. P., 443
- Mohile, R. B.**, see Rele, A. S., 175
- Mondon, P.**, see Lintner, K., 98; see Mas-Chamberlain, C., 222
- Monteiro, V. F.**, UV radiation: Aggressive agent to the hair – AFM, a new methodology of evaluation, 271; see Belletti, K. M. S., 527
- Moore, P. N.**, Challenging the surfactant monomer skin penetration model: Penetration of sodium dodecyl sulfate micelles into the epidermis, 29; Penetration of mixed micelles into the epidermis: Effect of mixing sodium dodecyl sulfate with dodecyl hexa(ethylene oxide), 143
- Mori, F.**, see Ota, N., 525
- Morita, M.**, Properties of the perfluoroalkylethyl acrylate (FA) copolymers and their applications for cosmetics. III. Surface property of SR polymer (Abstract, JSCC Japan), 318
- Moriwaki, S.**, see Tsukahara, K., 499
- Morteza-Semnani, K.**, Comparison of antioxidant activity of extract from roots of licorice (*Glycyrrhiza glabra* L.) to commercial antioxidants in 2% cream, 551
- Muramatsu, Y.**, see Takahashi, K., 317
- Musnier, C.**, see Lintner, K., 98
- Nagase, S.**, see Okamoto, M., 353
- Nagashima, K.**, see Morita, M., 318
- Nagashima, Y.**, see Tsukahara, K., 499
- Naito, N.**, see Kato, T., 427
- Nakabayashi, J.**, Utility and development of lipstick (Abstract, JSCC Japan), 427
- Nakamura, N.**, see Sakazaki, Y., 318
- Nastruzzi, C.**, see Esposito, E., 239
- Nishikata, K.**, see Sakazaki, Y., 318
- Noda, A.**, see Sogabe, A., 427; see Yasuda, M., 525
- Nomura, T.**, see Takarada, K., 526
- Nowicki, J.**, Synthesis of new fragrances from 2-methylfuran. Part III, 493
- Ogino, K.**, see Yamazaki, K., 526
- Oh, S.-G.**, see Ju, H.-K., 569
- Ohara, M. T.**, see Bou-Chakra, N. A., 1; see Souza, M. R. S. E. L., 411
- Okamoto, M.**, Influence of internal structures of hair fiber on hair appearance. III. Generation of light-scattering factors in hair cuticles and the influence on hair shine, 353
- Okuyama, M.**, Utility and development of eye cosmetics (Abstract, JSCC Japan), 428
- O'Mahony, M.**, Who said sensory measurement was simple? (2002 Annual Scientific Meeting), 92
- Ono, I.**, see Takarada, K., 526
- Ota, N.**, Identification of skin sensitivity through corneocyte measurements (Abstract, JSCC Japan), 525
- Park, I.**, see Choe, B., 229
- Park, J.-Y.**, see Ju, H.-K., 569
- Park, S.G.**, see Lim, J. M., 483
- Parr, J. W.**, see Sun, J. Z., 559
- Peele, D.**, see Subbiah, V., 224
- Pereira-da-Silva, M. A.**, see Monteiro, V. F., 271
- Peschard, O.**, see Lintner, K., 98
- Piaceski, A. D.**, see Belletti, K. M. S., 527
- Picatontotto, T.**, see Vione, D., 513
- Pinheiro, A. S.**, see Monteiro, V. F., 271
- Pissavini, M.**, see Ferrero, L., 463
- Pittermann, W.**, see Lampen, P., 119
- Polefka, T. G.**, A comparison to the mosquito-repelling efficacy of methyl decanamide (MNDA) to that of Deet, 283

- Ponec, M.**, see Bouwstra, J., 102
- Pongcharoenkiat, N.**, Determination of methylparaben in o/w emulsions by solid-phase extraction and high-performance liquid chromatography, 47
- Prem, P.**, New insights into the physicochemical effects of ammonia/peroxide bleaching of hair and *Sepia* melanins, 395
- Puvvada, S.**, see Moore, P. N., 29, 143
- Rangarajan, M.**, Effect of formulation on the topical delivery of α -tocopherol, 161
- Rekkas, D. M.**, see Sourla, D. E., 421
- Rele, A. S.**, Effect of mineral oil, sunflower oil, and coconut oil on prevention of hair damage, 175; Effect of mineral, sunflower, and coconut oil on prevention of hair damage (2002 Annual Scientific Meeting), 214
- Rippke, F.**, see Mayser, P., 263
- Rizer, R. L.**, see Knaggs, H., 226
- Robbins, C.**, Scalp hair length. I. Hair length in Florida theme parks: An approximation of hair length in the United States of America, 53; Scalp hair length. II. Estimating the percentages of adults in the USA and larger populations by hair length, 367
- Robbins, M. G.**, see Robbins, C., 53, 353
- Rossatto, V.**, see Carlotti, M. E., 451
- Ruetsch, S. B.**, The role of cationic conditioning compounds in reinforcement of the cuticula, 63; Photo-oxidation of human hair photo damage: Its characterization/quantification and alleviation (2002 Annual Scientific Meeting), 210; Chemical and photo-oxidative hair damage studied by dye diffusion and electrophoresis, 379; Effects of conditioners on surface hardness of hair fibers: An investigation using atomic force microscopy, 579
- Saeedi, M.**, see Morteza-Semnani, K., 551
- Sakazaki, Y.**, Optical investigation of aging skin and the development of makeup that restores a youthful look (Abstract, JSCC Japan), 318
- Satoh, N.**, see Okamoto, M., 353
- Schmitt, M.**, see Lampen, P., 119
- Schulze zur Wiesche, E.**, see Wortmann, F.-J., 301
- Schwarz, H.-J.**, see Ruetsch, S. B., 579
- Shahnavaz, B.**, see Morteza-Semnani, K., 551
- Shibuichi, S.**, see Okamoto, M., 353
- Shiloach, A.**, see Moore, P. N., 143
- Shroot, B.**, Retinoids and acne . . . a perspective (2002 Annual Scientific Meeting), 220
- Simhon, E. D.**, see Laden, K., 251
- Simon, F. A.**, Ellipticity of body hair and how to measure its apparent diameter (2002 Annual Scientific Meeting), 218
- Skinner, R.**, see Heywood, D. M., 21
- Sogabe, A.**, Physical properties of human hair. 1. Evaluation of bending stress by measuring the major and the minor axis of human hair (Abstract, JSCC Japan), 427; see Yasuda, M., 525
- Song, Y. S.**, see Lim, J. M., 483
- Sourla, D. E.**, Optimization of *in vitro* skin permeation by lactic acid from gel formulations, 421
- Souza, M. R. S. E. L.**, The preservative efficacy testing method for powdered eye shadows, 411
- Stapleton, L.**, Category review of commercial facial wipes: Sensory differentiation via skinfeel and handfeel attributes (2002 Annual Scientific Meeting), 100
- Starch, M. S.**, Beyond rheology modification: Hydrophilically modified silicone elastomers provide new benefits, 193
- Stoudemayer, T.**, see Bowman, J. P., 443
- Subbiah, V.**, Cosmeceutical properties of fermented sage compound (2002 Annual Scientific Meeting), 224
- Suh, K.-D.**, see Ju, H.-K., 569
- Sun, J. Z.**, Solubilization of sodium cocoyl isethionate, 559
- Syed, T. A.**, Clinical efficacy of 2% polyphenone (green tea extract) in a hydrophilic gel on aged and damaged facial skin (2002 Annual Scientific Meeting), 104
- Takahashi, K.**, Partial difference in facial sebum (Abstract, JSCC Japan), 317
- Takahashi, M.**, Recent progress in skin bioengineering techniques and its application to evaluation of skin care cosmetics (Abstract, JSCC Japan), 319; see Yamashita, T., 428
- Takarada, K.**, Properties of new acrylate – Silicone graft copolymer as a dispersing agent (Abstract, JSCC Japan), 526
- Takema, Y.**, see Tsukahara, K., 499
- Tokunaga, H.**, Studies for identifying prohibited ingredients such as bithionol and dichlorophen in cosmetics (Abstract, JSCC Japan), 318
- Tolia, G. T.**, see Visscher, M. O., 289
- Tsukahara, K.**, Relationship between physical parameters and blood flow in human facial skin, 499
- Uchida, S.**, Measurement of dyed hair color and evaluation of anionic surfactants on dyed hair (Abstract, JSCC Japan), 318
- Uchino, T.**, see Tokunaga, H., 318
- Uehara, K.**, see Uchida, S., 318
- Usui, T.**, see Kobayashi, N., 317
- Valentini, A.**, see Belletti, K. M. S., 527

- Vione, D.**, Photodegradation of phenol and salicylic acid by coated rutile-based pigments: A new approach for the assessment of sunscreen treatment efficiency, 513
- Visscher, M. O.**, Effect of soaking and natural moisturizing factor on stratum corneum water-handling properties, 289
- Watanabe, T.**, see Morita, M., 318
- Weigmann, H.-D.**, see Ruetsch, S. B., 63
- Wickett, R.R.**, see Visscher, M. O., 289
- Wiechers, J. W.**, Identification of another barrier in human stratum corneum: The water barrier (2002 Annual Scientific Meeting), 110
- Wille, J. J.**, Novel plant-derived anti-irritants (2002 Annual Scientific Meeting), 106
- Winchell, H. S.**, see Laden, K., 251
- Witt, P. S.**, see Simion, F. A., 218
- Wittayanukulluk, A.**, see Pongcharoenkiat, N., 47
- Wong, W. H.-W.**, see Syed, T. A., 104
- Wortmann, F.-J.**, Analyzing the laser-light reflection from human hair fibers. I. Light components underlying the goniophotometric curves and fiber cuticle angles, 301
- Yakawa, R.**, see Okamoto, M., 353
- Yamamoto, M.**, see Yamazaki, K., 526
- Yamashita, T.**, Observation of epidermal-dermal junctional undulation by *in vivo* confocal microscope—A study on effects of tape stripping and surface active agent treatments and regional differences (Abstract, JSCC Japan), 428
- Yamazaki, K.**, Relationship between facial configuration and age induced changes in facial morphology (Abstract, JSCC Japan), 526
- Yanaki, T.**, see Kusakari, K., 321
- Yang, B.**, see Ruetsch, S. B., 379
- Yang, W.**, see Grove, C., 537
- Yasuda, M.**, see Sogabe, A., 427; Physical properties of human hair. 2. Evaluation of human hair torsional stress, and a mechanism of bending and torsional stress (Abstract, JSCC Japan), 525
- Ying, Y.**, see Knaggs, H., 226
- Yoo, Y. C.**, see Lim, J. M., 483
- Yoshida, M.**, see Kusakari, K., 321
- Yoshioka, M.**, see Uchida, S., 318
- Zaklad, H.**, see Laden, K., 251
- Zastrow, L.**, see Ferrero, L., 463
- Zatz, J. L.**, see Rangarajan, M., 161
- Zimmerman, A.**, The vexing problem of dry skin (2002 Annual Scientific Meeting), 108