

AUTHOR INDEX TO VOLUME 60

- Abdely, C.**, see Bouftira, I., 367
Abdullah, A., see Grazul-Bilska, A.T., 656
Abdullah, K.M., see Grazul-Bilska, A.T., 656
Abe, H., see Nagase, S., 637
Abrutyn, E.S., Rapid screening protocol of sunlight exposure to damaged hair (Abstract, 3rd Intl. Conf. on Applied Hair Science), 299; Boosting of glycerin hydration in the stratum corneum (2009 Annual Scientific Seminar), 564
Adhikari, A., Screening of Nepalese crude drugs traditionally used to treat hyperpigmentation: *In vitro* tyrosinase inhibition (Abstract, IJCS), 53
Akimoto, R., see Hori, Y., 415
Akita, R., see Hsu, T-F., 652
Akiyama, Y., Evaluation of tactile sensation of cosmetics by tactile movement -- Application movement of skin care cosmetics (Abstract, JSCC Japan), 653
Akrman, J., Quartz plates for determining sun protection *in vitro* and testing photostability of commercial sunscreens (Abstract, IJCS), 539
Albinana, N., see Mangués, M., 473
Allegaert, L., see Gasser, P., 52
Allen, G., see Loginova, Y., 125
Amemiya, Y., see Nagase, S., 637
Amos, J., see Jordan, S.L., 239
An, S.-S., see Kim, S.-J., 52
Ananthapadmanabhan, K.P., Recent advances in surfactant interactions with proteins and stratum corneum (2008 Annual Scientific Meeting), 377
Angkatavanich, J., Development of clay liquid detergent for Islamic cleansing and the stability study (Abstract, IJCS), 541
Antrim, R., see Keenan, A., 76
Arce, C., see Lee, J-M., 468
Arct, J., see Scibisz, M., 55, 473; see Frydrych, A., 545; see Pytkowska, K., 659
Avila, J., see Day, A., 374
Baba, Y., Development of long wearing lipstick using inorganic-organic hybrid aggregate (Abstract, JSCC Japan), 48
Bagatolli, L., see Norlen, L., 368
Baker, A., see Callegari, G., 562
Balijepalli, S., see Jordan, S., 378
Balooch, G., Synchrotron x-ray tomography of African-American hair reveals a reduction in fiber energy absorption as a result of 2.5% NaOH relaxer treatment (2009 Annual Scientific Seminar), 580
Barker, S., Damage to human hair cuticle cells by extreme grooming stresses (Abstract, 3rd Intl. Conf. on Applied Hair Science), 294
Basilan, J., Polyquaternium-87 - A new highly conditioning polymer for excellent combability, volume control, and soft and natural hair feel (Abstract, 3rd Intl. Conf. on Applied Hair Science), 291
Basnet, P., see Adhikari, A., 53
Bassi, A.M., see Villa, C., 469
Basso, J., see Dencausse, L., 54
Bayersdoerfer, R., see Gassenmeier, T., 289
Behari, J.R., see Patel, D.K., 657
Bell, F.I., Raman spectroscopy of hair: A study of excitation laser wavelength for the collection of spectra (Abstract, 3rd Intl. Conf. on Applied Hair Science), 306; see Carpenter, P., 199
Bendová H., see Akrman, J., 539
Benedusi, A., see Rigano, L., 371
Benoit, I., see Pauly, G., 471
Bernabe, J., see Rao, S., 550
Berezkin, Y., see Jachowicz, J., 292
Berg, E.P., see Imhof, R.E., 540
Bernaert, H., see Gasser, P., 52
Bertelli, A., see Rigano, L., 371
Bertoli, A., see Villa, C., 469
Bi, X., see Moore, D.J., 60
Bianchini, R., Effects of polymers and protein hydrolyzates on the surface properties of hair (Abstract, 3rd Intl. Conf. on Applied Hair Science), 297; see Jachowicz, J., 576
Bielfeldt, S., Assessment of human stratum corneum thickness and its barrier properties by *in-vivo* confocal Raman spectroscopy

- (Abstract, IFSCC), 472; see Wilhelm, K.P., 660
- Bilski, J.J.**, see Grazul-Bilska, A.T., 656
- Blum, B.**, see Schwan-Jonczyk, A., 304
- Bock, A.**, see Holtkoetter, O., 543
- Bolden, R.**, Flow cell microscopy: A novel method to visualize product deposition on hair (2009 Annual Scientific Seminar), 574
- Boudier, D.**, Marris proteins of the papillary dermis -- primary targets of intrinsic dermal aging? (Abstract, IFSCC), 50; Papillary dermis: A new biological target of the intrinsic cutaneous aging (2008 Annual Scientific Meeting), 70
- Bouftira, I.**, Characterization of cosmetic cream with *Mesembryanthemum crystallinum* plant extract influence of formulation composition on physical stability and antioxidant activity (Abstract, IJCS), 367
- Bouldin, L.**, see Rao, S., 550
- Bouzoud, D.**, see Gasser, P., 52
- Bowman, J.P.**, A comparison of females and males for antiperspirant efficacy and sweat output, 1
- Brandt, M.**, see Wilhelm, K.P., 660
- Braun, O.**, see Roso, A., 570
- Breugnot, S.**, see Lefaudeux, N., 153, 293
- Brito, J.**, see Dueva-Koganov, O.V., 72, 587
- Brooks, G.**, see Day, A., 374
- Brown, M.**, see Bolden, R., 574
- Browne, J.**, see Bowman, J.P., 1
- Bryant, H.**, see Porter, C.E., 97; see Balooch, G., 580; see Pistorio, B., 582
- Buttgereit, P.**, see Wilhelm, K.P., 660
- Callaghan, T.M.**, A review of ageing and an examination of clinical methods in the assessment of ageing skin. Part I: Cellular and molecular perspectives of skin ageing -- Review article (Abstract, IJCS), 51; A review of ageing and an examination of clinical methods in the assessment of ageing skin. Part 2: Clinical perspectives and clinical methods in the evaluation of ageing skin - Review article (Abstract, IJCS), 51
- Callegari, G.**, Thickness of the liquid film left behind a moving wet wipe: Theoretical and experimental study (2009 Annual Scientific Seminar), 562
- Camacho, A.**, see Pistorio, B., 582
- Camprubi-Robles, M.**, see Ferrer-Montiel, A., 371
- Carpenter, P.**, Experiments in Raman spectroscopy of hair: Exciting light and molecular orientation, 199; see Bell, F.I., 306; see Taylor, C., 307
- Carreno, C.**, see Ferrer-Montiel, A., 371
- Carson, R.**, see Lee, J-M., 468
- Casadei, M.A.**, see Scalzo, M., 429
- Cattuzzato, L.**, see Perez, C., 552
- Cebrian, J.**, see Mangués, M., 473
- Cerreto, F.**, see Scalzo, M., 429
- Cesa, S.**, see Scalzo, M., 429
- Chamberlain, C.M.**, see Gabriele, D., 66
- Chan, K.L.A.**, see Taylor, C., 307
- Chandra, L.**, see Wortmann, F.J., 284
- Chang, T.-S.**, 8-Hydroxydaidzein is unstable in alkaline solutions, 353; see Ding, H.-Y., 347
- Chanvorachote, P.**, Type I pro-collagen promoting and anti-collagenase activities of *Phyllanthus emblica* extract in mouse fibroblasts, 395
- Chase, J.**, see Dayan, N., 15
- Cheng, J.**, see Hepp, N.M., 405
- Cheng, Y.**, Moisturizing and anti-sebum secretion effects of cosmetic application on human facial skin, 7
- Chevrot, N.**, see Perez, C., 552
- Chino, D.**, see Hori, Y., 415
- Choo, J.H.**, see Ko, S., 617
- Choquet, B.**, Adaptation of the protocol for determining *in vitro* the sun protection factor of anti-solar sticks (Abstract, IJCS), 53
- Ciortea, L.I.**, see Imhof, R.E., 540
- Civille, G.V.**, The influence of sensory perception: Consumer perceptions of liking and performance (2009 Annual Scientific Seminar), 548
- Clamou, J.L.**, see Dencausse, L., 54
- Clares, B.**, see Morales, M.E., 627
- Clarke, C.**, see Marsh, J., 205
- Clemenceau, P.**, see Lefaudeux, N., 153; see Lefaudeux, N., 293
- Closs, B.**, see Boudier, D., 50; see Boudier, D., 70
- Coiffard, L.J.M.**, see Choquet, B., 53
- Contet-Audonneau, J.-L.**, see Pauly, G., 471
- Couteau, C.**, see Choquet, B., 53
- Couturier, L.**, Combined structural and biological activities for new polyunsaturated fatty derivatives obtained by biotechnological process (Abstract, IJCS), 657
- Cox, K.A.**, see McCaulley, J.A., 391
- Cunningham, C.T.**, see Mundscha, S.A., 568
- Dahlan, W.**, see Angkatavanich, J., 541
- Dahlgren, R.M.**, see Marsh, J., 205
- Daly, S.**, see Bianchini, R., 297; see Jachowicz, J., 576
- Danoux, L.**, see Pauly, G., 471
- Davis, C.**, see Jordan, S.L., 239
- Davis, M.G.**, Measurement of hair moisture content utilizing novel analytical and real-time techniques (2008 Annual Scientific Meeting), 80; see Stofel, S.W., 303
- Day, A.**, Sustainable skin protective exopolysaccharides from marine micro-algae (2008 Annual Scientific Meeting), 374

- Dayan, N.**, Skin moisturization by hydrogenated polyisobutene - Quantitative and visual evaluation, 15; Skin aging handbook, Book Review, 363; Anti-inflammatory activity of pseudopteropsins by laser doppler blood flow evaluation (Abstract, IFSCC), 472
- De Jesus, M.E.P.**, see Imhof, R.E., 540
- de la Mettrie, R.**, see Porter, C.E., 97
- Dell'Acqua, G.**, see Gafner, F., 50
- Delvalle, C.**, see Durand, B., 566
- Demetzos, C.**, see Varvaresou, A., 655
- Dencausse, L.**, Validation of HPLC method for quantitative determination of Tinosorb S and three other sunscreens in a high protection cosmetic product (Abstract, IJCS), 54
- Denda, M.**, Methodology to improve epidermal barrier homeostasis: How to accelerate the barrier recovery? -- Review article (Abstract, IJCS), 539
- de Oliveira, A.**, see Fregonesi, A., 273
- de Sanctis D.**, see Fregonesi, A., 273
- de Sterke, J.**, see Bielfeldt, S., 472
- Devkota, H.P.** see Adhikari, A., 53
- Diffey, B.**, Spectral uniformity" A new index of broad spectrum (UVA) protection (Abstract, IJCS), 469
- Dillon, H.**, see Day, A., 374
- Ding, H.-Y.**, Tyrosinase inhibitors isolated from the roots of *Paeonia suffruticosa*, 347
- Diogo, L.**, see Rodrigues, L.M., 543
- Diridollou, S.**, see Pistorio, B., 582
- Dixon, F.**, see Porter, C.E., 97
- Dizon, F.**, see Pistorio, B., 582
- Dobbs, S.W.**, see McCauley, J.A., 391
- Domaschko, D.**, see Bolden, R., 574
- Dominquez, M.**, see Rao, S., 550
- Dong, M.**, see Cheng, Y., 7
- Dong, Y.**, see Cheng, Y., 7
- Doppler, S.**, see Voegeli, R., 367
- Draelos, Z.D.**, Multicultural skin technology (2008 Annual Scientific Meeting), 62
- Drovtetskaya, T.**, see Jordan, S., 378
- Dubreuil, V.**, see Boudier, D., 50
- Dueva-Koganov, O.V.**, Complying with new FDA guidelines for *in vitro* evaluation of UVA protection (2008 Annual Scientific Meeting), 72; Addressing technical challenges associated with the FDA's proposed rules for the UVA *in vitro* testing procedure, 587
- Dumont, S.**, see Perez, C., 552
- du Plessis, J.**, see Otto, A., 467
- Durand, B.**, New formulation capabilities using water-in-silicone emulsifiers (2009 Annual Scientific Seminar), 566
- Dussaud, A.**, Influence of functionalized silicones on hair fiber-fiber interactions and on the relationship with the macroscopic behavior of hair assembly, 261
- Ebrahimipour, A.**, *In vivo* skin analysis (INSA) for quantitative determination of lotion transfer to human skin, 315
- Egawa, J.**, see Igarashi, K., 365
- Eisfeld, W.**, see Haake, H.-M., 143
- Elefant, D.**, see Day, A., 374
- Ely, U.**, see Bielfeldt, S., 472
- Enari, H.**, see Hsu, T.-F., 652
- Ennen, J.**, see Maxeiner, B., 655; see Keyhani, R., 656
- Epstein, H.**, Bioflavonoids: Benefits for skin and formulating "green" (2009 Annual Scientific Seminar), 554
- Escudeiro, C.**, see Fregonesi, A., 273; see Santos, L., 302
- Evans, T.**, Using scanning electron microscopy to study the structure and health of hair (Abstract, 3rd Intl. Conf. On Applied Hair Science), 308; Quantifying differences in the propensity for breakage in Afro and Caucasian hair (2009 Annual Scientific Seminar), 584; Fatigue testing of hair - A statistical approach to hair breakage, 599
- Faivre, D.**, see Krzysik, D.G., 78
- Farer, A.**, see Loginova, Y., 125
- Ferrer-Montiel, A.**, The contribution of neurogenic inflammation to sensitive skin concepts, mechanisms and cosmeceutical intervention (Abstract, IFSCC), 371
- Ferrero, L.**, see Zastrow, L., 49
- Fevola, M.J.**, Polymer-surfactant association for improved tissue compatibility (2008 Annual Scientific Meeting), 383
- Fieschi-Corso, L.**, see Dussaud, A., 261
- Fischer, D.**, see Gassenmeier, T., 289; see Schulze zur Wiesche, E., 372
- Foltis, L.**, see Zhou, Y., 217; 572
- Fougere, M.**, Tribiology of hair (Abstract, 3rd Intl. Conf. on Applied Hair Science), 283
- Frank, D.**, see Jordan, S.L., 239
- Fregonesi, A.**, Brazilian oils and butters: The effect of different fatty acid chain composition on human hair physicochemical properties, 273; see Santos, L., 302
- Freis, O.**, see Pauly, G., 471
- Friis-Jensen, S.**, Stabilizing detergent formulation costs in a changing world economy (Abstract, JPSCC Poland), 474
- Frydrych, A.**, Modern complexing agents in homecare and cosmetic products (Abstract, JPSCC Poland), 545
- Fthenakis, C.**, see Mammone, T., 423
- Fuji, M.**, Application of image processing technique for facial gloss evaluation (Abstract, JSCC Japan), 651

- Fujii, Y.**, see Higashi, Y., 519
- Fujishiro, M.**, see Masaki, H., 58
- Fukuhara, T.**, Development of preparation of solubilized Coenzyme Q10 with polyglycerol fatty acid esters and application for cosmetics (Abstract, JSCC Japan), 366
- Futagawa, M.**, see Oba, A.,
- Gabriele, D.**, Glycokines: Sugar molecules with specific messenger activity improve tissular cohesion as measured with a novel, non-invasive, non-touch "elasticity" technology (2008 Annual Scientific Meeting), 66
- Gafner, F.**, Oat-based complex stimulates skin barrier protein synthesis and reduces skin aging (Abstract, IFSCC), 50
- Galland, A.**, see Dencausse, L., 54
- Gallardo, V.**, see Morales, M.E., 627
- Galley, R.**, see Jordan, S.L., 239
- Gamez-Garcia, M.**, The effects of lipid penetration and removal from subsurface microcavities and cracks at the human cuticle sheath, 85; The modeling of polycation surfactant complexes in shampoos with deposition properties (2008 Annual Scientific Meeting), 380
- Gan, D.**, see Mammone, T., 423
- Gandolfi, L.R.**, see Lochhead, R.Y., 387
- Gao, T.**, Dynamic mechanical study of hair viscoelasticity and softness (Abstract, IFSCC), 544; Study of hair shine and hair surface smoothness, 187
- Garaffa, R.**, -Phthalimido peroxyhexanoic acid: A new commercial way to the European BPD compliance (Abstract, JPSCC Poland), 660
- Garcel, S.**, see Roso, A., 570
- Garcia, M.B.**, see Morales, M.E., 627
- Garcia-Sanz, N.**, see Ferrer-Montiel, A., 371
- Gassenmeier, T.**, Realistic measurement of hair 'body' by image analysis (Abstract, 3rd Intl. Conf. on Applied Hair Science), 289; see Schulze zur Wiesche, E., 372
- Gasser, P.**, Cocoa polyphenols and their influence on parameters involved in *ex vivo* skin restructuring (Abstract, IJCS), 52
- Gautier, S.**, Chitin-glucan, a natural cell scaffold for skin moisturization and rejuvenation (Abstract, IJCS), 369
- Gaynor, S.**, see Jordan, S., 378
- George, S.E.**, see McCaulley, J.A., 391
- Gesztes, J.L.** see Fregonesi, A., 273; see Santos, L., 302
- Ghirardi, D.**, see Krzysik, D.G., 78
- Gick, R.**, see Schnell, E., 53
- Giuliani, G.**, see Rigano, L., 371
- Gonry, P.**, see Gautier, S., 369
- Gorcea, M.**, see Moore, D.J., 60
- Goto, M.**, Immune system-driven human ageing: Inflammaging (Abstract, JSCC Japan), 651
- Graf, R.**, see Epstein, H., 554
- Grazul-Bilska, A.T.**, Antioxidant capacity of 3D human skin EpiDerm™ model effects of skin moisturizers (Abstract, IJCS), 656
- Groth, N.**, see Zastrow, L., 49
- Grove, G.**, see Dayan, N., 472
- Grovenor, C.R.M.**, see Smart, K.E., 337
- Gruber, J.V.**, Hair and energy: Measuring hair cell respiratory effects *in vitro* (Abstract, 3rd Intl. Conf. On Applied Hair Science), 282; Polyquaternium-10: Cornerstone of a personal care revolution (2008 Annual Scientific Meeting), 385; Influence of an extract from kudzu symbiosomes containing leghemoglobin on *in vitro* cutaneous procollagen production, 475; see Rao, S., 550
- Guichard, N.**, see Boudier, D., 50
- Haake, H.-M.**, Hair breakage--How to measure and counteract, 143
- Habe, T.**, see Tanamachi, H., 509
- Hallegot, P.**, see Pistorio, B., 582
- Han, S.H.**, see Ko, S., 617
- Hanssen, H.-P.**, Active ingredients from mushrooms and other fungi--from TCM to new products in cosmetics and dermatology (Abstract, JPSCC Poland), 545
- Hara, E.**, see Oka, T., 652
- Haraguchi, H.**, see Imai, T., 366
- Harper, D.**, Product and humidity effects on the shear modulus of hair (Abstract, 3rd Intl. Conf. on Applied Hair Science), 309
- Hasegawa, T.**, see Imai, T., 366
- Hashimoto, F.**, see Koike, M., 652
- Hasman, D.**, see Rafferty, D.W., 251
- Hauthal, H.G.**, Progress in surfactants--innovations of the last five years (Abstract, JPSCC Poland), 56
- Havlicek, J.**, see Roberts, S.C., 468
- Hawes, C.**, see Smart, K.E., 337
- Hawn, D.**, see Jordan, S., 378
- Heinrich, U.**, About the efficacy of dietary supplements (Abstract, JPSCC Poland), 473; see Tronnier, H., 50
- Hepp, N.M.**, Determination of total lead in lipstick: Development and validation of a microwave-assisted digestion, inductively coupled plasma-mass spectrometric method, 405
- Herpens, A.**, see Keyhani, R., 656
- Higashi, Y.**, High-performance liquid chromatography with dual-wavelength ultraviolet detection for measurement of hinokitiol in personal care products, 519
- Hikichi, S.**, see Monchi-Semba, R., 538

- Hirahara, H.**, see Hsu, T.-F., 652
- Holtkoetter, O.**, Cell-activating effects of a viniferin-enriched grapevine extract (Abstract, IFSCC), 543
- Holtz, R.**, see Gruber, J.V., 475
- Honmura, A.**, see Hsu, T.-F., 652
- Hori, A.**, see Hori, Y., 415
- Hori, Y.**, Skin collagen reproduction increased by ascorbic acid derivative iontophoresis by frequent-reversal bipolar electric simulation, 415
- Hoshino, Y.**, see Hsu, T.-F., 652
- Hsu, T.-F.**, Effect of DNA from salmon milt on human skin conditions (Abstract, JSCC Japan), 652
- Hubinger, J.C.**, Determination of Retinol, retinyl palmitate, and retinoic acid in consumer cosmetic products, 485
- Hukuhara, T.**, see Oka, T., 652
- Igarashi, K.**, A new water-in-powder technology: A novel structure for creating unique cosmetic products (Abstract, JSCC Japan), 365
- Igarashi, T.**, see Baba, Y., 48
- Imai, T.**, The reaction of oxidative hair dyes in cuticle layers (Abstract, JSCC Japan), 366
- Imhof, R.E.**, Closed-chamber transepidermal water loss measurement: Microclimate, calibration and performance (Abstract, IJCS), 540
- Inoue, K.**, see Fukuhara, T., 366
- Inoue, S.**, Characterization of persistent hydrophobic surface generated by 18-MEA combined with cationic surfactants (Abstract, 3rd Intl. Conf. on Applied Hair Science), 298; see Tanamachi, H., 31; see Tokunaga, S., 287; see Tanamachi, H., 509
- Ishii, I.**, see Nakama, M., 537
- Ishikubo, A.**, An influence of cosmetic formula on thermal characteristics and its relationship with the sensation of freshness during application (Abstract, JSCC Japan), 365
- Ishita, M.**, see Tanamachi, H., 31
- Isshiki, Y.**, see Koike, M., 652
- Itou, T.**, see Nagase, S., 637
- Iwai, S.**, Novel mechanism for hair shine with special optical enhancement effect on blonde hair, 323
- Iwanaga, T.**, see Fukuhara, T., 366
- Iyanagi, H.**, see Toyoda, T., 47
- Izumi, Y.**, see Akiyama, Y., 653
- Jachowicz, J.**, Overview of new methodologies for the evaluation of hair and hair care products (Abstract, 3rd Intl. Conf. On Applied Hair Science), 288; Discover benefits of the polyurethane dispersion technology in hair care (Abstract, 3rd Intl. Conf. on Applied Hair Science), 292; Effect of natural proteins and protein hydrolyzates on hair electrokinetics and wettability (2009 Annual Scientific Seminar), 576; see McMullen, R., 171
- Jang, H.G.**, see Ko, S., 617
- Jang, S.H.**, see Ko, S., 617
- Janssen, F.**, see Holtkoetter, O., 543
- Jasoy, C.**, see Holtkoetter, O., 543
- Jirová D.**, see Akrman, J., 539
- Johnson, B.K.**, Hair protection using silicone-based solutions (Abstract, 3rd Intl. Conf. on Applied Hair Science), 295
- Joko, K.**, A tentative mechanism of oxidative dyeing for keratin fibers (Abstract, JSCC Japan), 47; see Osaki, A., 653
- Jones, J.W.**, Lipid unsaturation and membrane protein has an enormous effect on the gel phase hysteresis of mixed phospholipids (2008 Annual Scientific Meeting), 393
- Jordan, S.L.**, Evaluation of novel synthetic conditioning polymers for shampoos, 239; The science of polymer surfactant interactions (2008 Annual Scientific Meeting), 378
- Kabrodt, K.**, see Schellenberg, I., 560
- Kajiura, Y.**, see Nagase, S., 637
- Kalantar, T.**, see Jordan, S.L., 239, 378
- Kaletka, M.**, Trends in home and personal care products fragrances (Abstract, JPSCC Poland), 474
- Kamata, T.**, see Fukuhara, T., 366
- Kamath, Y.K.**, Small angle neutron scattering studies of human hair: Relevance to distribution of water (2008 Annual Scientific Meeting), 82; see Ramaprasad, R.K., 312
- Kamiya, S.**, see Hori, Y., 415
- Kaneda, I.**, see Osawa, T., 471
- Kang, S.**, see Kim, E.S., 286
- Kaplan, P.D.**, The shine problem in hair: Review of imaging methods and measures for luster, 111; see Harper, D., 309; see Nori, M., 310; see Park, K., 311; see Yang, K., 313; see Callegari, G., 562
- Karolak, J.**, see Rigoletto, R., 578
- Katayama, A.**, see Monchi-Semba, R., 538
- Kato, K.**, see Hori, Y., 415
- Kawabata (Kishi), M.**, A novel non-invasive method for assessing interior skin damage caused by aging and photoaging (Abstract, JSCC Japan), 538
- Kawamukai, H.**, see Baba, Y., 48
- Kawamura, H.**, see Imai, T., 366
- Kazarian, S.G.**, see Taylor, C., 307
- Keenan, A.**, Multifunctional shine and hold technology for ethnic hair care (2008 Annual Scientific Meeting), 76
- Kefala, V.**, see Varvaressou, A., 655
- Kejlová K.**, see Akrman, J., 539
- Kerscher, M.**, see Hanssen, H.-P., 545

- Keyhani, R.**, Qualification of a precise and easy-to-handle sweat casting imprint method for the prediction and quantification of antiperspirant efficacy (Abstract, IJCS), 656; see Maxeiner, B., 655
- Khine, C.-C.**, see Porter, C.E., 97
- Kilburn, M.**, see Smart, K.E., 337
- Kim, E.S.**, Recovery of covalently linked fatty acid monolayer on the hair surface using biomimetic lipid (Abstract, 3rd Intl. Conf. on Applied Hair Science), 286
- Kim, J.**, see Kim, S.-J., 52
- Kim, S.-J.**, The perception threshold measurement can be a useful tool for the evaluation of sensitive skin (Abstract, IJCS), 52
- Kimura, M.**, see Imai, T., 366
- Kimura, T.**, see Oka, T., 652
- Kintziou, H.**, see Varvaressou, A., 655
- Kitamura, T.**, see Koike, M., 652
- Klein, F.**, see Zastrow, L., 49
- Ko, S.**, The effect of cationic polymer treatment on adhesion of iron oxide to eyelashes, 617
- Kockott, D.**, see Zastrow, L., 49
- Koelmel, D.**, see Moore, D.J., 60; see Rigoletto, R., 578
- Koerner, A.**, see Schulze zur Wiesche, E., 372
- Koike, M.**, Bactericidal activities of several electrolyzed waters (Abstract, JSCC Japan), 652
- Kondo, S.**, see Koike, M., 652
- Krzysik, D.G.**, Water- and sweat-resistant styling using acrylate polymers (2008 Annual Scientific Meeting), 78
- Kubá, L.**, see Akman, J., 539
- Kunz, W.**, see Schnell, E., 53
- Kurasawa, M.**, see Kuroda, S., 544
- Kuroda, S.**, Epidermal tight junction: The master skin barrier regulator (Abstract, IFSCC), 544
- Kyohei, J.**, A tentative mechanism of oxidative dyeing for keratin fibers: Part 4 (Abstract, 3rd Intl. Conf. on Applied Hair Science), 300
- Lademann, J.**, see Zastrow, L., 49
- Ladika, M.**, see Jordan, S.L., 239, 378
- Lati, E.**, see Gasser, P., 52
- Lechocinski, N.**, see Lefaudeux, N., 153, 293
- Lee, E.-Y.**, see Kim, S.-J., 52
- Lee, I.-H.**, see Kim, E.S., 286
- Lee, J.-M.**, Development of a minimally invasive epidermal abrasion device for clinical skin sampling and its applications in molecular biology (Abstract, IJCS), 468
- Lefaudeux, N.**, New luster formula for the characterization of hair tresses using polarization imaging, 153; Full decomposition of light scattered by hair tresses based on simultaneous analysis of polarization and color information (Abstract, 3rd Intl. Conf. On Applied Hair Science), 293
- Li, M.**, see Cheng, Y., 7
- Li, Y.**, see Bolden, R., 574
- Liawruangrath, B.**, see Thongchai, W., 540
- Liawruangrath, S.**, see Thongchai, W., 540
- LiBrizzi, J.J.**, see Fevola, M.J., 383
- Lin, H.-C.**, see Ding, H.-Y., 347
- Lubbers, J.**, see Bolden, R., 574
- Lim, S.-U.**, see Kim, S.-J., 52
- Lintner, K.**, The study of cellular senescence *in vitro*: Models, protocols and mechanisms and ways to delay the onset of senescence *in vitro* (2008 Annual Scientific Meeting), 68; see Gabriele, D., 66
- Lips, A.**, see Ananthapadmanabhan, K.P., 377
- Little, A.C.**, see Roberts, S.C., 468
- Liu, W.**, see Cheng, Y., 7
- Lobst, S.**, see Lee, J.-M., 468
- Lochhead, R.Y.**, Cationic hydroxyethylcellulose: Anionic surfactant interactions in the presence of salt (2008 Annual Scientific Meeting), 387
- Loginova, Y.**, Approaches to polymer selection for mascara formulation, 125
- Lorch, M.**, see Jones, J.W., 393
- Lourith, N.**, see Raumrak, C., 468
- Luanpitpong, S.**, see Chanvorachote, P., 395
- Lue, L.**, see Jones, J.W., 393
- Lundov, M.D.**, Recalls of microscopically contaminated cosmetics in EU from 2005 to May 2008 (Abstract, IJCS), 369
- Lyndon, A.**, see Roberts, S.C., 468
- Ma, Q.**, see Wu, T., 54
- Maccio, R.**, see Loginova, Y., 125
- Macian, K.**, see Santos, L., 302
- Maeda, T.**, see Kuroda, S., 544
- Maes, D.H.**, see Muizzuddin, N., 25; see Muizzuddin, N., 501
- Magsaam, B.**, see Epstein, H., 554
- Mahajan, M.**, see Lee, J.-M., 468
- Mamada, A.**, see Nagase, S., 637
- Mammone, T.**, The effect of N-acetylglucosamine on stratum corneum desquamation and water content in human skin, 423; see Muizzuddin, N., 25, 501
- Mangues, M.**, A new cosmetic active for safe skin brightening (Abstract, JPSCC Poland), 473
- Marchand, L.**, see Boudier, D., 50, 70
- Marenius, K.D.**, see Mammone, T., 423; see Muizzuddin, N., 501
- Marsh, J.**, A new oxidant for hair coloring, 205; see Smart, K.E., 337
- Marten, S.**, see Haake, H.-M., 143
- Martin, B.G.H.**, see Smart, K.E., 337
- Martin, K.**, see Fevola, M.J., 383

- Masaki, H.**, Specific filaggrin inducer pyridoxine and its derivative: Effects on cultured human keratinocytes and human intact skin (2008 Annual Scientific Meeting), 58
- Masse, S.**, see Durand, B., 566
- Massironi, M.**, see Vielhaber, G., 74
- Masuda, K.**, see Adhikari, A., 53
- Matsui, Y.**, see Baba, Y., 48
- Matsumoto, S.**, see Hori, Y., 415
- Matts, P.J.**, Water, water everywhere. . . ? (Abstract, IFSCC), 49
- Maxeiner, B.**, Design and application of a screening and training protocol for odour testers in the field of personal care products (Abstract, IJCS), 655
- McCaulley, J.A.**, Water dispersible sulfopolyesters: Properties and applications (2008 Annual Scientific Meeting), 391
- McEntire, E.E.**, see McCaulley, J.A., 391
- McMullen, R.**, Measurements of hair volume by laser stereometry, 171
- Meloni, M.**, see Rigano, L., 371
- Menon, R.**, see Jordan, S.L., 239
- Merat, E.**, see Roso, A., 570
- Merianos, J.J.**, see Tallon, M., 556
- Mindak, W.R.**, see Hepp, N.M., 405
- Misaki, Y.**, see Fuji, M., 651
- Misery, L.**, see Pauly, G., 471
- Miyahara, R.**, see Oka, T., 652
- Miyake, H.**, see Oka, T., 652
- Miyake, T.**, Analysis of glass transition and enthalpy relaxation of human hair, and application to ne perming system (Abstract, 3rd Intl. Conf. on Applied Hair Science), 305
- Miyamae, Y.**, see Kawabata (Kishi), M., 538
- Mizukoshi, K.**, see Kuroda, S., 544
- Mochizuki, A.**, see Yamauchi, C., 527
- Mohri, K.**, see Toyoda, T., 47
- Moncayo, P.**, see Fregonesi, A., 273
- Monchi-Semba, R.**, An analysis of semantic structure of KAITEKI-KAN and development of its measuring method using emotional words (Abstract, JSCC Japan), 538
- Mondon, P.**, see Gabriele, D., 66; see Lintner, K., 68
- Moon, S.-J.**, see Kim, S.-J., 52
- Moore, D.J.**, Confocal raman spectroscopy of active permeation into stratum corneum from lamellar lipid formulations (2008 Annual Scientific Meeting), 60; see Zhou, Y., 217; 572
- Morales, M.E.**, Study and description of hydrogels and organogels as vehicles for cosmetic active ingredients, 627
- Mouedden, M.**, see Krzysik, D.G., 78
- Moussou, P.**, see Pauly, G., 471
- Moyano, M.A.**, see Segall, A.J., 369
- Mueller, B.**, see Gassenmeier, T., 289
- Muizzuddin, N.**, A rapid method to clinically assess the effect of an anti-acne formulation, 25; A novel method to study the skin-lightening effect of topical materials, 501
- Mukhopadhyay, A.**, see Spicka, P., 285
- Mullay, J.**, see Rafferty, D.W., 251
- Mundschau, S.A.**, SPF retention via silicone derivatives (2009 Annual Scientific Seminar), 568
- Murthy, S.**, see Kamath, Y., 82
- Nagase, S.**, Changes in structure and geometric properties of human hair by aging, 637
- Nakagawa, K.**, see Yagi, E., 48
- Nakama, M.**, Sodium dl- α -tocopheryl phosphate inhibits ultraviolet-induced production of reactive nitrogen species in human keratinocytes (Abstract, JSCC Japan), 537
- Nakamae, K.**, see Toyoda, T., 47
- Nakane, T.**, see Adhikari, A., 53;
- Nakano, T.**, see Imai, T., 366
- Nakata, S.**, see Nakama, M., 537
- Nall, M.**, see Vaynberg, K.A., 135
- Natakankitkul, S.**, see Raumrak, C., 468
- Neimark, A.**, see Callegari, G., 562
- Neubauer, O.**, see Hanssen, H.-P., 545
- Newton, J.**, see Durand, B., 566
- Nichols, B.**, see Jordan, S., 378
- Nimmannit, U.**, see Chanvorachote, P., 395; see Angkatavanich, J., 541
- Nishihama, S.**, see Osawa, T., 471
- Nishijima, S.**, see Akiyama, Y., 653
- Nishijima, T.**, An approach to improvement of pore conspicuousness caused by epidermal structure on cheek (Abstract, JSCC Japan), 537
- Niwa, M.**, see Imai, T., 366
- Noda, A.**, see Ishikubo, A., 365
- Nori, M.**, Poisson's ratio of hair fibers and its dependence on damage level (Abstract, 3rd Intl. Conf. on Applied Hair Science), 310
- Norlen, L.**, Stratum corneum lipid organization as observed by atomic force, confocal and two-photon excitation fluorescence microscopy (Abstract, IJCS), 368
- Nunn, C.**, see Marsh, J., 205
- Oba, A.**, Enhancing facial beauty: Diminishing tension-caused forehead wrinkles through upper back massage (Abstract, JSCC Japan), 47; see Kuroda, S., 544
- Ogorzalek, M.**, see Sulek, M.W., 55
- Oguri, M.**, see Tanamachi, H., 31, 509
- Ojima, K.**, see Oka, T., 652
- Oka, T.**, Cosmetic application of a novel technique preparing lamellar-structure-nano capsule with POE/POP dimethyl ether (Abstract, JSCC Japan), 652
- Okada, M.**, see Osaki, A., 653
- Okano, Y.**, see Masaki, H., 58

- Oldfield, T.A.**, see McCauley, J.A., 391
- Ollagnier, M.**, see Krzysik, D.G., 78
- Oouchi, T.**, see Fukuhara, T., 366
- Orofino, S.**, see Dueva-Koganov, O.V., 72, 587
- Osaki, A.**, Effect of disulfide bonds in human hair fibers on the melting behavior of their crystalline structure (Abstract, JSCC Japan), 653
- Osawa, T.**, Development of a water-resistant and detergent-washable powder coated with a stimuli-responsive polymer and its application to suncare products (Abstract, IFSCC), 471
- Osterwalder, U.**, see Dueva-Koganov, O.V., 72, 587
- Otto, A.**, Formulation effects of topical emulsions on transdermal and dermal delivery--Review article (Abstract, IJCS), 467
- Ozaki, Y.**, see Kawabata (Kishi), M., 538
- Park, K.**, Quantification of hair studies by polarized imaging (Abstract, 3rd Intl. Conf. on Applied Hair Science), 311; see Kaplan, P.D., 111
- Papageorgiou, S.**, see Varvaresou, A., 655
- Paparis, E.**, see Choquenot, B., 53
- Parodi, A.**, see Villa, C., 469
- Patel, D.K.**, The level of polyaromatic hydrocarbons in kajal and surma of major Indian brands (Abstract, IJCS), 657
- Pauly, G.**, New peptidic active ingredient to reduce discomfort and painful sensations in sensitive skin (Abstract, IFSCC), 471
- Peffly, M.**, see Bolden, R., 574
- Peno-Mazzarino, L.**, see Gasser, P., 52
- Pereira, A.**, see Gao, T., 187
- Perez, C.**, A novel high performance wrinkle corrector with anti-"inflamm-aging" properties (2009 Annual Scientific Seminar), 552
- Pertile, P.**, see Vielhaber, G., 74
- Pfluecker, F.**, see Epstein, H., 554
- Picardo, M.**, see Rigano, L., 371
- Pie'rard, G.E.**, see Gautier, S., 369
- Pini, E.**, see Rigano, L., 371
- Pistelli, L.**, see Villa, C., 469
- Pistorio, B.**, Hair breakage for the African-American consumer: Causes and consumer perception (2009 Annual Scientific Seminar), 582; see Porter, C.E., 97
- Plasencia, I.**, see Norgen, L., 368
- Polefka, T.**, see Jachowicz, J., 576
- Pongrakhananon, B.**, see Chanvorachote, P., 395
- Pongrakhananon, V.**, see Chanvorachote, P., 395
- Popescu, C.**, see Gassenmeier, T., 289
- Poppe, E.**, see Schulze zur Wiesche, E., 372
- Porter, C.E.**, The behavior of hair from different countries, 97; see Balooch, G., 580; see Pistorio, B., 582
- Prasad, S.**, see Patel, D.K., 657
- Prenzel, M.**, see Epstein, H., 554
- Pricop, M.**, see Gassenmeier, T., 289
- Protopapa, E.**, see Varvaresou, A., 655
- Prud'homme, R.K.**, Hydrophobically associative polymers and their control of properties of surfactant mesophases and liposomes (2008 Annual Scientific Meeting), 389
- Pytkowska, K.**, More than sensitive - How to formulate products for atopic and hypersensitive pets (Abstract, JPSCC Poland), 659; see Scibisz, M., 55; 473; see Starzyk, E., 660
- Quadir, M.**, see Yang, B., 296
- Qi, J.**, see Kaplan, P.D., 111
- Qu, X.**, see Zhou, Y., 572
- Quinn, M.**, see Epstein, H., 554
- Rafferty, D.W.**, The mechanics of fixatives as explained by polymer composite principles, 251
- Ramaprasad, R.K.**, Spectroscopic and thermomechanical investigation of product treated hair fibers (Abstract, 3rd Intl. Conf. on Applied Hair Science), 312
- Rao, S.**, Phytochemical fermentation: A natural way to fuse plant chemistry and microbiology to potentiate skin care activity (2009 Annual Scientific Seminar), 550
- Rathjens, A.**, see Pauly, G., 471
- Ratner, B.D.**, Rebuilding people: The coming era of tissue engineering, Frontiers of Science Award Lecture (2008 Annual Scientific Meeting), 64
- Raumrak, C.**, Comparison of clinical efficacies of sodium ascorbyl phosphate, retinol and their combination in acne treatment (Abstract, IJCS), 468
- Rawlings, A.V.**, see Voegeli, R., 367
- Redmer, D.A.** see Grazul-Bilska, A.T., 656
- Reffner, J.**, see Keenan, A., 76
- Ren, D.**, see Cheng, Y., 7
- Reynolds, L.P.**, see Grazul-Bilska, A.T., 656
- Rigano, L.**, Novel retinol-like actives from parrots feathers (Abstract, IFSCC), 371
- Rigoletto, R.**, Quantification of fiber fragmentation of hair through combing as a measure of thermal protection (2009 Annual Scientific Seminar), 578; see Zhou, Y., 217, 572
- Robbins, C.**, The cell membrane complex: Three related but different cellular cohesion components of mammalian hair fibers--Review article, 437
- Roberts, J.**, see Roberts, S.C., 468
- Roberts, S.C.**, Manipulation of body odor alters men's self-confidence and judgements of their visual attractiveness by women (Abstract, IJCS), 468

- Rocafort, C.**, see Dueva-Koganov, O.V., 72, 587
- Rodrigues, L.M.**, Sensitive skin syndrome in Portugal - A concise (social and demographic) characterization of the Portuguese reality (Abstract, IFSCC), 543
- Roesler, R.**, see Fregonesi, A., 273
- Roh, Y.H.**, see Ko, S., 617
- Rohr, M.**, see Cheng, Y., 7
- Romeu, C.**, see Santos, L., 302
- Roso, A.**, A better understanding of structure-properties connections of thickening-stabilizing polymers (2009 Annual Scientific Seminar), 570
- Ruetzel-Gruenberg, S.**, see Maxeiner, B., 655
- Ruffoni, B.**, see Villa, C., 469
- Ruiz, M.A.**, see Morales, M.E., 627
- Sabadotto, M.**, see Pauly, G., 471
- Sagara, K.**, see Igarashi, K., 365
- Saiani, A.**, see Jones, J.W., 393
- Sakaino, A.**, see Yamauchi, C., 527
- Sakamoto, K.**, see Yagi, E., 48
- Sakata, M.**, see Higashi, Y., 519
- Santos, L.**, Improvement of the surface hair with application of the nanoemulsion products (Abstract, 3rd Intl. Conf. on Applied Hair Science), 302; see Fregonesi, A., 273
- Sasaki, H.**, see Kuroda, S., 544
- Sasaki, I.**, see Fuji, M., 651
- Sato, C.**, see Oba, A.,
- Sato, H.**, see Iwai, S., 323
- Satoh, N.**, see Iwai, S., 323; see Nagase, S., 637
- Sazanami, F.**, see Tanamachi, H., 31
- Scalzo, M.**, Colorimetric investigation of the reaction between *p*-phenylenediamine and *meta*-substituted derivatives of benzene on a model support, 429
- Scanavez, C.**, see Fregonesi, A., 273
- Schaefer, K.**, see Schulze zur Wiesche, E., 372
- Scheede, S.**, see Keyhani, R., 656
- Schellenberg, I.**, Improved HPTLC separation of lipids and phospholipids in cosmetics by using automated multiple development (AMD) (2009 Annual Scientific Seminar), 560
- Schmitt, R.**, see Jordan, S., 378
- Schmucker, M.**, see Maxeiner, B., 655
- Schmucker, R.**, see Keyhani, R., 656
- Schnell, E.**, Properties of a new hydrotrope hydrophobic molecule and its potential applications (Abstract, IJCS), 53
- Schoder, V.**, see Bielfeldt, S., 472
- Schrader, A.**, see Cheng, Y., 7
- Schreier, T.**, see Voegeli, R., 367
- Schreiner, V.**, see Keyhani, R., 656
- Schroeder, M.**, see Smart, K.E., 337
- Schulze zur Wiesche, E.**, Specific repair of aging hair keratin (Abstract, IFSCC), 372
- Schwan-Jonczyk, A.**, Stylist's hair perception meets objective hair measurement (Abstract, 3rd Intl. Conf. on Applied Hair Science), 304
- Schweikert, K.**, see Gafner, F., 50
- Scibisz, M.**, Hydrolyzed proteins in cosmetic's production (Abstract, JPSCC Poland), 55; Hydrolysed proteins in cosmetic's production, Part II (Abstract, JPSCC Poland), 473
- Segall, A.J.**, Stability of vitamin C derivatives in topical formulations containing lipoic acid, vitamins A and E (Abstract, IJCS), 369
- Seipel, W.**, see Haake, H.-M., 143
- Sekido, H.**, see Hsu, T.-F., 652
- Sempere, A.**, see Ferrer-Montiel, A., 371
- Seveno, D.**, Dynamic wetting of fibers (Abstract, 3rd Intl. Conf. on Applied Hair Science), 307
- Sfar, S.**, see Bouftira, I., 367
- Shah, V.**, see Loginova, Y., 125
- Shannon, K.**, see Bowman, J.P., 1
- Shibuichi, S.**, see Iwai, S., 323; see Nagase, S., 637
- Shinohara, Y.**, see Nagase, S., 637
- Shirao, M.**, see Osawa, T., 471
- Siekierski, M.**, Certification of natural cosmetics in 2009; Unified COSMOS standards and NaTrue requirements (Abstract, JPSCC Poland), 659
- Silva, A.L.**, see Santos, L. 302
- Sivalenka, R.**, see Dayan, N., 15, 472
- Skagerlind, P.**, see Friis-Jensen, S., 474
- Skalko-Basnet, N.**, see Adhikari, A., 53
- Smart, K.E.**, Copper and calcium uptake in colored hair, 337
- Sogabe, A.**, see Osawa, T., 471
- Solomon, W.**, see Zhou, Y., 572
- Somfleth, P.**, see Schulze zur Wiesche, E., 372
- Son, S.-K.**, Surface properties of the dried coacervate film and dry feel of the shampoo composed of cationic polymer and anionic/amphoteric surfactant (Abstract, 3rd Intl. Conf. on Applied Hair Science), 301; see Kim, E.S., 286
- Spicka, P.**, Detangling and friction simulation of hair tresses (Abstract, 3rd Intl. Conf. on Applied Hair Science), 285
- Springmann, G.**, see Wilhelm, K.P., 660
- Sriprasert, V.**, see Angkatavanich, J., 541
- Stapels, M.**, see Wortmann, F.J., 284
- Starzyk, E.**, Scientific information retrieval - Sources and methods (Abstract, JPSCC Poland), 660
- Stofel, S.W.**, Use of microwave resonance to determine the moisture content of hair switches (Abstract, 3rd Intl. Conf. on Applied Hair Science), 303; see Davis, M.G., 80
- Stolz, C.**, see Perez, C., 552
- Stonehouse, J.**, see Marsh, J., 205

- Stradi, R.**, see Rigano, L., 371
Strati, M., see Scalzo, M., 429
Subramanian, S., see Tallon, M., 556
Sugibayashi, K., see Koike, M., 652
Sulek, M.W., Lanolin derivatives in bath formulas (Abstract, JPSCC Poland), 55
Sulongkood, N., see Angkatavanich, J., 541
Suzuki, S., see Yamauchi, C., 527
Swift, J.A., Speculations on the molecular structure of eumelanin (Abstract, IJCS), 540
Tagai, K., see Oka, T., 652
Tagami, H., Location-related differences in structure and function of the stratum corneum with special emphasis on those of the facial skin—Review article (Abstract, IJCS), 368
Tahlawi, A., see Jones, J.W., 393
Takahashi, K., see Oba, A.,
Takano, A., see Adhikari, A., 53
Takayama, K., see Yamauchi, C., 527
Tallon, M., 13C-NMR analytical study to determine free formaldehyde availability on two formaldehyde donors: Imidazolidinyl urea and diazolidinyl urea (2009 Annual Scientific Seminar), 556
Tanaka, H., see Nakama, M., 537
Tanamachi, H., Deposition of 18-MEA onto alkaline-color-treated weathered hair to form a persistent, hydrophobicity, 31; A role of the antesoio branch of 18-MEA in 18-MEA/SPDA to form a persistent hydrophobicity to alkaline-color-treated weathered hair, 509; see Tokunaga, S., 287
Tanji, N., see Tanamachi, H., 31, 509; see Tokunaga, S., 287
Tay, F.T., see Taylor, C., 307
Taylor, C., Novel approach for *in situ* diffusion study in human hair using FTIR imaging (Abstract, 3rd Intl. Conf. on Applied Hair Science), 307; see Bell, F.I., 306
Theis, A., see Jordan, S., 378
Thielecke, I., see Keyhani, R., 656
Thomas, J., see Bolden, R., 574
Thongchai, W., Arbutin determination in medicinal plants and creams (Abstract, IJCS), 540
Tiddy, G.J., see Jones, J.W., 393
Tierney, N., see Fevola, M.J., 383
Tokudome, Y., see Koike, M., 652
Tokunaga, S., 18-MEA is not the only factor contributing to the hydrophobic nature of hair surface (Abstract, 3rd Intl. Conf. on Applied Hair Science), 287; see Tanamachi, H., 31, 509
Todo, H., see Koike, M., 652
Touraud, D., see Schnell, E., 53
Toyoda, T., Optimizing performance of makeup products by controlling surface free energy (Abstract, JSCC Japan), 47
Traupe, B., see Maxeiner, B., 655
Tripathi, R., see Patel, D.K., 657
Tronnier, H., First skin-physiological tests in weightlessness in the ISS space station (Abstract, IFSCC), 50; see Heinrich, U., 473
Trouve, G., see Perez, C., 552
Trucchi, B., see Villa, C., 469
Tsirivas, E., see Varvaresou, A., 655
Tsuchiya, J., see Kawabata (Kishi), M., 538
Tsuji, S., see Fukuhara, T., 366
Tsujimura, H., see Tanamachi, H., 31, 509
Tumalle, G., see Zhou, Y., 572
Tyomkin, I., see Callegari, G., 562
Ullman, A.H., see Ebrahimpour, A., 315
Umemura, T., see Imai, T., 366
Valente, P., see Ferrer-Montiel, A., 371
Van Den Nest, W., see Ferrer-Montiel, A., 371
van der Pol, A., see Bielfeldt, S., 472
Varvaresou, A., Self-preserving cosmetics—Review Article (Abstract, IJCS), 655
Vaynberg, K.A., The Aqualon SLT: A novel device for measuring hair stiffness and lubricity, 135
Vervier, I., see Durand, B., 566
Vielhaber, G., A novel *ex vivo* pig skin organ culture model for use in efficacy and safety testing (2008 Annual Scientific Meeting), 74
Villa, C., *Salvia somalensis* essential oil as a potential cosmetic ingredient: Solvent-free microwave extraction, hydrodistillation, GC-MS analysis, odour evaluation and *in vitro* cytotoxicity assays (Abstract, IJCS), 469
Vincent, C., see Ananthapadmanabhan, K.P., 377
Vissac, F., see Lintner, K., 68
Vitale, M., Advances in hair protection using film forming technology (Abstract, 3rd Intl. Conf. on Applied Hair Science), 290
Voegeli, R., Increased basal transepidermal water loss leads to elevation of some but not all stratum corneum serine proteases (Abstract, IJCS), 367
Waldmann-Lau, M., see Holtkoetter, O., 543
Walters, R.M., see Fevola, M.J., 383
Wang, C., see Wu, T., 54
Wang, J., see Cheng, Y., 7
Wang, M.-F., see Hsu, T.-F., 652
Wang, X., see Wu, T., 54
Wannachaiyasit, S., see Chanvorachote, P., 395
Wasilewski, T., Coacervation process for manufacture of modern hand dishwashing liquids (Abstract, JPSCC Poland), 546; see Sulek, M.W., 55
Watanabe, Y., see Hori, Y., 415
Wenck, H., see Keyhani, R., 656
Wenzel, S.W., see Mundschau, S.A., 568
Wertz, P.W., Human synthetic sebum formulation and stability under conditions of use and storage (Abstract, IJCS), 467

- Weys, T.**, The IFSCC in its 50th year - How cosmetics have changed over the lifetime of the IFSCC and how they might look 50 years from now (Abstract, IFSCC), 372
- Wiebusch, M.**, see Tronnier, H., 50
- Wiechers, J.W.**, *Skin barrier: Chemistry of skin delivery systems*, Book review, 45; *Science and Applications of Skin Delivery Systems*, Book review, 359; see Otto, A., 467
- Wild, J.E.**, see Bowman, J.P., 1
- Wilhelm, K.-P.**, Skin imaging in claims substantiation (Abstract, JPSCC Poland), 660; see Callaghan, T.M., 51; 51; see Bielfeldt, S., 472
- Williams, D.G.**, *The Chemistry of Essential Oils*, Book review, 649
- Winter, P.**, Techniques of deformation (reverse engineering) (2009 Annual Scientific Seminar), 558
- Wirth, C.**, see Epstein, H., 554
- Wittem, K.-P.**, see Maxeiner, B., 655
- Won, Y.-H.**, see Kim, S.-J., 52
- Wood, C.**, see Basilan, J., 291
- Wortmann, F.J.**, Aspects of time/humidity equivalence for the cohesive bonding set of hair fibres and their consequences for the stability of a non-permanent hair style (Abstract, 3rd Intl. Conf. on Applied Hair Science), 284
- Wright, R.L.**, see Roberts, S.C., 468
- Wu, T.**, Simultaneous determination of 21 preservatives in cosmetics by ultra performance liquid chromatography (Abstract, IJCS), 54
- Xhaufflaire-Uhoda, E.**, see Gautier, S., 369
- Xiao, P.**, see Imhof, R.E., 540
- Yagi, E.**, Establishment of *ex vivo* stratum corneum lipid ordering analysis by electron spin resonance (Abstract, JSCC Japan), 48
- Yahagi, S.**, see Masaki, H., 58
- Yamakawa, Y.**, see Kawabata (Kishi), M., 538
- Yamamoto, K.**, see Osaki, A., 653
- Yamamoto, S.**, see Hsu, T.-F., 652
- Yamamoto, T.**, see Kuroda, S., 544
- Yamauchi, C.**, Enzymatic approach to analyze the effect of mercaptans on hair, 527
- Yang, B.**, Repair and Protection of hair via a natural ingredient with proven efficacy (Abstract, 3rd Intl. Conf. on Applied Hair Science), 296; see Ramaprasad, R.K., 312
- Yang, G.**, see Pistorio, B., 582
- Yang, K.**, Higher-throughput study of Cu⁺² uptake by damaged human hair (Abstract, 3rd Intl. Conf. on Applied Hair Science), 313; see Kaplan, P.D., 111
- Yang, L.**, see Ananthapadmanabhan, K.P., 377
- Yang, X.**, see Cheng, Y., 7
- Yoshikatsu, Y.**, see Joko, K., 47
- Yusa, S.**, see Osawa, T., 471
- Yvergnaux, F.**, see Couturier, L., 657
- Zachariae, C.**, see Lundov, M.D., 369
- Zaluzec, N.J.**, see Pistorio, B., 582
- Zastrow, L.**, Detection and identification of free radicals generated by UV and visible light in *ex vivo* human skin (Abstract, IFSCC), 49
- Zellia, J.**, see Rafferty, D.W., 251
- Zhang, X.**, see Jordan, S.L., 239
- Zhou, Y.**, Protection of oxidative hair color fading from shampoo washing by hydrophobically modified cationic polymers, 217; Characterization of hair damage and its effect on hair color fading and the routes for color protection from shampoo stripping (2009 Annual Scientific Seminar), 572
- Zhu, Z.**, see Gao, T., 187
- Zisa, F.**, see McMullen, R., 171
- Zou, Y.**, see Cheng, Y., 7
- Zwick, K.**, see Callegari, G., 562

