

SUBJECT INDEX TO VOLUME 60

- N-Acetyl glucosamine**
and anti-acne assessment, 25
as moisturizer, 423
as skin exfoliant, 423
- N-Acetyl-L-tyrosyl-L-prolyl-L-phenylalanyl-L-phenylalaninamide**
in sensitive skin treatment, 471
- Acne**
evaluation, 25
and retinol, 468
and sodium ascorbyl phosphate, 468
- 2-Acrylamido-2-methyl-1-propanesulfonic acid/11-methacrylamidoundecanoic acid copolymer**
in water resistance, 471
- Acrylamidopropyl trimonium chloride/acrylamide copolymer**
in hair conditioning, 239
- Acrylates copolymer**
and hair holding, 78
- Aging**
and hair luster, 637
- Alguronic acid**
and polysaccharides, 374
- Aloe vera gel**
in cellulite treatment, 627
- 2-Amino-4-(2-hydroxyethylamino)anisole sulfate**
in hair dye chemistry, 429
- 3-Aminophenol**
in hair dye chemistry, 429
- Aminosilicone**
and hair surface, 261
- Ammonium carbonate**
in hair coloring, 205
- Ammonium thioglycolate**
in hair treatment, 527
- AMP-acrylates copolymer**
in hair care, 290
- Analysis**
arbutin, 540
diazolidinyl urea, 556
formaldehyde, 556
hinokitiol, 519
imidazolidinyl urea, 556
lipids, 560
phospholipids, 560
retinoic acid, 485
retinol, 485
retinyl palmitate, 485
reverse engineering, 558
skin free radicals, 49
stratum corneum lipids, 48
- Anionic surfactants**
cationic hydroxyethylcellulose interaction, 387
- Anti-aging**
cellular, 68
“inflammaging,” 651
- Anti-inflammatory activity**
of sea whip extract, 472
- Antioxidants**
bioflavonoids, 554
isoquercetin, 554
Mesembryanthemum crystallinum extract, 367
skin effects of, 656
tiliroside, 554
- Antiperspirants**
efficacy of, 1, 656
and gender, 1
- Aqualon SLT**
and hair measurement, 135
- Arbutin**
analysis of, 540
skin penetration by, 60
- Ascorbic acid**
stability of, 369
- Ascorbyl palmitate**
stability of, 369
- Avobenzone**
UVA testing of, 587
- Axillary odor**
evaluation of, 655

- Bactericides**
 - electrolyzed waters, 652
- Bath cosmetics**
 - lanolin derivatives, 55
- Bemotrizinol**
 - UVA testing of, 587
- Bentonite**
 - clay liquid detergents, 541
- Benzoyloxypaeoniflorin**
 - in tyrosinase inhibition, 347
- Benzoyl peroxide**
 - and anti-acne assessment, 25
- Bioflavonoids**
 - and skin aging, 554
- Biocides**
 - ϵ -phthalimide peroxyhexanoic acid, 660
- Bisamino PEG/PPG-41/3 aminoethyl PG-propyldimethicone**
 - and hair surface, 261
- Bisotrizole**
 - in UVA testing, 587
- Body odor**
 - self-perception of, 468
- Book reviews**
 - delivery systems, 45, 359
 - essential oils, 649
 - skin aging, 363
- Brazilian nut oil**
 - and hair properties, 273
- Calcium**
 - hair uptake of, 337
- Cassia gum**
 - as hair fixative, 251
- Cassia hydroxypropyltrimonium chloride**
 - as hair fixative, 251
- Cationic emulsions**
 - in moisturizers, 564
- Cationic hydroxyethylcellulose**
 - anionic surfactant interaction, 387
- Cationic polymers**
 - in hair conditioning, 239
 - iron oxide coating by, 617
- Cellular senescence**
 - methodology, 68
- Cellulite**
 - treatment of, 627
- Celquat LS-50**
 - in hair care, 290
- Centella asiatica**
 - in cellulite treatment, 627
- Certification**
 - of natural cosmetics, 659
- Cetyl trimethylammonium bromide**
 - and hair properties, 312
- Chelating agents**
 - overview, 545
- Chitin-glucan copolymer**
 - in skin moisturization, 369
- Citrus aurantifolia extract**
 - in tyrosinase inhibition, 53
- Citrus aurantium extract**
 - in tyrosinase inhibition, 53
- Claim substantiation**
 - in skin imaging, 660
- Clay liquid detergents**
 - formulation, 541
- Cocoa polyphenols**
 - and skin restructuring, 52
- Coenzyme Q10**
 - solubility of, 366
- Collagen reproduction**
 - and iontophoresis, 415
- Colors**
 - of parrot feathers, 371
- Complexing agents**
 - overview 545
- Confocal raman spectroscopy**
 - and skin penetration, 60
 - and stratum corneum, 472
- Consumer perceptions**
 - overview, 548
 - semantics, 538
 - of sensitive skin, 543
- Copper**
 - hair uptake of, 313, 337
- Corneometer**
 - and skin measurement, 7, 15
- Cosmetic ingredients**
 - acrylamidopropyl trimonium chloride/ acrylamide copolymer, 239
 - acrylates copolymer, 78
 - aluguronic acid, 374
 - aminosilicone, 261
 - ammonium carbonate, 205
 - AMP-acrylates copolymer, 290
 - ascorbyl palmitate, 369
 - bisamino PEG/PPG-41/3 aminoethyl PG-propyldimethicone, 261
 - cassia, 251
 - cetyl trimethylammonium bromide, 312
 - chitin-glucan copolymer, 369
 - creatine, 296
 - dimethiconol, 261
 - dipropylene glycol isobornyl ether, 53
 - glycine, 205
 - hyaluronic acid, 7
 - hydrogen peroxide, 205
 - hydrogenated polyisobutene, 7
 - hydrolyzed proteins, 55, 473

- Hypsizygus ulmarius* extract, 545
lanolin derivatives, 55
magnesium ascorbyl phosphate, 369
mushroom extract, 545
palmitoyl glycine, 552
polyacrylate-2 crosspolymer, 78
polyacrylate-14, 78
polymers, 297
polyquaternium-4/hydroxypropyl starch copolymer, 290
polyquaternium-10, 312, 385
polyurethane-14, 290
protein hydrolyzates, 297
resveratrol, 550
sclerotium gum, 545
silicone polyquaternium-18
silicones, 295
sodium ascorbyl phosphate, 369
salvia somalensis oil, 469
stearyoxypropyldimethylamine, 312
sulfopolyesters, 391
tremella sp. extract, 545
tricholoma matsutake extract, 545
- Cosmetic recalls**
EU cosmetics, 369
- Cosmetics**
and pets, 659
tactile sensation of, 653
- COSMOS**
and natural cosmetics, 659
- Creatine**
in hair care, 296
- Cypreae moneta* extract**
in tyrosinase inhibition, 53
- Cysteamine HCl**
in hair treatment, 527
- I-Cysteine**
in hair treatment, 527
- Decanoic acid**
in anti-acne assessment, 25
- Delivery systems**
book review, 45, 359
emulsions, 467
- Detergents**
enzymes, 474
- Devices**
epidermal abrasion, 468
- Diazolidinyl urea**
analysis, 556
- Dietary supplements**
efficacy of, 473
- Differential scanning calorimetry**
hair, 305
- Dimethiconol**
and hair surface, 261
- Dipropylene glycol isobornyl ether**
properties of, 53
- Dishwashing liquids**
overview, 546
- DynamX®**
in hair care, 290
- Efficacy testing**
organ culture, 74
- Electrolyzed waters**
bactericides, 652
- Emulsions**
cationic emulsions, 564
delivery system effects, 467
nanotechnology of, 656
water-in-silicone emulsions, 566
- Enzymes**
detergents, 474
and transepidermal water loss, 367
- Epi Derm™**
antioxidant effects of, 656
- Epidermal abrasion**
device, 468
- Epidermis**
barrier function of, 544
moisturization of, 539
- Essential oils**
book review, 649
- Ethnic hair**
care of, 76
characteristics of, 97
damage to, 582, 584
relaxer damage to, 580
- Eumelanin**
in skin pigmentation, 62
structure, 540
- European Union**
cosmetic recalls, 369
- Eye cosmetics**
polyaromatic hydrocarbons, 657
- Eyelashes**
mascara, 617
- Facial pores**
treatment, 537
- Fatigue testing**
hair breakage, 617
- Flow cell microscopy**
hair deposition, 574
- Fourier transform infrared**
and hair surface, 312
- Formaldehyde**
analysis, 556
- Formulation**
clay liquid detergents, 541
dishwashing liquids, 546

- mascara, 125
- polymers, 570
- reverse engineering, 558
- synthetic sebum, 467
- Fragrance**
 - trends, 474
- Free radicals**
 - detection in skin, 49
- Glycerin**
 - as moisturizer, 564
- Glycerophospholipids**
 - chemistry of, 393
- Glycine**
 - and hair coloring, 205
- Glycokines**
 - and skin elasticity, 66
- Glycyrrhizia glabra* extract**
 - in tyrosinase inhibition, 53
- Grapevine extract**
 - skin cell effects of, 543
- Guar hydroxypropyltrimonium chloride**
 - and iron oxide coating, 617
- Hair**
 - 18-MEA deposition on, 31
 - aging effects on, 637
 - bending set, 284
 - breakage, 143, 580, 582, 584, 599
 - chemical diffusion, 307
 - combing, 285
 - damage, 294, 580, 582, 584
 - ethnic, 76, 97, 580, 582, 584
 - fiber-fiber interaction, 261
 - friction, 283, 285, 286
 - hydrophobicity, 287, 298, 509
 - light scattering, 293
 - lipids, 286, 437
 - lubricity, 135
 - luster, 111
 - measurements, 288
 - mercaptan effects, 527
 - moisture content of, 80, 82, 303
 - oxidating dyeing of, 47
 - and product deposition, 574
 - properties, 304, 305, 309
 - raman spectroscopy of, 306
 - scanning electron microscopy of, 308
 - softness, 544
 - structure, 199, 437, 653
 - styling, 78
 - thermal protection of, 578
 - tribology, 283
 - UV protection of, 299
 - viscoelasticity, 544
 - wetting, 307
- Hair body**
 - measurement of, 171, 289
- Hair breakage**
 - ethnic hair, 582, 584
 - fatigue testing, 599
 - measurement of, 143
- Hair care**
 - creatine, 296
 - ethnic, 76
 - hair damage, 294
 - nanoemulsions, 302
 - polyquaternium-87, 291
 - polyurethane, 292
 - shampoo phase separation, 301
 - silicones, 295
- Hair cells**
 - respiratory effects, 282
- Hair conditioning**
 - cationic polymers, 239
- Hair cosmetics**
 - proteins, 576
- Hair cuticle**
 - 18-MEA, 31, 286, 287, 298, 509
 - damage, 85
 - lipids of, 85
 - luster, 111, 153, 187
 - smoothness of, 187
- Hair damage**
 - calcium uptake, 337
 - color fading, 572
 - copper uptake, 313, 337
 - measurements, 288
 - repair, 372
 - review, 437
- Hair dyes**
 - chemistry, 429
 - color fading, 217, 572
 - mechanism of, 300
 - oxidants, 205
 - oxidative dyeing, 47, 366
- Hair fixatives**
 - acrylate polymers, 78
 - cassia gum, 251
 - cassia hydroxypropyltrimonium chloride, 251
 - polymers, 251
- Hair holding**
 - ethnic, 76
- Hair lubricity**
 - measurement, 135
- Hair luster**
 - aging effects, 637
 - blonde hair, 323
 - ethnic, 76
 - evaluation, 111, 153, 187
 - mechanism, 323
 - polarized imaging of, 311
- Hair properties**
 - oils and butters, 273

- Poisson's ratio, 310
- shampoo phase separation, 301
- shear modulus, 309
- Hair proteins**
 - review, 437
- Hair relaxers**
 - damage evaluation of, 580
- Hair shine**
 - see hair luster
- Hair smoothness**
 - evaluation of, 187
- Hair softness**
 - methods, 544
- Hair stiffness**
 - measurement of, 135
- Hair styling**
 - acrylate polymers, 78
 - properties, 304
- Hair volume**
 - measurement of, 171
- Hinokitiol**
 - analysis, 519
- Hoelen extract**
 - anti-acne assessment, 25
- Hyaluronic acid**
 - in moisturization, 7
- Hydrogels**
 - and cellulite, 627
- Hydrogen peroxide**
 - in hair coloring, 205
- Hydrogenated polyisobutene**
 - in moisturization, 7
- Hydrolyzed proteins**
 - as cosmetic ingredient, 55, 473
 - in hair cosmetics, 576
- Hydroquinone**
 - in skin lightening, 501
- 8-Hydroxydaidzein**
 - stability of, 353
 - in tyrosinase inhibition, 353
- Hypsizygus ulmarius* extract**
 - as cosmetic ingredient, 545
- IFSCC**
 - history, 372
- Image analysis**
 - hair body, 289
- Imidazolidinyl urea**
 - analysis, 556
- Inflammaging**
 - methodology, 651
- Information retrieval**
 - methodology, 660
- Iontophoresis**
 - and collagen reproduction, 415
- Iron oxides**
 - as cationic polymer coating, 617
- Isoquercetin**
 - as antioxidant, 554
- 1-Isostearyl glycerol-3-phosphate**
 - and facial pores, 537
- Kaempferol**
 - in tyrosinase inhibition, 347
- Kajal**
 - analysis, 657
- Kaolin**
 - in clay liquid detergents, 541
- Kojic acid**
 - in skin lightening, 501
- Kudzu symbiosomes**
 - and procollagen synthesis, 475
- Lanolin derivatives**
 - in bath cosmetics, 55
- Laser stereometry**
 - and hair volume, 171
- Lead**
 - in lipstick analysis, 405
- Lecithin**
 - chemistry of, 393
- Leghemoglobin**
 - and procollagen synthesis, 475
- Lipids**
 - analysis, 560
 - in hair cuticle, 85
- Lipstick**
 - lead analysis in, 405
 - long wearing, 48
- Lochhead effect**
 - phase separation, 301
- Magnesium aluminum silicate**
 - clay liquid detergents, 541
- Magnesium ascorbyl phosphate**
 - skin lightening by, 501
 - stability of, 369
- Makeup**
 - surface free energy in, 48
- Marine algae**
 - polysaccharides, 374
- Marl**
 - clay liquid detergents, 541
- Mascara**
 - cationic polymers in, 617
 - formulation, 125
 - polymers in, 125
- Massage**
 - and facial wrinkles, 47
- Matrix proteins**
 - in skin aging, 50
- 18-MEA**
 - hair deposition, 31

- hair friction, 286
- hair hydrophobicity, 287, 298, 509
- 18-MEA/docosyldimethylamine**
 - hair treatment, 31
- 18-MEA/stearoxypropyldimethylamine**
 - hair hydrophobicity, 509
 - hair treatment, 31
- Melanin**
 - in skin pigmentation, 62
- Mercaptans**
 - hair**
 - in hair treatment, 527
- Mesembryanthemum crystallinum extract**
 - and antioxidant stability, 367
- Methods**
 - acne, 25
 - antiperspirant efficacy, 656
 - confocal raman spectroscopy, 60, 472
 - cornometer, 7, 15
 - differential scanning calorimetry, 305
 - elasticity measurement, 66
 - fiber fragmentation, 578
 - flow cell microscopy, 574
 - formaldehyde analysis, 556
 - Fourier transform infrared, 312, 315
 - FTIR imaging, 307
 - goniophotometer, 323
 - hair body, 289
 - hair breakage, 143, 599
 - hair dye chemistry, 429
 - hair lubricity, 135
 - hair luster, 111, 153, 293
 - hair measurement, 288
 - hair moisture content, 80, 82
 - hair softness, 544
 - hair stiffness, 135
 - hair structure, 199
 - hair thermal protection, 578
 - hair viscoelasticity, 544
 - hair volume, 171
 - hinokitiol analysis, 519
 - incline plane hair loop apparatus, 261
 - “inflammaging”, 651
 - laser doppler blood flowmeter, 472
 - laser stereometry, 171
 - lipid analysis, 560
 - lipstick lead analysis, 405
 - microwave resonance, 303
 - odor evaluation, 655
 - organ culture, 74
 - polarization imaging, 153, 187, 311
 - polymer film hardness, 125
 - preservative analysis, 54
 - proteins on hair, 576
 - raman spectroscopy, 60, 199
 - retinoid analysis, 485
 - scanning electron microscopy, 308
 - sebum measurement, 7
 - sebometer, 7
 - sensitive skin, 52
 - skin aging, 51, 538
 - skin damage, 538
 - skin free radicals, 49
 - skin gloss, 651
 - skin hydration, 7, 15
 - skin imaging, 660
 - skin lightening, 501
 - small angle neutron scattering, 82
 - SPF *in vitro* testing, 53, 539
 - stratum corneum lipids analysis, 48
 - stratum corneum thickness, 472
 - sunscreens, 54
 - synchrotron x-ray tomography, 580
 - tewameter, 7, 15
 - thermomechanical studies, 312
 - transepidermal water loss, 7, 15, 540
 - UVA evaluation, 72, 581
- 2-Methylresorcinol**
 - in hair dye chemistry, 429
- Microbiology**
 - electrolyzed waters, 652
- Moisturization**
 - N-acetyl glucosamine, 423
 - cationic emulsions, 564
 - chitin-glucan copolymer, 369
 - glycerin, 564
 - oat-based complex, 50
 - skin effects of, 656
 - skin measurement, 7, 15
 - of stratum corneum, 539
- Morus alba extract**
 - in tyrosinase inhibition, 53
- Mudanpioside**
 - in tyrosinase inhibition, 347
- Mushroom extracts**
 - as cosmetic ingredient, 545
- Nanoemulsions**
 - in hair care, 302, 652
- NaTrue™**
 - natural cosmetics, 659
- Natural cosmetics**
 - certification of, 659
- Neurogenic inflammation**
 - of sensitive skin, 371
- Niacinamide**
 - sebum effects, 7
- Oat-based complex**
 - and skin hydration, 50
- Octocrylene**
 - in UVA testing, 587
- Odors**
 - evaluation of, 655

- Omega fatty acids**
synthesis of, 657
- Organ culture**
efficacy testing, 74
safety testing, 74
- Organogels**
and cellulite, 627
- Oxidative hair dyes**
mechanism, 47
- Oxidizing agent**
in hair coloring, 205
- Paeonia suffruticosa* root**
in tyrosinase inhibition, 347
- Palmitoyl glycine**
in treatment of skin aging, 582
- Palm olein**
and hair properties, 273
- Papillary dermis**
in skin aging, 70
- Parrot feathers**
pigments, 371
- Passionfruit seed oil**
and hair properties, 273
- Pentagalloyl- β -D-glucose**
in tyrosinase inhibition, 347
- Perception**
of body odor, 468
- Perception threshold measurement**
and sensitive skin, 52
- Perfume**
trends, 474
- Pet cosmetics**
formulation, 659
- p-Phenylenediamine**
in hair dye chemistry, 429
- Pheomelanin**
in skin pigmentation, 62
- Phospholipids**
analysis, 560
- Photoaging**
method, 538
- ϵ -Phthalimide peroxyhexanoic acid**
as biocide, 660
- Phyllanthus emblica* extract**
and skin aging, 395
- Pigments**
parrot feathers, 371
- Polyacrylate-2 crosspolymer**
in hair holding, 78
- Polyacrylate-14**
in hair holding, 78
- Polyaromatic hydrocarbons**
analysis, 657
- Polyglycerol esters**
and coenzyme Q10 solubility, 366
- Polymers**
effect on surfactant formations, 389
formulation of, 570
and hair properties, 297
hydrophobically associative polymers, 389
in mascara, 125
surfactant association with, 383
surfactant interactions with, 378
as thickeners, 570
- Polyquaternium-4/hydroxypropyl starch copolymer**
in hair care, 290
- Polyquaternium-6**
in hair conditioning, 239
iron oxide coating of, 617
- Polyquaternium-7**
in hair conditioning, 239
- Polyquaternium-10**
in hair care, 312
and hair properties, 312
iron oxide coating of, 617
in shampoo, 385
- Polyquaternium-11**
in hair conditioning, 239
- Polyquaternium-47**
in hair conditioning, 239
- Polyquaternium-55**
in hair coloring, 217, 572
- Polyquaternium-87**
in hair care, 291
- Polysaccharides**
marine algae, 374
Porphyridium cruentum, 374
- Polyurethane**
in hair care, 292
- Polyurethane-14**
in hair care, 290
- Pores**
treatment, 537
- Porphyridium cruentum***
polysaccharides, 374
- PPG-3 benzyl ether myristate**
and hair luster, 187
- Preservatives**
analysis, 54
review article, 655
- Procollagen synthesis**
kudzo symbiosomes, 475
leghemoglobin, 475
pueria lobata extract, 475
- Product deposition**
method, 574
- Proteins**
dermal matrix, 50
in hair cosmetics, 576

- and hair properties, 297
- Proteins, hydrolyzed**
 - in cosmetic ingredients, 55, 473
 - in hair cosmetics, 576
- Pseudopterogorgia elisabethae* extract**
 - anti-inflammatory activity of, 472
- Pseudopterosins**
 - anti-inflammatory activity of, 472
- Pueria lobata* extract**
 - in procollagen synthesis, 475
- Punica granatum* extract**
 - in tyrosinase inhibition, 53
- Pyridoxine**
 - and skin physiology, 58
- Pyridoxine tri-isopalmitate**
 - and skin physiology, 58
- Quaternium-91**
 - and hair luster, 187
- Quercetin**
 - in tyrosinase inhibition, 347
- Raman spectroscopy**
 - of hair, 60, 306
- Recalls**
 - EU cosmetics, 369
- Resorcinol**
 - in hair dye chemistry, 429
- Resveratrol**
 - in anti-acne assessment, 25
 - overview, 550
 - skin cell effects, 543
- Retinoic acid**
 - analysis, 485
- Retinol**
 - acne, 468
 - analysis, 485
- Retinyl palmitate**
 - analysis, 485
- Review articles**
 - formulation, 467
 - hair structure, 437
 - self-preserving cosmetics, 655
 - skin aging, 51, 51
 - skin barrier, 49
 - stratum corneum functions, 368
 - stratum corneum lipids, 368
- Safety testing**
 - organ culture, 74
- Salicylic acid**
 - in anti-acne assessment, 25
 - skin permeation by, 60
- Salmon milt DNA**
 - in skin care, 652
- Salvia somalensis* oil**
 - cosmetic ingredient, 469
- Sapucainha butter**
 - and hair properties, 273
- Saw palmetto extract**
 - in anti-acne assessment, 25
- Scanning electron microscopy**
 - of hair structure, 308
- Sclerotium gum**
 - as cosmetic ingredient, 545
- Sea whip extract**
 - anti-inflammatory activity of, 472
- Sebum**
 - measurement, 7
- Sebumeter**
 - skin measurement, 7
- Self-preserving cosmetics**
 - review article, 655
- Semantics**
 - consumer perceptions, 536
- Sensitive skin**
 - measurement, 52
 - neurogenic inflammation of, 371
 - perceptions of, 543
 - treatment of, 471
- Serine proteases**
 - transepidermal water loss, 367
- Sex**
 - sweat rates, 1
- Shampoo**
 - cationic polymers in, 229
 - polycation/anionic surfactants in, 380
 - polyquaternium-10 in, 385
 - surface protection by, 301
- Silicone polyquaternium-18**
 - and hair surface, 261
- Silicones**
 - in hair care, 295
 - on hair surface, 261
 - and SPF retention, 568
 - in water-in-silicone emulsions, 566
- Skin**
 - and antioxidants, 656
 - barrier properties of, 49
 - facial wrinkles, 47
 - and free radicals, 49
 - and glycolines, 66
 - in vivo* analysis, 315
 - moisturization, 7, 15, 50, 369
 - neurogenic inflammation of, 371
 - and omega fatty acids, 657
 - and polysaccharides, 374
 - restructuring of, 52
 - sebum measurement in, 7
 - stratum corneum lipids, 48
 - surface thermal effects, 365
 - surfactant interactions, 377

- transepidermal water loss from, 7, 15
- Skin aging**
 bioflavonoids, 554
 book review, 363
 clinical methods, 51, 51
 matrix proteins, 50
 method, 538
 oat-based complex, 50
 palmitoyl glycine, 552
 papillary dermis, 70
Phyllanthus emblica extract, 395
 polysaccharides, 374
 review article, 51, 51
- Skin care**
 salmon milt DNA, 652
- Skin delivery systems**
 book review, 45
- Skin exfoliation**
 N-acetyl glucosamine, 423
- Skin gloss**
 methodology, 651
- Skin imaging**
 claim substantiation, 660
- Skin irritation**
 polymer-surfactant effects, 383
- Skin lightening**
 method, 501
 overview, 473
- Skin lipids**
 physical state, 368
- Skin permeation**
 and confocal Raman spectroscopy, 60
- Skin pigmentation**
 melanin, 62
- Skin physiology**
 pyridoxine, 58
 weightlessness, 50
- Skin proteins**
 surfactant interactions, 377
- Skin restructuring**
 and cocoa polyphenols, 52
- Sodium ascorbyl phosphate**
 and acne, 468
 stability of, 369
- Sodium dl-tocopheryl phosphate**
 UV inhibition by, 537
- Soy isoflavones**
 stability of, 353
- SPF testing**
in vitro, 53, 539
 water resistance, 568
- Stearin palm oil**
 and hair properties, 273
- Stearoxypropyldimethylamine**
 in hair care, 312
- Stratum corneum**
 barrier function of, 368
 lipids, 48, 368
 moisturization of, 539
 protein interactions, 377
 thickness of, 472
- Stratum corneum lipids**
 analysis, 48
 barrier function of, 544
- Sulfopolyesters**
 overview, 391
- Sunscreens**
 analysis, 54
 hair protection, 299
 spectral testing of, 469
 UVA evaluation of, 72, 587
 water resistance of, 471
- Superoxide dismutase**
 stability of, 367
- Surface free energy**
 of makeup, 48
- Surfactants**
 anionic-cationic properties, 380
 innovation, 56
 irritation effects of, 383
 polymer associations, 383, 387
 polymer interactions, 378
 protein interactions, 377
- Surma**
 analysis, 657
- Sweat rates**
 gender, 1
- Synchrotron x-ray tomography**
 of ethnic hair, 580
- Synthetic sebum**
 formulation, 467
- Syzygium aromaticum extract**
 in tyrosinase inhibition, 53
- Tactile sensation**
 and cosmetics, 653
- Tewameter**
 in skin measurement, 7, 15
- Thermal effects**
 hair protection, 578
 skin surface, 365
- Tiliroside**
 as antioxidant, 554
- Tissue engineering**
 overview, 64
- Titanium dioxide**
 water resistance of, 471
- Tocopheryl phosphate**
 skin permeation by, 60
- Transepidermal water loss**
 enzymes, 367

- serine proteases, 367
- skin measurement, 7, 15, 540
- Tremella sp. Extract**
 - as cosmetic ingredient, 545
- Tribology**
 - of hair, 283
- Tricholoma matsutake extract**
 - as cosmetic ingredient, 545
- Tucuma**
 - and hair properties, 273
- Tyrosinase inhibitors**
 - benzoyloxypaeoniflorin, 347
 - 8-hydroxydaidzein, 353
 - kampferol, 347
 - mudanpioside, 347
 - paeonia suffruticosa root, 347
 - plant extracts, 53
 - quercetin, 347
- Ucuuba**
 - and hair properties, 273
- UVA**
 - spectral testing, 469
 - in vitro* testing, 587
- UV absorbers**
 - in hair protection, 299
- UV inhibition**
 - by sodium dl-tocopheryl phosphate, 537
- Veegum**
 - and clay liquid detergents, 541
- Vitamin C**
 - stability of, 369
- Vitro Skin N-19**
 - and UVA testing, 587
- Water-in-powder technology**
 - encapsulation, 365
- Water-in-silicone emulsions**
 - formulation, 566
- Wet wipes**
 - film thickness, 562
- Wrinkles**
 - massage, 47
 - palmitoyl glycine, 552
- Yeast/resveratrol ferment**
 - overview, 550