

SUBJECT INDEX TO VOLUME 60

- N-Acetyl glucosamine**
and anti-acne assessment, 25
as moisturizer, 423
as skin exfoliant, 423
- N-Acetyl-L-tyrosyl-L-prolyl-L-phenylalanyl-L-phenylalaninamide**
in sensitive skin treatment, 471
- Acne**
evaluation, 25
and retinol, 468
and sodium ascorbyl phosphate, 468
- 2-Acrylamido-2-methyl-1-propanesulfonic acid/11-methacrylamidoundecanoic acid copolymer**
in water resistance, 471
- Acrylamidopropyl trimonium chloride/acrylamide copolymer**
in hair conditioning, 239
- Acrylates copolymer**
and hair holding, 78
- Aging**
and hair luster, 637
- Alguronic acid**
and polysaccharides, 374
- Aloe vera gel**
in cellulite treatment, 627
- 2-Amino-4-(2-hydroxyethylamino)anisole sulfate**
in hair dye chemistry, 429
- 3-Aminophenol**
in hair dye chemistry, 429
- Aminosilicone**
and hair surface, 261
- Ammonium carbonate**
in hair coloring, 205
- Ammonium thioglycolate**
in hair treatment, 527
- AMP-acrylates copolymer**
in hair care, 290
- Analysis**
arbutin, 540
diazolidinyl urea, 556
formaldehyde, 556
hinokitiol, 519
imidazolidinyl urea, 556
lipids, 560
phospholipids, 560
retinoic acid, 485
retinol, 485
retinyl palmitate, 485
reverse engineering, 558
skin free radicals, 49
stratum corneum lipids, 48
- Anionic surfactants**
cationic hydroxyethylcellulose interaction, 387
- Anti-aging**
cellular, 68
“inflammaging,” 651
- Anti-inflammatory activity**
of sea whip extract, 472
- Antioxidants**
bioflavonoids, 554
isoquercetin, 554
Mesembryanthemum crystallinum extract, 367
skin effects of, 656
tiliroside, 554
- Antiperspirants**
efficacy of, 1, 656
and gender, 1
- Aqualon SLT**
and hair measurement, 135
- Arbutin**
analysis of, 540
skin penetration by, 60
- Ascorbic acid**
stability of, 369
- Ascorbyl palmitate**
stability of, 369
- Avobenzone**
UVA testing of, 587
- Axillary odor**
evaluation of, 655

Bactericides

electrolyzed waters, 652

Bath cosmetics

lanolin derivatives, 55

Bemotrizinol

UVA testing of, 587

Bentonite

clay liquid detergents, 541

Benzoyloxypaeoniflorin

in tyrosinase inhibition, 347

Benzoyl peroxide

and anti-acne assessment, 25

Bioflavonoids

and skin aging, 554

Biocides ϵ -phthalimide peroxyhexanoic acid, 660**Bisamino PEG/PPG-41/3 aminoethyl****PG-propyldimethicone**

and hair surface, 261

Bisotrizole

in UVA testing, 587

Body odor

self-perception of, 468

Book reviews

delivery systems, 45, 359

essential oils, 649

skin aging, 363

Brazilian nut oil

and hair properties, 273

Calcium

hair uptake of, 337

Cassia gum

as hair fixative, 251

Cassia hydroxypropyltrimonium chloride

as hair fixative, 251

Cationic emulsions

in moisturizers, 564

Cationic hydroxyethylcellulose

anionic surfactant interaction, 387

Cationic polymers

in hair conditioning, 239

iron oxide coating by, 617

Cellular senescence

methodology, 68

Cellulite

treatment of, 627

Celquat LS-50

in hair care, 290

Centella asiatica

in cellulite treatment, 627

Certification

of natural cosmetics, 659

Cetyl trimethylammonium bromide

and hair properties, 312

Chelating agents

overview, 545

Chitin-glucan copolymer

in skin moisturization, 369

Citrus aurantifolia extract

in tyrosinase inhibition, 53

Citrus aurantium extract

in tyrosinase inhibition, 53

Claim substantiation

in skin imaging, 660

Clay liquid detergents

formulation, 541

Cocoa polyphenols

and skin restructuring, 52

Coenzyme Q10

solubility of, 366

Collagen reproduction

and iontophoresis, 415

Colors

of parrot feathers, 371

Complexing agents

overview 545

Confocal raman spectroscopy

and skin penetration, 60

and stratum corneum, 472

Consumer perceptions

overview, 548

semantics, 538

of sensitive skin, 543

Copper

hair uptake of, 313, 337

Corneometer

and skin measurement, 7, 15

Cosmetic ingredients

acrylamidopropyl trimonium chloride/

acrylamide copolymer, 239

acrylates copolymer, 78

alguronic acid, 374

aminosilicone, 261

ammonium carbonate, 205

AMP-acrylates copolymer, 290

ascorbyl palmitate, 369

bisamino PEG/PPG-41/3 aminoethyl

PG-propyldimethicone, 261

cassia, 251

cetyl trimethylammonium bromide, 312

chitin-glucan copolymer, 369

creatine, 296

dimethiconol, 261

dipropylene glycol isobornyl ether, 53

glycine, 205

hyaluronic acid, 7

hydrogen peroxide, 205

hydrogenated polyisobutene, 7

hydrolyzed proteins, 55, 473

- Hypsizygus ulmarius* extract, 545
- lanolin derivatives, 55
- magnesium ascorbyl phosphate, 369
- mushroom extract, 545
- palmitoyl glycine, 552
- polyacrylate-2 crosspolymer, 78
- polyacrylate-14, 78
- polymers, 297
- polyquaternium-4/hydroxypropyl starch copolymer, 290
- polyquaternium-10, 312, 385
- polyurethane-14, 290
- protein hydrolyzates, 297
- resveratrol, 550
- sclerotium gum, 545
- silicone polyquaternium-18
- silicones, 295
- sodium ascorbyl phosphate, 369
- salvia somalensis* oil, 469
- stearopypropyldimethylamine, 312
- sulfopolyesters, 391
- tremella* sp. extract, 545
- tricholoma matsutake* extract, 545
- Cosmetic recalls**
 - EU cosmetics, 369
- Cosmetics**
 - and pets, 659
 - tactile sensation of, 653
- COSMOS**
 - and natural cosmetics, 659
- Creatine**
 - in hair care, 296
- Cypreae moneta* extract**
 - in tyrosinase inhibition, 53
- Cysteamine HCl**
 - in hair treatment, 527
- L-Cysteine**
 - in hair treatment, 527
- Decanoic acid**
 - in anti-acne assessment, 25
- Delivery systems**
 - book review, 45, 359
 - emulsions, 467
- Detergents**
 - enzymes, 474
- Devices**
 - epidermal abrasion, 468
- Diazolidinyl urea**
 - analysis, 556
- Dietary supplements**
 - efficacy of, 473
- Differential scanning calorimetry**
 - hair, 305
- Dimethiconol**
 - and hair surface, 261
- Dipropylene glycol isobornyl ether**
 - properties of, 53
- Dishwashing liquids**
 - overview, 546
- DynamX®**
 - in hair care, 290
- Efficacy testing**
 - organ culture, 74
- Electrolyzed waters**
 - bactericides, 652
- Emulsions**
 - cationic emulsions, 564
 - delivery system effects, 467
 - nanotechnology of, 656
 - water-in-silicone emulsions, 566
- Enzymes**
 - detergents, 474
 - and transepidermal water loss, 367
- Epi Derm™**
 - antioxidant effects of, 656
- Epidermal abrasion**
 - device, 468
- Epidermis**
 - barrier function of, 544
 - moisturization of, 539
- Essential oils**
 - book review, 649
- Ethnic hair**
 - care of, 76
 - characteristics of, 97
 - damage to, 582, 584
 - relaxer damage to, 580
- Eumelanin**
 - in skin pigmentation, 62
 - structure, 540
- European Union**
 - cosmetic recalls, 369
- Eye cosmetics**
 - polyaromatic hydrocarbons, 657
- Eyelashes**
 - mascara, 617
- Facial pores**
 - treatment, 537
- Fatigue testing**
 - hair breakage, 617
- Flow cell microscopy**
 - hair deposition, 574
- Fourier transform infrared**
 - and hair surface, 312
- Formaldehyde**
 - analysis, 556
- Formulation**
 - clay liquid detergents, 541
 - dishwashing liquids, 546

mascara, 125
polymers, 570
reverse engineering, 558
synthetic sebum, 467

Fragrance
trends, 474

Free radicals
detection in skin, 49

Glycerin
as moisturizer, 564

Glycerophospholipids
chemistry of, 393

Glycine
and hair coloring, 205

Glycokines
and skin elasticity, 66

***Glycyrrhizia glabra* extract**
in tyrosinase inhibition, 53

Grapevine extract
skin cell effects of, 543

Guar hydroxypropyltrimonium chloride
and iron oxide coating, 617

Hair
18-MEA deposition on, 31
aging effects on, 637
bending set, 284
breakage, 143, 580, 582, 584, 599
chemical diffusion, 307
combing, 285
damage, 294, 580, 582, 584
ethnic, 76, 97, 580, 582, 584
fiber-fiber interaction, 261
friction, 283, 285, 286
hydrophobicity, 287, 298, 509
light scattering, 293
lipids, 286, 437
lubricity, 135
luster, 111
measurements, 288
mercaptan effects, 527
moisture content of, 80, 82, 303
oxidating dyeing of, 47
and product deposition, 574
properties, 304, 305, 309
raman spectroscopy of, 306
scanning electron microscopy of, 308
softness, 544
structure, 199, 437, 653
styling, 78
thermal protection of, 578
tribology, 283
UV protection of, 299
viscoelasticity, 544
wetting, 307

Hair body
measurement of, 171, 289

Hair breakage
ethnic hair, 582, 584
fatigue testing, 599
measurement of, 143

Hair care
creatine, 296
ethnic, 76
hair damage, 294
nanoemulsions, 302
polyquaternium-87, 291
polyurethane, 292
shampoo phase separation, 301
silicones, 295

Hair cells
respiratory effects, 282

Hair conditioning
cationic polymers, 239

Hair cosmetics
proteins, 576

Hair cuticle
18-MEA, 31, 286, 287, 298, 509
damage, 85
lipids of, 85
luster, 111, 153, 187
smoothness of, 187

Hair damage
calcium uptake, 337
color fading, 572
copper uptake, 313, 337
measurements, 288
repair, 372
review, 437

Hair dyes
chemistry, 429
color fading, 217, 572
mechanism of, 300
oxidants, 205
oxidative dyeing, 47, 366

Hair fixatives
acrylate polymers, 78
cassia gum, 251
cassia hydroxypropyltrimonium chloride, 251
polymers, 251

Hair holding
ethnic, 76

Hair lubricity
measurement, 135

Hair luster
aging effects, 637
blonde hair, 323
ethnic, 76
evaluation, 111, 153, 187
mechanism, 323
polarized imaging of, 311

Hair properties
oils and butters, 273

- Poisson's ratio, 310
- shampoo phase separation, 301
- shear modulus, 309
- Hair proteins**
 - review, 437
- Hair relaxers**
 - damage evaluation of, 580
- Hair shine**
 - see hair luster
- Hair smoothness**
 - evaluation of, 187
- Hair softness**
 - methods, 544
- Hair stiffness**
 - measurement of, 135
- Hair styling**
 - acrylate polymers, 78
 - properties, 304
- Hair volume**
 - measurement of, 171
- Hinokitiol**
 - analysis, 519
- Hoelen extract**
 - anti-acne assessment, 25
- Hyaluronic acid**
 - in moisturization, 7
- Hydrogels**
 - and cellulite, 627
- Hydrogen peroxide**
 - in hair coloring, 205
- Hydrogenated polyisobutene**
 - in moisturization, 7
- Hydrolyzed proteins**
 - as cosmetic ingredient, 55, 473
 - in hair cosmetics, 576
- Hydroquinone**
 - in skin lightening, 501
- 8-Hydroxydaidzein**
 - stability of, 353
 - in tyrosinase inhibition, 353
- Hypsizygus ulmarius* extract**
 - as cosmetic ingredient, 545
- IFSCC**
 - history, 372
- Image analysis**
 - hair body, 289
- Imidazolidinyl urea**
 - analysis, 556
- Inflammaging**
 - methodology, 651
- Information retrieval**
 - methodology, 660
- Iontophoresis**
 - and collagen reproduction, 415
- Iron oxides**
 - as cationic polymer coating, 617
- Isoquercetin**
 - as antioxidant, 554
- 1-Isostearyl glycerol-3-phosphate**
 - and facial pores, 537
- Kaempferol**
 - in tyrosinase inhibition, 347
- Kajal**
 - analysis, 657
- Kaolin**
 - in clay liquid detergents, 541
- Kojic acid**
 - in skin lightening, 501
- Kudzu symbiosomes**
 - and procollagen synthesis, 475
- Lanolin derivatives**
 - in bath cosmetics, 55
- Laser stereometry**
 - and hair volume, 171
- Lead**
 - in lipstick analysis, 405
- Lecithin**
 - chemistry of, 393
- Leghemoglobin**
 - and procollagen synthesis, 475
- Lipids**
 - analysis, 560
 - in hair cuticle, 85
- Lipstick**
 - lead analysis in, 405
 - long wearing, 48
- Lochhead effect**
 - phase separation, 301
- Magnesium aluminum silicate**
 - clay liquid detergents, 541
- Magnesium ascorbyl phosphate**
 - skin lightening by, 501
 - stability of, 369
- Makeup**
 - surface free energy in, 48
- Marine algae**
 - polysaccharides, 374
- Marl**
 - clay liquid detergents, 541
- Mascara**
 - cationic polymers in, 617
 - formulation, 125
 - polymers in, 125
- Massage**
 - and facial wrinkles, 47
- Matrix proteins**
 - in skin aging, 50
- 18-MEA**
 - hair deposition, 31

- hair friction, 286
- hair hydrophobicity, 287, 298, 509
- 18-MEA/docosyldimethylamine**
 - hair treatment, 31
- 18-MEA/stearoxypropyldimethylamine**
 - hair hydrophobicity, 509
 - hair treatment, 31
- Melanin**
 - in skin pigmentation, 62
- Mercaptans**
 - hair**
 - in hair treatment, 527
- Mesembryanthemum crystallinum extract**
 - and antioxidant stability, 367
- Methods**
 - acne, 25
 - antiperspirant efficacy, 656
 - confocal raman spectroscopy, 60, 472
 - corneometer, 7, 15
 - differential scanning calorimetry, 305
 - elasticity measurement, 66
 - fiber fragmentation, 578
 - flow cell microscopy, 574
 - formaldehyde analysis, 556
 - Fourier transform infrared, 312, 315
 - FTIR imaging, 307
 - goniophotometer, 323
 - hair body, 289
 - hair breakage, 143, 599
 - hair dye chemistry, 429
 - hair lubricity, 135
 - hair luster, 111, 153, 293
 - hair measurement, 288
 - hair moisture content, 80, 82
 - hair softness, 544
 - hair stiffness, 135
 - hair structure, 199
 - hair thermal protection, 578
 - hair viscoelasticity, 544
 - hair volume, 171
 - hinokitiol analysis, 519
 - incline plane hair loop apparatus, 261
 - “inflammaging”, 651
 - laser doppler blood flowmeter, 472
 - laser stereometry, 171
 - lipid analysis, 560
 - lipstick lead analysis, 405
 - microwave resonance, 303
 - odor evaluation, 655
 - organ culture, 74
 - polarization imaging, 153, 187, 311
 - polymer film hardness, 125
 - preservative analysis, 54
 - proteins on hair, 576
 - raman spectroscopy, 60, 199
 - retinoid analysis, 485
 - scanning electron microscopy, 308
 - sebum measurement, 7
 - sebumeter, 7
 - sensitive skin, 52
 - skin aging, 51, 538
 - skin damage, 538
 - skin free radicals, 49
 - skin gloss, 651
 - skin hydration, 7, 15
 - skin imaging, 660
 - skin lightening, 501
 - small angle neutron scattering, 82
 - SPF *in vitro* testing, 53, 539
 - stratum corneum lipids analysis, 48
 - stratum corneum thickness, 472
 - sunscreens, 54
 - synchrotron x-ray tomography, 580
 - tewameter, 7, 15
 - thermomechanical studies, 312
 - transepidermal water loss, 7, 15, 540
 - UVA evaluation, 72, 581
- 2-Methylresorcinol**
 - in hair dye chemistry, 429
- Microbiology**
 - electrolyzed waters, 652
- Moisturization**
 - N-acetyl glucosamine, 423
 - cationic emulsions, 564
 - chitin-glucan copolymer, 369
 - glycerin, 564
 - oat-based complex, 50
 - skin effects of, 656
 - skin measurement, 7, 15
 - of stratum corneum, 539
- Morus alba extract**
 - in tyrosinase inhibition, 53
- Mudanpioside**
 - in tyrosinase inhibition, 347
- Mushroom extracts**
 - as cosmetic ingredient, 545
- Nanoemulsions**
 - in hair care, 302, 652
- NaTrue™**
 - natural cosmetics, 659
- Natural cosmetics**
 - certification of, 659
- Neurogenic inflammation**
 - of sensitive skin, 371
- Niacinamide**
 - sebum effects, 7
- Oat-based complex**
 - and skin hydration, 50
- Octocrylene**
 - in UVA testing, 587
- Odors**
 - evaluation of, 655

- Omega fatty acids**
 - synthesis of, 657
- Organ culture**
 - efficacy testing, 74
 - safety testing, 74
- Organogels**
 - and cellulite, 627
- Oxidative hair dyes**
 - mechanism, 47
- Oxidizing agent**
 - in hair coloring, 205
- Paeonia suffruticosa* root**
 - in tyrosinase inhibition, 347
- Palmitoyl glycine**
 - in treatment of skin aging, 582
- Palm olein**
 - and hair properties, 273
- Papillary dermis**
 - in skin aging, 70
- Parrot feathers**
 - pigments, 371
- Passionfruit seed oil**
 - and hair properties, 273
- Pentagalloyl- β -D-glucose**
 - in tyrosinase inhibition, 347
- Perception**
 - of body odor, 468
- Perception threshold measurement**
 - and sensitive skin, 52
- Perfume**
 - trends, 474
- Pet cosmetics**
 - formulation, 659
- p-Phenylenediamine**
 - in hair dye chemistry, 429
- Pheomelanin**
 - in skin pigmentation, 62
- Phospholipids**
 - analysis, 560
- Photoaging**
 - method, 538
- ϵ -Phthalimide peroxyhexanoic acid**
 - as biocide, 660
- Phyllanthus emblica* extract**
 - and skin aging, 395
- Pigments**
 - parrot feathers, 371
- Polyacrylate-2 crosspolymer**
 - in hair holding, 78
- Polyacrylate-14**
 - in hair holding, 78
- Polyaromatic hydrocarbons**
 - analysis, 657
- Polyglycerol esters**
 - and coenzyme Q10 solubility, 366
- Polymers**
 - effect on surfactant formations, 389
 - formulation of, 570
 - and hair properties, 297
 - hydrophobically associative polymers, 389
 - in mascara, 125
 - surfactant association with, 383
 - surfactant interactions with, 378
 - as thickeners, 570
- Polyquaternium-4/hydroxypropyl starch copolymer**
 - in hair care, 290
- Polyquaternium-6**
 - in hair conditioning, 239
 - iron oxide coating of, 617
- Polyquaternium-7**
 - in hair conditioning, 239
- Polyquaternium-10**
 - in hair care, 312
 - and hair properties, 312
 - iron oxide coating of, 617
 - in shampoo, 385
- Polyquaternium-11**
 - in hair conditioning, 239
- Polyquaternium-47**
 - in hair conditioning, 239
- Polyquaternium-55**
 - in hair coloring, 217, 572
- Polyquaternium-87**
 - in hair care, 291
- Polysaccharides**
 - marine algae, 374
 - Porphyridium cruentum*, 374
- Polyurethane**
 - in hair care, 292
- Polyurethane-14**
 - in hair care, 290
- Pores**
 - treatment, 537
- Porphyridium cruentum***
 - polysaccharides, 374
- PPG-3 benzyl ether myristate**
 - and hair luster, 187
- Preservatives**
 - analysis, 54
 - review article, 655
- Procollagen synthesis**
 - kudzo symbiosomes, 475
 - leghemoglobin, 475
 - pueria lobata* extract, 475
- Product deposition**
 - method, 574
- Proteins**
 - dermal matrix, 50
 - in hair cosmetics, 576

- and hair properties, 297
- Proteins, hydrolyzed**
 - in cosmetic ingredients, 55, 473
 - in hair cosmetics, 576
- Pseudopterogorgia elisabethae* extract**
 - anti-inflammatory activity of, 472
- Pseudopterosins**
 - anti-inflammatory activity of, 472
- Pueria lobata* extract**
 - in procollagen synthesis, 475
- Punica granatum* extract**
 - in tyrosinase inhibition, 53
- Pyridoxine**
 - and skin physiology, 58
- Pyridoxine tri-isopalmitate**
 - and skin physiology, 58
- Quaternium-91**
 - and hair luster, 187
- Quercetin**
 - in tyrosinase inhibition, 347
- Raman spectroscopy**
 - of hair, 60, 306
- Recalls**
 - EU cosmetics, 369
- Resorcinol**
 - in hair dye chemistry, 429
- Resveratrol**
 - in anti-acne assessment, 25
 - overview, 550
 - skin cell effects, 543
- Retinoic acid**
 - analysis, 485
- Retinol**
 - acne, 468
 - analysis, 485
- Retinyl palmitate**
 - analysis, 485
- Review articles**
 - formulation, 467
 - hair structure, 437
 - self-preserving cosmetics, 655
 - skin aging, 51, 51
 - skin barrier, 49
 - stratum corneum functions, 368
 - stratum corneum lipids, 368
- Safety testing**
 - organ culture, 74
- Salicylic acid**
 - in anti-acne assessment, 25
 - skin permeation by, 60
- Salmon milt DNA**
 - in skin care, 652
- Salvia somalensis* oil**
 - cosmetic ingredient, 469
- Sapucainha butter**
 - and hair properties, 273
- Saw palmetto extract**
 - in anti-acne assessment, 25
- Scanning electron microscopy**
 - of hair structure, 308
- Sclerotium gum**
 - as cosmetic ingredient, 545
- Sea whip extract**
 - anti-inflammatory activity of, 472
- Sebum**
 - measurement, 7
- Sebumeter**
 - skin measurement, 7
- Self-preserving cosmetics**
 - review article, 655
- Semantics**
 - consumer perceptions, 536
- Sensitive skin**
 - measurement, 52
 - neurogenic inflammation of, 371
 - perceptions of, 543
 - treatment of, 471
- Serine proteases**
 - transepidermal water loss, 367
- Sex**
 - sweat rates, 1
- Shampoo**
 - cationic polymers in, 229
 - polycation/anionic surfactants in, 380
 - polyquaternium-10 in, 385
 - surface protection by, 301
- Silicone polyquaternium-18**
 - and hair surface, 261
- Silicones**
 - in hair care, 295
 - on hair surface, 261
 - and SPF retention, 568
 - in water-in-silicone emulsions, 566
- Skin**
 - and antioxidants, 656
 - barrier properties of, 49
 - facial wrinkles, 47
 - and free radicals, 49
 - and glycolines, 66
 - in vivo* analysis, 315
 - moisturization, 7, 15, 50, 369
 - neurogenic inflammation of, 371
 - and omega fatty acids, 657
 - and polysaccharides, 374
 - restructuring of, 52
 - sebum measurement in, 7
 - stratum corneum lipids, 48
 - surface thermal effects, 365
 - surfactant interactions, 377

- transepidermal water loss from, 7, 15
- Skin aging**
bioflavonoids, 554
book review, 363
clinical methods, 51, 51
matrix proteins, 50
method, 538
oat-based complex, 50
palmitoyl glycine, 552
papillary dermis, 70
Phyllanthus emblica extract, 395
polysaccharides, 374
review article, 51, 51
- Skin care**
salmon milt DNA, 652
- Skin delivery systems**
book review, 45
- Skin exfoliation**
N-acetyl glucosamine, 423
- Skin gloss**
methodology, 651
- Skin imaging**
claim substantiation, 660
- Skin irritation**
polymer-surfactant effects, 383
- Skin lightening**
method, 501
overview, 473
- Skin lipids**
physical state, 368
- Skin permeation**
and confocal Raman spectroscopy, 60
- Skin pigmentation**
melanin, 62
- Skin physiology**
pyridoxine, 58
weightlessness, 50
- Skin proteins**
surfactant interactions, 377
- Skin restructuring**
and cocoa polyphenols, 52
- Sodium ascorbyl phosphate**
and acne, 468
stability of, 369
- Sodium dl-tocopheryl phosphate**
UV inhibition by, 537
- Soy isoflavones**
stability of, 353
- SPF testing**
in vitro, 53, 539
water resistance, 568
- Stearin palm oil**
and hair properties, 273
- Stearoxypropyldimethylamine**
in hair care, 312
- Stratum corneum**
barrier function of, 368
lipids, 48, 368
moisturization of, 539
protein interactions, 377
thickness of, 472
- Stratum corneum lipids**
analysis, 48
barrier function of, 544
- Sulfopolyesters**
overview, 391
- Sunscreens**
analysis, 54
hair protection, 299
spectral testing of, 469
UVA evaluation of, 72, 587
water resistance of, 471
- Superoxide dismutase**
stability of, 367
- Surface free energy**
of makeup, 48
- Surfactants**
anionic-cationic properties, 380
innovation, 56
irritation effects of, 383
polymer associations, 383, 387
polymer interactions, 378
protein interactions, 377
- Surma**
analysis, 657
- Sweat rates**
gender, 1
- Synchrotron x-ray tomography**
of ethnic hair, 580
- Synthetic sebum**
formulation, 467
- Syzygium aromaticum extract**
in tyrosinase inhibition, 53
- Tactile sensation**
and cosmetics, 653
- Tewameter**
in skin measurement, 7, 15
- Thermal effects**
hair protection, 578
skin surface, 365
- Tiliroside**
as antioxidant, 554
- Tissue engineering**
overview, 64
- Titanium dioxide**
water resistance of, 471
- Tocopheryl phosphate**
skin permeation by, 60
- Transepidermal water loss**
enzymes, 367

- serine proteases, 367
- skin measurement, 7, 15, 540
- Tremella* sp. Extract**
 - as cosmetic ingredient, 545
- Tribology**
 - of hair, 283
- Tricholoma matsutake* extract**
 - as cosmetic ingredient, 545
- Tucuma**
 - and hair properties, 273
- Tyrosinase inhibitors**
 - benzoyloxypaeoniflorin, 347
 - 8-hydroxydaidzein, 353
 - kampferol, 347
 - mudanpioside, 347
 - paeonia suffruticosa root, 347
 - plant extracts, 53
 - quercetin, 347
- Ucuuba**
 - and hair properties, 273
- UVA**
 - spectral testing, 469
 - in vitro* testing, 587
- UV absorbers**
 - in hair protection, 299
- UV inhibition**
 - by sodium dl-tocopheryl phosphate, 537
- Veegum**
 - and clay liquid detergents, 541
- Vitamin C**
 - stability of, 369
- Vitro Skin N-19**
 - and UVA testing, 587
- Water-in-powder technology**
 - encapsulation, 365
- Water-in-silicone emulsions**
 - formulation, 566
- Wet wipes**
 - film thickness, 562
- Wrinkles**
 - massage, 47
 - palmitoyl glycine, 552
- Yeast/resveratrol ferment**
 - overview, 550