

AUTHOR INDEX TO VOLUME 61

- Abril, E.**, see Berardesca, E., 50
Adamy, M., see Kiplinger, J., 203
Akatsuka, R., see Gao, T., 394
Akita, R., see Hsu, T.-F., 164
Alard, V., see Matts, P.J., 330
Almeida, M.M., Determination of tocopheryl acetate and ascorbyl tetraisopalmitate in cosmetic formulations by HPLC (Abstract, IJCS), 265
Alminana, N., see Mangués, M., 169; see Mateu, M., 172
Alves, J.M.P., see Almeida, M.M., 265
Amano, S., see Nakazawa, Y., 163
Amighi, K., see Durand, L., 50
Anders-von Ahlfen, A., see Meinhardt-Wollweber, M., 169
Andre, N., see Lintner, K., 176
Anzali, S., Elucidation of the anti-aging effects of ectoine using cDNA microarray analysis and signaling pathway evaluation (Abstract, IFSCC), 170; see Epstein, H., 417
Araho, D., see Kiso, A., 260
Arct, J., Bioavailability of cosmetic actives—what it means (Abstract, JPSCC Poland), 171; see Ratz, A., 172, 268
Arena, R., see Philips, N., 125
Arkles, B., see Hollenberg, J., 407
Armengol, R., see Siekierski, M., 268
Aucar, B., see Walker, J., 405
Aymard, E., The autophagic system: A new era in skin cell detoxification (Abstract, IFSCC), 483
Bacqueville, D., Comparative analysis of solar radiation-induced cellular damage between ex vivo porcine skin organ culture and in vitro reconstructed human epidermis (Abstract, IJCS), 51
Barba, C., see Ramírez, R., 235
Barcena, H., see Groathouse, J., 279
Bardeen, C., see Bonda, C., 54
Barruche, V., see Aymard, E., 483
Basehoar, A.D., see Koenig, D., 181; see Flügge-Berendes, L.A., 193
Bazela, K., Alternative methods and safety assessment of cosmetic products and cosmetic ingredients (Abstract, JPSCC Poland), 172
Becic, E., see Imamovic, B., 166
Benaiges, A., see Siekierski, M., 268
Bendejacq, D., see Kiplinger, J., 203
Benech, P., see Lintner, K., 176
Benetti, L.D., see Vie, K., 265
Bensouda, Y., see Rahali, Y., 265
Berardesca, E., Effects of topical gluco-oligosaccharide and collagen tripeptide F in the treatment of sensitive atopic skin (Abstract, IJCS), 50
Bianchi, A., see Scalia, S., 330
Bianchini, R., see Daly, S., 165
Binda, D., see Viyoch, J., 311
Blank, J., see Lueder, M., 483
Blazejak, S., see Ratz, A., 172
Blume, G., see Teichmüller, D., 171
Bohnen, J., see Schambil, F., 173
Bolden, R., Visualization of hair combing friction utilizing thermal imaging (2009 Annual Scientific Meeting), 201
Bolzinger, M.A., see Bourgeois, S., 169
Bonda, C., Improving sunscreen photostability by quenching the excited state (2009 Annual Scientific Meeting), 54
Bonina, C., see Rizza, L., 247
Bonnet, S., see Rival, D., 263
Bordes, S., see Aymard, E., 483
Borkow, G., Improvement of facial skin characteristics using copper oxide containing pillowcases: a double-blind, placebo-controlled, parallel, randomized study (Abstract, IJCS), 264
Bosch, J., see Siekierski, M., 268
Botto, J.-M., see Imbert, I., 183
Boudier, D., Characterization of the complexion radiance by sensory and instrumental analysis: Differences observed between populations' classes (2009 Annual Scientific Meeting), 68; Tight junctions and flow of lipids: New

- cosmetic targets for restoring the skin barrier function (2009 Annual Scientific Meeting), 185; see Aymard, E., 483
- Bouldin, L.**, see Cataldo, V., 413
- Bourgeois, S.**, Caffeine microspheres—an attractive carrier for optimum skin penetration (Abstract, IFSCC), 169
- Breugnot, J.**, see Boudier, D., 68
- Briancon, St.**, see Bourgeois, S., 169
- Brito, J.**, see Dueva-Koganov, O.V., 73
- Brown, M.**, see Bolden, R., 201
- Brown, M.W.**, see Matts, P.J., 330
- Brud, W.S.**, Quality requirements for essential oils used in perfume and cosmetics industry, household chemistry, aromatherapy, medicine and other areas (Abstract, JPSCC Poland), 267
- Buchmeier, W.**, see Schambil, F., 173
- Buranajaree, S.**, see Viyoch, J., 311
- Caldelari, R.**, see Lueder, M., 483
- Cameli, N.**, see Berardesca, E., 50
- Candau, D.**, see Fageon, L., 263
- Carreno, C.**, see Mangues, M., 169; see Mateu, M., 172
- Castan, P.**, see Subirats, N., 379
- Castillo, C.**, see Hoessel, P., 343
- Cataldo, V.**, Stimulation of extracellular matrix proteins by UV-light in the presence of optically-responsive powders (2010 Annual Scientific Seminar), 413
- Cattuzzato, L.**, see Dumont, S., 329; see Chevrot, N., 415
- Cebrian, J.**, see Mangues, M., 169; see Mateu, M., 172
- Chan, C.-F.**, Influence of purple sweet potato extracts on the UV absorption properties of a cosmetic cream, 333
- Chandra, L.**, see Wortmann, F.-J., 31
- Chang, I.**, see Kim, E., 49
- Chang, J.**, see Lin, T.J., 195
- Chang, T.-S.**, Identifying 8-hydroxynaringenin as a suicide substrate of mushroom tyrosinase, 205
- Chen, Y.-J.**, see Philips, N., 125
- Chen, Y.-W.**, see Shao, D.-Z., 133
- Chevrot, N.**, A new lipoaminoacid able to restore aging-induced modifications in biomechanical properties of human dermal fibroblasts and in functional properties of preadipocytes (2010 Annual Scientific Seminar), 415; see Dumont, S., 329
- Choi, Y.-S.**, see Kim, Y.H., 211
- Ciesielska, A.**, Bisabolol and its activity (Abstract, JPSCC Poland), 379
- Clares, B.**, Structural characterization and stability of dimethylaminoethanol and dimethylaminoethanol bitartrate for possible use in cosmetic firming, 269
- Closs, B.**, see Boudier, D., 68, 185; see Aymard, E., 483
- Coderch, L.**, see Ramírez, R., 235
- Conte, J.**, see Philips, N., 125
- Cousy, A.**, Sun and skin, not always good friends—how cosmetics improve their relationship (Abstract, IFSCC), 170
- Coutet, J.**, see Fageon, L., 263
- Cunningham, C.T.**, see Koenig, D., 181; see Flugge-Berendes, L.A., 193
- Daly, S.**, Fluorescence and coloration of grey hair (Abstract, IJCS), 165
- Del Farra, C.**, see Imbert, I., 183
- Dell'Acqua, G.**, Natural ingredients used as “precursors” of biochemical reactions to boost the defense and repairing mechanisms in the skin: A novel and safe approach to treat anti-aging (2009 Annual Scientific Meeting), 178; see Schweikert, K., 329
- Delrieu, P.**, Non-nano zinc oxide (2009 Annual Scientific Meeting), 58
- Demetzos, C.**, see Papageorgiou, S., 107
- Deo, N.**, Stable environmentally sensitive cationic hydrogels for controlled delivery applications, 421
- De Paepe, K.**, see Roelandt, T., 49
- De Pooter, A.**, see Chevrot, N., 415
- D'Erceville, C.**, see Pauly, G., 386
- Detmar, M.**, see Kajiji, K., 162
- De Vroede, A.**, see Roelandt, T., 49
- Diez, R.**, A review of the progress of foaming cleansing products during the last fifty years (2009 Annual Scientific Meeting), 187
- Domaschko, D.**, see Bolden, R., 201
- Domloge, N.**, see Imbert, I., 183; see Mouser, P., 399
- Doucet, O.**, see Nyeberg, M., 330
- Doyle, M.**, see Fitzgerald, G., 64
- Draeos, Z.D.**, The shifting line dividing drugs and cosmetics (2010 Annual Scientific Seminar), 411
- Dueva-Koganov, O.V.**, *In vitro/in vivo* and analytical evaluation of sunless tanning formulations containing different rheology modifiers, 73
- Dumont, S.**, Two new lipoaminoacids with complementary modes of action: New prospects to fight out against skin aging (Abstract, IJCS), 329; see Chevrot, N., 415
- Durand, L.**, *In vitro* evaluation of the cutaneous penetration of sprayable sunscreen emulsions with high concentrations of UV filters (Abstract, IJCS), 50
- Dvoracek, B.J.**, see Flugge-Berendes, L.A., 193
- Enari, H.**, see Hsu, T.-F., 164
- Epstein, H.**, Reduction of dermal UV filter uptake in skin and boosting *in vivo* SPF/UVA

- using encapsulate technology and focused formulation strategy (2009 Annual Scientific Meeting), 56; Skincare application for a novel cyclopeptide (2010 Annual Scientific Seminar), 417
- Evans, T.A.**, Quantifying and modeling the propensity for hair breakage (2010 Annual Scientific Seminar), 401; A statistical analysis of hair breakage. II. Repeated grooming experiments, 439
- Fageon, L.**, Importance on sunscreen products spreading protocol and substrate roughness for *in vitro* sun protection factor assessment (Abstract, IJCS), 263
- Fares, H.**, see Yadav, S., 409
- Farra, C.D.**, see Mouser, P., 399
- Feferman, I.H.S.**, see Silva, A.R., 331
- Ferguson, B.S.**, Remix. Reformulate. Renew. Redo. The new chemistry of success (2010 Annual Scientific Seminar), 403
- Ferrero, L.**, see Matts, P.J., 330
- Fitoussi, R.**, see Vie, K., 265
- Fitzgerald, G.**, Advanced regression models for soap reformulation (2009 Annual Scientific Meeting), 64
- Flugge-Berendes, L.A.**, Hand sanitizer formulations with improved moisturization (2009 Annual Scientific Meeting), 193
- Frasca, G.**, see Rizza, L., 247
- Fujimura, T.**, Roughness analysis of the skin as a secondary evaluation criterion in addition to visual scoring is sufficient to evaluate ethnic differences in wrinkles (Abstract, IJCS), 166
- Fujisaki, Y.**, see Inamasu, S., 326
- Fukuda, K.**, see Uehara, K., 327
- Gabbay, J.**, see Borkow, G., 264
- Gafner, F.**, see Schweikert, K., 329
- Gao, T.**, Enhancing dye penetration and color development in liquid oxidative hair dye formulations (2009 Annual Scientific Meeting), 197; Study of multilayer lamella vesicles in hair straightening formulas (2010 Annual Scientific Seminar), 394
- Gers-Barlag, H.**, see Matts, P.J., 330
- Girling, P.**, see Lueder, M., 483
- Glusen, B.**, see Schambil, F., 173
- Gofflo, S.**, see Boudier, D., 185; see Aymard, E., 483
- Goldoozian, R.**, see Khazaeli, P., 166
- Gomez-Mingot, M.**, see Terol, A., 331
- Gondran, C.**, see Imbert, I., 183; see Mouser, P., 399
- Gonzalez, S.**, see Philips, N., 125, 419
- Gooris, E.**, see Vie, K., 265
- Gorouhi, F.**, Role of topical peptides in preventing or treating aged skin, review article, (Abstract, IJCS), 165
- Gould, C.J.**, see Flugge-Berendes, L.A., 193
- Graf, R.**, see Epstein, H., 56, 417
- Grandmottet, F.**, see Viyoch, J., 311
- Groathouse, J.**, Wild Plum: Novel particles of improved optical brightness and fluorescence, 279
- Gruber, J.V.**, see Cataldo, V., 413
- Gustafson, C.**, see Groathouse, J., 279
- Haas, G.**, see Philips, N., 125
- Habran, N.**, see Durand, L., 50
- Hachem, J.-P.**, see Roelandt, T., 49
- Haketa, K.**, see Fujimura, T., 166
- Han, C.S.**, see Kim, Y.H., 211
- Hanson, K.**, see Bonda, C., 54
- Havery, D.C.**, Cosmetic color additives: An overview and common misunderstandings (2009 Annual Scientific Meeting), 199
- Hayward, J.A.**, Employing DNA to authenticate the botanical origin of ingredients used in cosmetics and toiletries (2009 Annual Scientific Meeting), 66
- Heinrich, U.**, see Meinhardt-Wollweber, M., 169
- Hemmerle, J.**, see Vie, K., 265
- Henry, F.**, see Xhaufaire-Uhoda, E., 166; see Pauly, G., 386
- Henschel, V.**, see Durand, L., 50
- Herget, T.**, see Anzali, S., 170
- Herrling, T.**, see Jung, K., 171
- Heughebaert, C.**, see Roelandt, T., 49
- Hibi, H.**, see Kugimiya, M., 326
- Hindley, M.**, see Peevers, R., 191
- Hisamitsu, I.**, see Yamazaki, N., 260
- Hitzel, S.**, see Epstein, H., 56
- Hloch, H.G.**, see Schambil, F., 173
- Hoessel, P.**, Assessment of styling performance in hair gels and hair sprays by means of a two-point stiffness test, 343
- Hoffman, D.**, see Koenig, D., 181
- Holdemann, M.**, see van der Hoeven, H., 267
- Hollenberg, J.**, Surface treatments to improve pigment dispersion in aqueous media (2010 Annual Scientific Seminar), 407
- Holmes, A.E.**, see Groathouse, J., 279
- Honmura, A.**, see Hsu, T.-F., 164
- Horigome, S.**, see Tsuda, A., 378
- Horiuchi, T.**, Basic theory of emulsification (Abstract, JSCC Japan), 325
- Hoshino, Y.**, see Hsu, T.-F., 164
- Hotta, M.**, see Fujimura, T., 166
- Hsu, T.-F.**, Effects of deoxyribonucleoside 5'-monophosphates on human skin conditions (Abstract, JSCC Japan), 164
- Huang, C.-L.**, see Chan, C.-F., 333
- Huber, B.**, see Mildau, G., 380
- Hubinger, J.C.**, A survey of phthalate esters in consumer cosmetic products, 457
- Humbert, P.**, see Viyoch, J., 311

- Hung, C.-H.**, see Shao, D.-Z., 133
Huszar, M., see Borkow, G., 264
Hwang, H.-J., see Shao, D.-Z., 133
Igarashi, T., see Uehara, K., 327
Ikeda, T., see Watanabe, K., 162
Ikuyama, R., see Inamasu, S., 326
Imai, T., The dyeing mechanism of oxidative hair color in white and black human hair (Abstract, JSCC Japan), 479
Imamovic, B., Identification and determination of butylmethoxydibenzoylmethane in the presence of benzophenone-3 and ethylhexylmethoxycinnamate in sunscreen preparation (Abstract, IJCS), 166
Imbert, I., The light on key regulator proteins in cellular mitosis and adult epidermal stem cell differentiation (2009 Annual Scientific Meeting), 183
Imfeld, D., How the potent snake venom of the temple viper served as biomimetic design model for a treatment of skin wrinkles (2009 Annual Scientific Meeting), 70
Inamasu, S., The effect of rinse water obtained from the washing of rice (YU-SU-RU) as a hair treatment (Abstract, JSCC Japan), 326
Inoue, S., see Tanamachi, H., 147
Inoue, T., Chemical mapping of sulfur-containing molecules in human hair using soft x-ray microscopy (Abstract, JSCC Japan), 480
Inui, M., see Ooe, M., 378
Ishijima, D., see Inoue, T., 480
Ishikubo, A., Frictional behaviors during applications of lotions by use of a novel friction meter and evaluation of tactile feeling, (Abstract, JSCC Japan), 161
Issa, N., see Yadav, S., 409
Issachar, N., see Matts, P.J., 330
Ito, A., see Inoue, T., 480
Itou, T., see Nagase, S., 163
Iwamoto, H., see Uehara, K., 327
Iwasaki, D., see Yashiki (Tohi), K., 260
Izutsu, Y., see Shimizu, K., 484
Jachowicz, J., see Daly, S., 165
Jang, H.-I., see Kim, Y.H., 211
John, S., see van der Hoeven, H., 267
Jones, D., see Peever, R., 191
Jones, S.A., Basic optics of effect materials, 85
Jumbelic, L., see Daly, S., 165
Jung, K., The fatal effect of self-tanning agents during UV irradiation (Abstract, JPSCC Poland), 171
Kajiya, K., A novel mechanism of cutaneous photo-aging mediated by the impairment of lymphatic function and the protective role of a lymphatic-promoting compound, (Abstract, JSCC Japan), 162
Kakizawa, M., Relationship between hair surface properties and tactile sensation (Abstract, JSCC Japan), 378
Kakizawa, Y., see Miyake, M., 289
Kamath, Y.K., Reduction-induced surface modification of human hair, 1; see Deo, N., 421
Kambara, T., see Kiso, A., 260; see Yashiki (Tohi), K., 260
Kamibe, T., see Tsuda, A., 378
Kanlayavattanakul, M., Lipopeptides in cosmetics, review article (Abstract, IJCS), 329; see Lourith, N., 49
Kashimoto, A., see Uehara, K., 327
Katori, T., see Inoue, T., 480
Kawai, E., see Kajiya, K., 162
Kawamura, H., see Imai, T., 479
Kawashima, Y., see Kiso, A., 260
Kawasoe, T., see Kakizawa, M., 378
Kedor-Hackmann, E.R.M., see Almeida, M.M., 265
Khattab, I., see Nada, A., 353
Khazaeli, P., An evaluation of extracts of five traditional medicinal plants from Iran on the inhibition of mushroom tyrosinase activity and scavenging of free radicals (Abstract, IJCS), 166
Kibune, N., see Tsuda, A., 378
Kim, E., The alkaline pH-adapted skin barrier is disrupted severely by SLS-induced irritation (Abstract, IJCS), 49
Kim, J.-W., see Kim, Y.H., 211
Kim, K.H., see Kim, Y.H., 211
Kim, S., see Kim, E., 49
Kim, Y.H., Anti-wrinkle activity of *Platycarya strobilacea* extract and its application as a cosmeceutical ingredient, 211
Kim, Y.M., see Hollenberg, J., 407
Kimura, M., see Imai, T., 479
Kimura, S., see Yoshida, S., 480
Kiplinger, J., A study on the influence of surfactants on hair color fading (2009 Annual Scientific Meeting), 203
Kishimoto, J., see Kajiya, K., 162
Kiso, A., The effects of licorice leaf extract on ceramide and hyaluronan synthesis (Abstract, JSCC Japan), 260; see Yashiki (Tohi), K., 260
Kitamura, K., see Yoshida, S., 480
Knebl, R., see Hoessel, P., 343
Koenig, D., Confocal raman studies of stratum corneum biochemistry as a function of climate (2009 Annual Scientific Meeting), 181
Koike, K., see Nagase, S., 163
Konno, Y., see Ozawa, Y., 326
Kosaka, S., see Yamaguchi, M., 167
Kouzuki, H., Development of an in silico prediction system for the risk assessment of chemicals—Development of a prediction

- model for skin irritation (Abstract, JSCC Japan), 259
- Koyanagi, A.**, see Ohtani, N., 259
- Krebs, R.**, see Meinhardt-Wollweber, M., 169
- Krishnaiah, Y.S.R.**, see Nada, A., 353
- Kubota, Y.**, see Ooe, M., 378
- Kugimiya, M.**, New viewpoints on the color differences between upper and lower lips and proposed makeup procedure (Abstract, JSCC Japan), 326
- Kumagai, S.**, see Watanabe, H., 325; see Kugimiya, M., 326
- Kume, K.**, see Tsuda, A., 378
- Kuriyama, K.-I.**, see Yamaguchi, A., 377
- Labarrade, F.**, see Imbert, I., 183
- Lago, P.**, see Pauly, G., 386
- Lai, Y.-C.**, see Chan, C.-F., 333
- Lara, V.G.**, see Clares, B., 269
- LaRuffa, A.**, see Robinson, M., 13, 23
- Lebleu, A.**, see Imbert, I., 183
- Lee, H.**, see Kim, E., 49
- Lee, N.H.**, see Kim, Y.H., 211
- Le Guillou, M.**, see Boudier, D., 68
- Lemasson, Y.**, see Nyeborg, M., 330
- Lennon, P.**, Improved sensorial performance in natural formulations using polyglycerol modified plant waxes (2010 Annual Scientific Seminar), 388
- Leroy, E.**, see Kiplinger, J., 203
- Li, L.**, see Nakazawa, Y., 163
- Li, Y.**, see Bolden, R., 201
- Liao, W.C.**, see Chan, C.-F., 333
- Liawruangrath, B.**, see Saysin, S., 367
- Liawruangrath, S.**, see Saysin, S., 367
- Lien, C.-Y.**, see Chan, C.-F., 333
- Lima, C.R.R.C.**, see Almeida, M.M., 265
- Lin, H.-J.**, see Chang, T.-S., 205
- Lin, M.-Y.**, see Chang, T.-S., 205
- Lin, T.J.**, Low-energy emulsification, VII: Improving emulsion quality by controlling phase-inversion and reducing energy application (2009 Annual Scientific Meeting), 195
- Lintner, K.**, Genetic response of human adipocytes to external stimuli: High specificity as revealed by detailed DNA array analysis and lipid storage modulation in a 3D hypodermis modele (2009 Annual Scientific Meeting), 176; Hair growth modulation, up or down: A review of ways to influence the biological events in the hair follicle (2010 Annual Scientific Seminar), 397
- Lourith, N.**, Natural surfactants used in cosmetics: glycolipids. Review article (Abstract, IJCS), 49; see Kanlayavattanukul, M., 329
- Lucas, K.A.**, see Grothouse, J., 279
- Lueder, M.**, Phase I and phase II enzyme induction in human keratinocytes treated with a standardized grapefruit extract rich in bioflavonoids (Abstract, IFSCC), 483
- Lyakhovitsky, A.**, see Borkow, G., 264
- Ma, X.**, see Nakazawa, Y., 163
- Maestre, S.E.**, see Terol, A., 331
- Maibach, H.I.**, see Gorouhi, F., 165
- Mandalia, Y.**, see Dueva-Koganov, O.V., 73
- Mangues, M.**, Development of a new cosmetic active for safe skin brightening (Abstract, IFSCC), 169; see Mateu, M., 172
- Marenius, K.**, Why green? Why now? Henry Maso Keynote Award Lecture (2010 Annual Scientific Seminar), 382
- Marsh, J.**, New product design strategies for colored hair (2010 Annual Scientific Seminar), 392; see Bolden, R., 201
- Martí, M.**, see Ramírez, R., 235
- Martinello, T.**, see Silva, A.R., 331
- Martinez, J.**, see Siekierski, M., 268
- Martinez, M.**, see Flugge-Berendes, L.A., 193
- Masaki, H.**, see Yamashita, Y., 480; see Shimizu, K., 484
- Masukawa, Y.**, see Nagase, S., 163
- Mateu, M.**, A new accelerator and long-lasting tanning patented peptide (Abstract, JPSCC Poland), 172
- Mathieu, E.**, see Vie, K., 265
- Matsuda, Y.**, see Nakazawa, Y., 163
- Matsumoto, K.**, see Mizukoshi, K., 161
- Matsunaka, H.**, see Ooe, M., 378
- Matts, P.J.**, The COLIPA *in vitro* UVA method: A standard and reproducible measure of sunscreen UVA protection (Abstract, IJCS), 330
- Mavon, A.**, see Bacqueville, D., 51
- Mayol, X.**, see Siekierski, M., 268
- Mazalrey, S.**, see Boudier, D., 185
- McMullen, R.**, see Scalia, S., 330
- Meinhardt-Wollweber, M.**, Optoacoustics—its application in photodermatology (Abstract, IFSCC), 169
- Méndez, S.**, see Ramírez, R., 235
- Menezes, P.F.C.** see Silva, A.R., 331
- Meyrignac, C.**, see Imbert, I., 183
- Mezzena, M.**, see Scalia, S., 330
- Mielcarek, C.**, see Rahali, Y., 265
- Miki, A.**, see Watanabe, K., 162
- Milczarek, D.**, Horse chestnut triterpenes (Abstract, JPSCC Poland), 380
- Mildau, G.**, The new EC cosmetics regulation 1223/2009 -- contents and first explanations (Abstract, JPSCC Poland), 380
- Minami, K.**, see Uehara, K., 327
- Minguet, M.**, see Subirats, N., 379

- Miyake, M.**, Morphological study of cationic polymer-anionic surfactant complex precipitated in solution during the dilution process, 289
- Mizukoshi, K.**, Age related changes of the three-dimensional structure in the cheek region, (Abstract, JSCC Japan), 161
- Mizutani, K.**, see Kiso, A., 260; see Yashiki (Tohi), K., 260
- Molever, K.**, Simplified assay of diethylene glycol and ethylene glycol in various raw materials by capillary gas chromatography, 225
- Mondon, P.**, see Lintner, K., 176, 397
- Moon, S.**, see Kim, E., 49
- Morales, M.E.**, see Clares, B., 269
- Moreno, M.**, see Siekierski, M., 268
- Morioka, T.**, see Ooe, M., 378
- Moser, H.**, see Imfeld, D., 70
- Moses, C.**, see Gao, T., 197
- Mouser, P.**, Energizing the hair follicle: Modulation of hair follicle components (2010 Annual Scientific Seminar), 399
- Moyal, D.**, see Fageon, L., 263; see Matts, P.J., 330
- Muia, F.**, see Cataldo, V., 413
- Murakami, T.**, see Kiso, A., 260
- Murakami, Y.**, see Ooe, M., 378
- Nada, A.**, Analysis of vitamin E in commercial cosmetic preparations by HPLC, 353
- Nagase, S.**, Characteristic microstructure of curved human hair (Abstract, JSCC Japan), 163
- Naito, N.**, see Ozawa, Y., 326
- Nakano, T.**, see Imai, T., 479
- Nakao, K.**, see Uehara, K., 327
- Nakayama, Y.**, see Nakazawa, Y., 163
- Nakazawa, Y.**, Characterization of eye bags in Chinese women, (Abstract, JSCC Japan), 163
- Nam, G.W.**, see Kim, E., 49
- Natarajan, P.**, see Philips, N., 125
- Natarajan, U.**, The thickness of 18-MEA on an ultra-high-sulfur protein surface by molecular modeling, 467
- Nicolaidis, D.**, see Fitzgerald, G., 64
- Niwa, M.**, see Imai, T., 479
- Noda, A.**, see Ishikubo, A., 161
- Nojiri, N.**, see Uehara, K., 327
- Novakovich, G.F.L.**, see Silva, A.R., 331
- Nyeborg, M.**, Validation of HPLC method for the simultaneous and quantitative determination of 12 UV-filters in cosmetics (Abstract, IJCS), 330
- Obayashi, K.**, see Yamashita, Y., 480; see Shimizu, K., 484
- Oguri, M.**, see Tanamachi, H., 147
- Ohmori, T.**, see Yagi, E., 39
- Ohmura, T.**, see Watanabe, K., 162
- Ohtani, N.**, The properties and application of a novel amphiphilic polymer as an active interfacial modifier (Abstract, JSCC Japan), 259
- Ohto, N.**, see Kiso, A., 260
- Okamoto, T.**, Preparation technique for size-controlled emulsions and their application for cosmetics (Abstract, JSCC Japan), 479
- Okano, Y.**, see Yamashita, Y., 480; see Shimizu, K., 484
- Onishi, K.**, see Yamaguchi, A., 377
- Ooe, M.**, Skincare instruction for remission period of acne and utility of proactive management for skincare (Abstract, JSCC Japan), 378
- Oosaki, K.**, see Uehara, K., 327
- Ootsubo, M.**, see Nakazawa, Y., 163
- Ophuls, A.**, see Schambil, F., 173
- Orofino, S.**, see Dueva-Koganov, O.V., 73
- Osada, M.**, see Uehara, K., 327
- Oyobikawa, M.**, see Mizukoshi, K., 161
- Ozawa, J.**, see Tsuda, A., 378
- Ozawa, Y.**, Ultra low viscosity emulsion with high tolerance for electrolytes (Abstract, JSCC Japan), 326
- Palungwachira, P.**, see Udompataikul, M., 264
- Pan, Y.**, see Hollenberg, J., 407
- Papageorgiou, S.**, New alternatives to cosmetics preservation, 107
- Paredes, E.**, see Terol, A., 331
- Park, K.**, see Evans, T.A., 401, 439
- Park, S.H.**, see Kim, Y.H., 211
- Parra, J.L.**, see Ramírez, R., 235
- Patto, D.C.S.**, see Almeida, M.M., 265
- Pauly, G.**, Beyond sustainability: A pioneering tripartite approach to corporate social responsibility (2010 Annual Scientific Seminar), 386
- Pavlovic, A.**, see Bonda, C., 54
- Peevers, R.**, Novel data on the impact of white base ingredients choice in meeting the performance brief for lipstick formulations (2009 Annual Scientific Meeting), 191
- Peffly, M.**, see Bolden, R., 201
- Pelletier, J.** see Bourgeois, S., 169
- Pennick, G.**, see Peevers, R., 191
- Pense-Lheritier, A.-M.**, see Rahali, Y., 265
- Perez, C.**, see Chevrot, N., 415
- Perrier, E.**, see Rival, D., 263
- Pfloecker, F.**, see Epstein, H., 56
- Philips, N.**, Direct inhibition of elastase and matrixmetalloproteinases and simulation of biosynthesis of fibrillar collagens, elastin, and fibrillins by xanthohumol, 125; Beneficial regulation of expression of extracellular matrix proteins and transforming growth factor- β in dermal fibroblasts, and epidermal keratinocytes by *Polypodium leucotomos* (2010 Annual Scientific Seminar), 419

- Pierard, G.E.**, see Xhaufflaire-Uhoda, E., 166
- Pierard-Franchimont, C.**, see Xhaufflaire-Uhoda, E., 166
- Pissavini, M.**, see Nyeberg, M., 330
- Polefka, T.**, see Daly, S., 165
- Praes, C.E.O.** see Silva, A.R., 331
- Prats, S.**, see Terol, A., 331
- Puginier, M.**, see Chevrot, N., 415
- Puglia, C.**, see Rizza, L., 247
- Pum, G.**, see Lin, T.J., 195
- Quenca-Guillen, J.S.**, see Almeida, M.M., 265
- Quinn, M.**, see Epstein, H., 56, 417
- Rahali, Y.**, Optimization of preservatives in a topical formulation using experimental design (Abstract, IJCS), 265
- Ramaprasad, K.R.**, see Deo, N., 421
- Ramírez, R.**, Skin efficacy of liposomes composed of internal wool lipids rich in ceramides, 235
- Ratinaud, M.-H.**, see Aymard, E., 483
- Ratz, A.**, Dihydroxyacetone—properties and application in self-tanning cosmetics (Abstract, JPSCC Poland), 172; Liquorice (*Glycyrrhiza* sp.) Root characteristics and its application in cosmetology (Abstract, JPSCC Poland), 268
- Reece, B.**, see Koenig, D., 181
- Riemann, S.**, see Hoessel, P., 343
- Rival, D.**, A *Hibiscus abelmoschus* seed extract as a protective active ingredient to favour FGF-2 activity in skin—review article (Abstract, IJCS), 263
- Rizza, L.**, Comparative *in vivo* study of the efficacy and tolerance of exfoliating agents using reflectance spectrophotometric methods, 247
- Robbins, C.**, see Natarajan, U., 467
- Robin, S.**, see Vioych, J., 311
- Robinson, M.**, Natural moisturizing factors (NMF) in the stratum corneum (SC). I. Effects of lipid extraction and soaking, 13; Natural moisturizing factors (NMF) in the stratum corneum (SC). II. Regeneration of NMF over time after soaking, 23; see Visscher, M., 303
- Rocafort, C.**, see Dueva-Koganov, O.V., 73
- Rodier, J.-D.**, see Lennon, P., 388
- Roelandt, T.**, LEKTI-1 in sickness and in health. Review article (Abstract, IJCS), 49
- Rombaut, B.**, see Roelandt, T., 49
- Roseuw, D.**, see Roelandt, T., 49
- Ruetsch, S.B.**, see Kamath, Y.K., 1; see Deo, N., 421
- Ruiz, M.A.**, see Clares, B., 269
- Sakamoto, K.**, see Yagi, E., 39; see Ohtani, N., 259
- Samuel, M.**, see Philips, N., 125
- Santoro, M.I.R.M.**, see Almeida, M.M., 265
- Satoh, N.**, see Nagase, S., 163
- Saysin, S.**, High-performance thin-layer chromatographic determination of ketoconazole in pharmaceutical formulations, 367
- Scalia, S.**, Comparative evaluation of different substrates for the *in vitro* determination of sunscreen photostability: Spectrophotometric and HPLC analyses (Abstract, IJCS), 330
- Schambil, F.**, Will detergents disappear? An evaluation of alternative wash technologies (Abstract, JPSCC Poland), 173
- Schlossman, D.**, see Delrieu, P., 58
- Schroeder, J.**, see Hoessel, P., 343
- Schuh, G.**, see Hoessel, P., 343
- Schweikert, K.**, A bioactive complex to protect proteins from UV-induced oxidation in human epidermis (Abstract, IJCS), 329
- Seeman, N.C.**, DNA: Not merely the secret of life (2009 Annual Scientific Meeting) (Frontiers of Science Award Lecture), 62
- Seidling, J.R.**, see Flugge-Berendes, L.A., 193
- Seifert, M.**, see Jung, K., 171
- Seino, H.**, see Yoshida, S., 480
- Sekido, H.**, see Hsu, T.-F., 164
- Sell, C.**, Olfaction and aging (Abstract, IFSCC), 484
- Serio, M.**, see Berardesca, E., 50
- Shao, D.-Z.**, Comparison of hydration, tyrosinase resistance, and antioxidant activation in three kinds of pearl powders, 133
- Shao, Y.**, see Delrieu, P., 58
- Shariffar, F.**, see Khazaeli, P., 166
- Shimizu, H.**, see Kakizawa, M., 378
- Shimizu, K.**, Blocking epidermal-dermal crosstalk by strengthening the intracellular reactive oxygen species scavenging capability (Abstract, IFSCC), 484
- Shimizu, N.**, see Inoue, T., 480
- Shinozaki, T.**, see Nagase, S., 163
- Shirahige, Y.**, see Ooe, M., 178
- Siekierski, M.**, New methodology for the search of novel active substances delaying dermal fibroblasts senescence (Abstract, JPSCC Poland), 268
- Silva, A.R.**, Antioxidant kinetics of plant-derived substances and extracts (Abstract, IJCS), 331
- Smiltneek, A.**, see Koenig, D., 181
- Sober, M.**, see Imamovic, B., 166
- Sohm, B.**, see Rival, D., 263
- Sripiroj, P.**, see Udompataikul, M., 264
- Stalinski, K.**, Activation of phenolic antioxidants via hydrogen bonding. Hydrogen bond network—an alternative way of looking at cosmetics? (Abstract, JPSCC Poland), 379
- Stapels, M.**, see Wortmann, F.-J., 31
- Stoltz, C.**, see Dumont, S., 329
- Streuli, D.**, see Yadav, S., 409
- Subirats, N.**, More than just mild—new innovative concepts for alkyl ether

- carboxylates in personal care (Abstract, JPSCC Poland), 379
- Sugata, K.**, see Fujimura, T., 166
- Sugimoto, K.**, see Inamasu, S., 326
- Sumida, Y.**, see Yamazaki, N., 260
- Suzuki, T.**, Basics on emulsion technologies were reviewed from the following viewpoints (Abstract, JSCC Japan), 377
- Symonsbergen, D.J.**, see Groathouse, J., 279
- Tahara, Y.**, see Yamaguchi, M., 167
- Takahashi, K.**, see Watanabe, H., 325
- Takehara, K.**, see Inoue, T., 480
- Tamayo, J.A.**, see Clares, B., 269
- Tanabe, Y.**, see Kugimiya, M., 326
- Tanamachi, H.**, 18-MEA and hair appearance, 147
- Tanji, N.**, see Tanamachi, H., 147
- Teichmüller, D.**, Liposomal drug delivery—outdated or seminal concept? (Abstract, JPSCC Poland), 171
- Terol, A.**, Simple and rapid analytical method for the simultaneous determination of cetrimonium chloride and alkyl alcohols in hair conditioners (Abstract, IJCS), 331
- Teshigawara, T.**, see Watanabe, K., 162
- Thomas, J.**, see Bolden, R., 201
- Thum, O.**, Process innovations for sustainable biocatalytic esterification (2010 Annual Scientific Seminar), 390
- Thys, B.**, see Roelandt, T., 49
- Tien, J.-M.**, see Gao, T., 197, 394
- Todoli, J.L.**, see Terol, A., 331
- Tokunaga, S.**, see Tanamachi, H., 147
- Triantis, A.**, see Peevers, R., 191
- Tronnier, H.**, see Meinhardt-Wollweber, M., 169
- Trouve, G.**, see Dumont, S., 329
- Tsirivas, E.**, see Papageorgiou, S., 107
- Tsuchiya, M.**, see Nagase, S., 163
- Tsuda, A.**, Suppression of the melanogenesis and cellular antioxidant activity in B16 melanoma cells (Abstract, JSCC Japan), 378
- Tsujimura, H.**, see Nagase, S., 163
- Tsakakoshi, N.**, see Nakazawa, Y., 163
- Udompataikul, M.**, An oral nutraceutical containing antioxidants, minerals and glycosaminoglycans improves skin roughness and fine wrinkles (Abstract, IJCS), 264
- Ueda, Y.**, see Ohtani, N., 259
- Uehara, K.**, Development of youthful-looking makeup foundation by controlling transmitted light (Abstract, JSCC Japan), 327
- Uematsu, T.**, see Uehara, K., 327
- Uhlman, B.W.**, Measuring sustainability and integration into strategic decision making (2010 Annual Scientific Seminar), 383
- Umemura, T.**, see Imai, T., 479
- Urdiales, M.**, Hyperbranched polyalphaolefins improve shine, durability and stability of color cosmetic formulations (2009 Annual Scientific Meeting), 189
- Uzunian, G.**, see Walker, J., 405
- Valour, J.P.**, see Bourgeois, S., 169
- van der Hoeven, H.**, A complex of botanical ingredients managing impure skin (Abstract, JPSCC Poland), 267
- Varvaresou, A.**, see Papageorgiou, S., 107
- Vazquez, G.**, see Dueva-Koganov, O.V., 73
- Verdier, M.**, see Aymard, E., 483
- Vie, K.**, Ultrastructural assessments of the melanosome distribution patterns and pigmentation features in human epidermal cells after UV irradiation and kojic acid treatment (Abstract, IJCS), 265
- Viennet, C.**, see Viyoch, J., 311
- Vignau, E.**, see Boudier, D., 68
- Visscher, M.**, Regional variation in the free amino acids in the stratum corneum, 303; see Robinson, M., 13, 23
- Viyoch, J.**, Evaluation of the effect of Thai breadfruit's heartwood extract on the biological functions of fibroblasts from wrinkles, 311
- von Heydebreck, A.**, see Anzali, S., 170
- Walker, J.**, Complex effect pigments: The challenge of formulating with pigments of diverse optical and physical properties (2010 Annual Scientific Seminar), 405
- Wang, C.-K.**, see Shao, D.-Z., 133
- Wang, M.-F.**, see Hsu, T.-F., 164
- Waranuch, N.**, see Viyoch, J., 311
- Watai, M.**, see Tsuda, A., 378
- Watanabe, H.**, Development of 3D powdery cosmetics with new "dry binder" (Abstract, JSCC Japan), 325
- Watanabe, K.**, Hyper internal phase W/O emulsion stabilized with a specific surfactant that forms an anomalous bicontinuous cubic liquid crystal, 162
- Wenzel, S.W.**, see Flugge-Berendes, L.A., 193
- Wickett, R.**, see Robinson, M., 13, 23; see Visscher, M., 303
- Wikstroem, P.**, see Imfeld, D., 70
- Wilson, M.V.**, see Groathouse, J., 279
- Witte, G.**, see Epstein, H., 56
- Wolber, R.**, see Matts, P.J., 330
- Wortmann, F.-J.**, Modeling the time-dependent water wave stability of human hair, 31
- Wright, S.F.**, see Havery, D.C., 199
- Xhaufflaire-Uhoda, E.**, Electrometric assessment of the effect of a zinc oxide paste in diaper dermatitis (Abstract, IJCS), 166
- Yadav, S.**, Luster measurements of lips treated with lipstick formulations (2010 Annual Scientific Seminar), 409

- Yagi, E.**, Polyoxyethylene/polyoxypropylene dimethyl ether (EPDME) improves the structure of intercellular lipids in SDS-induced dry skin, 39
- Yahagi, S.**, see Shimizu, K., 484
- Yamaguchi, A.**, Glary appearance of men's faces and as evaluation method (Abstract, JSCC Japan), 377; see Tsuda, A., 378
- Yamaguchi, M.**, Influence of concentration of fragrances on salivary α -amylase (Abstract, IJCS), 167
- Yamamoto, S.**, see Hsu, T.-F., 164
- Yamashita, Y.**, Relationship between opened facial pores and carbonylated protein/catalase activity in stratum corneum (Abstract, JSCC Japan), 480; see Shimizu, K., 484
- Yamazaki, N.**, Development of an amino acid-responsive fine liposome (Abstract, JSCC Japan), 260
- Yang, H.C.**, see Kim, Y.H., 211
- Yashiki (Tohi), K.**, The effects of Coptis japonica root extract and its key component, berberine, on human subcutaneous adipocytes (Abstract, JSCC Japan), 260; see Kiso, A., 260
- Yoshida, I.**, see Tsuda, A., 378
- Yoshida, S.**, Effect of hydrophobic D-glucosamine analogues on production of hyaluronan in human keratinocyte and structural activity (Abstract, JSCC Japan), 480
- Yoshioka, M.**, see Ohtani, N., 259
- Zaghloul, A.-A.**, see Nada, A., 353
- Zhou, Y.Y.**, see Kiso, A., 260; see Yashiki (Tohi), K., 260
- Ziegler, H.**, see Imfeld, D., 70
- Zimmermann, B.A.**, Leadership in crisis (Abstract, JPSCC Poland), 268
- ZurLange, J.**, see Epstein, H., 56

