

SUBJECT INDEX TO VOLUME 61

- Acetyl tyrosine**
and anti-aging, 178
- Acne**
and skin care, 378
- Adipocytes**
in gene regulation, 176
- Aging**
and olfaction, 484
- Alkyl ether carboxylates**
formulation, 379
- Alternative preservatives**
p-anisic acid, 107
glyceryl caprylate
levulinic acid, 107
Lonicera caprifolium, 107
Lonicera japonica, 107
- Amiloxate**
in sunscreen, 330
- Amino acids**
and stratum corneum, 303
- Analysis, of**
arachidyl alcohol, 331
ascorbyl tetraisopalmitate, 265
avobenzone, 166
benzylbutyl phthalate, 457
cetrimonium chloride and alkyl alcohols, 331
cetyl alcohol, 331
dibutyl phthalate, 457
diethylene glycol, 225
diethyl phthalate, 457
diethylhexyl phthalate, 457
dimethyl phthalate, 457
ethylene glycol, 225
hair conditioners, 331
ketoconazole, 367
myristyl alcohol, 331
octinoxate, 166
oxybenzone, 166
stearyl alcohol, 331
sunscreens, 330
tocopherol/tocopheryl acetate, 353
tocopheryl acetate, 265
- Animal alternative testing**
and cosmetic safety, 172
and solar radiation effects, 51
- p-Anisic acid**
as alternative preservative, 107
- Anthocyanins**
in UV absorption, 333
- Anti-aging**
acetyl tyrosine in, 178
ATP in, 178
and autophagic system, 483
bioflavonoids in, 483
breadfruit extract in, 311
ectoine in, 170
ethyl linoleate in, 178
hydrolyzed oat protein in, 178
niacinamide in, 178
palmitoyl isoleucine in, 415
panthenyl triacetate in, 178
pearl powder in, 133
platycarya strobilacea extract in, 211
Polypodium leucotomos in, 419
praline in, 178
and wrinkles, 70
xanthohumol in, 125
- Antioxidants**
chemistry of, 379
and melanogenesis, 378
- Antioxidant activity**
testing method, 331
and xanthohumol, 125
- Anti-wrinkling effects**
and *Platycarya strobilacea*, 211
- Arachidyl alcohol**
analysis of, 331
- Artocarpus incisus**
and breadfruit extract, 311
- Ascorbyl tetraisopalmitate**
analysis of, 265
- ATP**
in anti-aging, 178

- Autophagic system**
 - and skin cells, 483
- Avobenzone**
 - analysis of, 166
 - and free radical scavenging, 166
 - microencapsulation of, 56
 - solar radiation effects of, 54
 - and SPF enhancement, 56
 - in sunscreen, 50, 54, 166, 330
- Bemotrizinole**
 - skin penetration by, 50
 - in sunscreen, 50, 330
- Benzoic acid**
 - preservative effects of, 265
- Benzylbutyl phthalate**
 - cosmetic survey and analysis of, 457
- Benzyl alcohol**
 - preservative effects of, 265
- Berberine**
 - in triglyceride reduction, 260
- Bioavailability**
 - in cosmetics, 171
- Biocatalytic esterification**
 - sustainability of, 390
- Bioflavonoids**
 - in keratinocyte detoxification, 483
- Bisotrizole**
 - skin penetration by, 50
 - in sunscreen, 50, 330
- Botanicals**
 - Artocarpus incisus*, 311
 - Coptis japonica*, 260
 - Hibiscus abelmoschus*, 263
 - Lavandula stoechas*, 166
 - Lonicera caprifolium*, 107
 - Lonicera japonica*, 107
 - Mentha longifolia*, 166
 - Platycarya strobilacea*, 211
 - Polypodium leucotomos*, 419
 - Quercus infectoria*, 166
 - Rheum palmatum*, 166
 - in skin treatment, 267
 - Terminalia chebula*, 166
- Breadfruit extract**
 - in anti-aging, 311
- Caffeine**
 - skin effects of, 169
- Calcium silicate**
 - in powder cosmetics, 325
- Catalase activity**
 - in facial pores, 480
- Cationic/anionic complex**
 - reactivity of, 289
 - in shampoo, 289
- Cationic hydrogels**
 - controlled delivery of, 421
- Ceramide synthesis**
 - and licorice leaf extract, 260
- Ceramides**
 - in wool lipids, 235
- Cetrimonium chloride**
 - analysis of, 331
- Cetyl alcohol**
 - analysis, 331
- Chamomile**
 - overview of, 379
- Chemical risk assessment**
 - method, 259
- Cleansing products**
 - overview of, 187
- Climate effects**
 - and stratum corneum, 181
- Clothes washing**
 - detergents, 173
- Cocoyl alanine**
 - and skin aging, 329
- COLIPA**
 - in UVA testing method, 330
- Collagen tripeptide F**
 - and sensitive atopic skin, 50
- Color**
 - mechanism, 85
- Color additives**
 - pigments, 405, 407
 - regulatory review of, 199
- Color cosmetics**
 - synthetic wax, 189
- Complexion radiance**
 - method, 68
- Controlled delivery**
 - of cationic hydrogels, 421
- Copper oxide**
 - in wrinkle control, 264
- Coptis japonica root extract**
 - in triglyceride reduction, 260
- Cosmetic business**
 - review, 403
- Cosmetic colors**
 - pigments, 405, 407
 - regulatory review of, 199
- Cosmetic esters**
 - in enzymatic esterification, 390
- Cosmetic ingredients**
 - acetyl tyrosine, 178
 - alkyl ether carboxylates, 379
 - anthocyanins, 333
 - ATP, 178
 - berberine, 260

- breadfruit extract, 311
 - calcium silicate, 325
 - cermides, 235
 - cetrimonium chloride, 331
 - cetyl ricinoleate, 390
 - chamomile, 379
 - cocoyl alanine, 329
 - Coptis japonica root extract, 260
 - cyclopeptides, 417
 - decyl cocoate, 390
 - dihydroxyacetone, 73, 171, 172
 - dimethylaminoethanol, 269
 - dimethylaminoethanol bitartrate, 269
 - dioleoyl phosphate, 197
 - esters, 390
 - ethyl linoleate, 178, 329
 - glycolipids, 49
 - hibiscus abelmoschus seed extract
 - horse chestnut triterpenes, 380
 - hydrolyzed oat protein, 178
 - isocetyl palmitate, 390
 - kojic acid, 265
 - licorice leaf extract, 260
 - licorice root extract, 268
 - lipopeptides, 329
 - lysolecithin, 326
 - myristyl myristate, 390
 - niacinamide, 178
 - oleth-5 phosphate, 197
 - oleyl erucate, 390
 - palmitoyl glycine, 329
 - panthenyl triacetate, 178, 329
 - pearl powder, 133
 - peptide/silicone polymer, 259
 - phthalates, 457
 - phytantriol, 162
 - platycarya strobilacea extract
 - polyglyceryl wax esters, 388
 - polyoxyethylene/polyoxypropylene
 - dimethyl ether, 39
 - proline, 178
 - snake venom, 70
 - sodium lauryl sulfate, 49
 - sweet potato extract, 333
 - synthetic wax, 189
 - waglerin, 70
 - wild plum, 279
 - xanthohumol, 125
 - zinc oxide, 166
- Cosmetic safety**
- and alternate animal testing, 172
- Cosmetic survey, of**
- benzylbutyl phthalate, 457
 - dibutyl phthalate, 457
 - diethyl phthalate, 457
 - diethylhexyl phthalate, 457
 - dimethyl phthalate, 457
- Cosmetics**
- bioavailability of, 171
 - DNA evaluation of, 66
 - powders, 325
 - toxicity of, 171
- Cosmetics/drugs**
- claims for, 411
- Crisis management**
- leadership, 268
- Curved hair**
- characterization, 163
- Delipidation**
- of hair, 1
- Deoxyribonucleoside 5'-monophosphate**
- in skin treatment, 164
- Detergents**
- in clothes washing, 173
- Diaper dermatitis**
- and zinc oxide, 166
- Dibutyl phthalate**
- cosmetic survey and analysis of, 457
- Diethylamino hydroxybenzyl hexyl benzoate**
- skin penetration by, 50
 - in sunscreen, 50, 330
- Diethylene glycol**
- analysis of, 225
- Diethyl phthalate**
- cosmetic survey and analysis, 457
- Diethylhexyl butamido triazone**
- in sunscreen, 330
- Diethylhexyl phthalate**
- cosmetic survey and analysis, 457
- Dihydroxyacetone**
- formulation of, 73
 - properties of, 171
 - as tanning agent, 73, 172
 - and UV radiation, 171
- Dimethylaminoethanol**
- stability of, 269
- Dimethylaminoethanol bitartrate**
- stability of, 269
- Dimethylmethoxy chromanyl palmitate**
- as skin lightener, 169
- Dimethyl phthalate**
- cosmetic survey and analysis, 457
- Dioleoyl phosphate**
- in hair dyes, 197
- Dipalmitoyl phosphatidic acid**
- and liposomes, 260
- DNA**
- in cosmetic evaluation, 66
 - in nano technology, 62
- Drug delivery**
- and liposomes, 171

- Drugs/cosmetics**
claims for, 411
- Ectoine**
anti-aging effects of, 170
- Electron paramagnetic resonance**
and skin lipids, 39
- Emulsification**
overview of, 325
- Emulsions**
formulation of, 377, 479
low energy, 195
lysolecithin in, 326
overview of, 377
- Ensulizole**
as sunscreen, 330
- Enzymatic esterification**
and cosmetic esters, 390
- Epidermal stem cell differentiation**
and regulator proteins, 183
- Essential oils**
quality requirements of, 267
- Ethnic skin**
differences in, 166
- Ethylene glycol**
analysis, 225
- Ethylhexyl methoxycrylene**
and solar radiation effects, 54
in sunscreen, 54
- Ethylhexyl triazone**
in sunscreen, 330
- Ethyl linoleate**
in anti-aging, 178
and skin aging, 329
- EU cosmetic regulations**
update, 380
- Exfoliating agents**
glycolic acid, 247
grape juice extract, 247
mandelic acid, 247
tolerance of, 247
- Eye bags**
characterization of, 163
- Facial appearance**
and skin lipids, 377
- Facial pores**
and catalase activity, 480
- Fluorescence**
and grey hair, 165
- Formulation, of**
alkyl ether carboxylates, 379
alternative preservatives, 107
caffeine microspheres, 169
cationic hydrogels, 421
colored hair properties, 392
dihydroxyacetone, 73
emulsions, 377, 479
hair dyes, 197
hair sanitizers, 193
hair straighteners, 394
lipsticks, 191
low energy emulsification, 195
lymphatic promotion, 162
namoemulsions, 479
photoaging, 162
phytrantriol emulsions, 162
pigments, 405, 407
preservatives, 107
- Foundations**
makeup, 327
- Fragrances**
salivary effects, 167
- Free- radical scavenging**
in botanicals, 166
in sunscreens, 166
- Friction meter**
method, 161
- Gene regulation**
and adipocytes, 176
- Glaucine**
in adipocyte regulation, 176
- D-Glucosamine**
in hyaluronan production, 480
- Glyceryl caprylate**
as alternative preservative, 107
- Glycolic acid**
in exfoliating agents, 247
- Glycolipids**
review article, 49
- Gluko-oligosaccharide**
and sensitive atopic skin, 50
- Grape juice acid**
in exfoliating agents, 247
- Green chemistry**
overview of, 382
- Grey hair**
and fluorescence, 165
- Grooming**
hair breakage, 439
- Hair**
appearance, 147
curved, 163
delipidation of, 1
relipidation of, 1
styling, 343
tactile sensation of, 378
water wave stability of, 31
- Hair appearance**
and 18-MEA, 147

- Hair breakage**
 - modeling, 401
 - in repeated grooming, 439
- Hair color**
 - grey hair, 165
- Hair combing**
 - thermal imaging of, 201
- Hair conditioners**
 - analysis of, 331
- Hair damage**
 - X-ray microscopy of, 480
- Hair dyes**
 - dioleoyl phosphate in, 197
 - fading of, 203
 - and hair structure changes, 392
 - oleth-5 phosphate in, 197
 - oxidative mechanisms in, 479
 - penetration by, 197
- Hair gels**
 - and styling performance, 343
- Hair growth**
 - modulation of, 397, 399
- Hair sprays**
 - and styling performance, 343
- Hair straighteners**
 - phosphate esters in, 394
- Hair surface**
 - and 18-MEA, 467
 - and hair dyes, 392
- Hand sanitizer**
 - and moisturization, 193
- Hair styling performance**
 - stiffness test, 343
- Hair treatment**
 - rice washings, 326
- Hair waving**
 - stability of, 31
- Hibiscus abelmoschus seed extract**
 - in skin cosmetics, 263
- Horse chestnut**
 - overview of, 380
- HPLC analysis**
 - tocopherol/tocopheryl acetate, 353
- Hyaluronan**
 - D-glucosamine effects, 480
- Hyaluronan synthesis**
 - and licorice leaf extract, 260
- Hydrolyzed oat protein**
 - in anti-aging, 178
- 8-Hydroxynaringenin**
 - mushroom tyrosinase inhibitor, 205
- In vitro SPF assessment**
 - review article, 263
- In vitro UVA testing**
 - testing method, 330
- Keratin fibers**
 - and 18-MEA, 467
- Keratinocyte detoxification**
 - and bioflavonoids, 483
- Ketoconazole**
 - analysis, 367
- Kojic acid**
 - in pigmentation studies, 265
- Lavandula stoechas***
 - and free-radical scavenging, 166
 - in tyrosinase inhibition, 166
- Leadership**
 - in crisis management, 268
- LEKTI-1**
 - review article, 49
- Levulinic acid**
 - as alternative preservative, 107
- Licorice leaf extract**
 - in ceramide synthesis, 260
 - in hyaluronan synthesis, 260
 - in moisturization, 260
- Licorice root extract**
 - properties of, 268
- Lipid extraction**
 - and NMF, 13, 23, 303
 - in stratum corneum, 13
- Lipo amino acids**
 - and skin aging, 329
- Lipopeptides**
 - review article, 329
- Liposomes**
 - and dipalmitoyl phosphatidic acid, 260
 - in drug delivery, 171
 - and NMF, 260
 - in wool lipids, 235
- Lips**
 - color of, 326
 - luster measurements of, 409
- Lipstick**
 - color of, 326
 - luster measurements of, 409
 - oil/wax interactions in, 191
- Lonicera caprifolium***
 - as alternative preservative, 107
- Lonicera japonica***
 - as alternative preservative, 107
- Low energy emulsification**
 - formulation, 195
- Luster measurement**
 - of lipstick, 409
- Lymphatic promotion**
 - formulation, 162
- Lympho-epithelial-kazal-type 1 inhibition**
 - review article, 49

- Lysolecithin**
emulsions, 326
- Makeup**
foundation, 327
- Mandelic acid**
in exfoliating agents, 247
- 18-MEA**
and hair appearance, 147
on hair surface, 467
in keratin fibers, 467
- Melanogenesis**
and antioxidants, 378
- Melatime**
as tanning agent, 172
- Mentha longifolia***
and free radical scavenging, 166
in tyrosinase inhibition, 166
- Methods**
antioxidant activity, 331
chemical risk assessment, 259
complexion radiance, 68
diethylene glycol analysis, 225
electron paramagnetic resonance, 39
ethylene glycol analysis, 225
exfoliation effects, 247
facial appearance, 377
friction meter, 161
hair breakage, 401
hair combing, 201
hair dye penetration, 197
hair stiffness test, 343
hair styling, 343
in vitro sunscreen stability, 330
in vitro UVA testing, 330
lipstick luster measurement, 409
low energy emulsification, 195
microfluorometry, 1
optoacoustics, 169
particle size, 58
raman confocal spectroscopy, 181
skin senescence evaluation, 268
soap modeling, 64
sunscreen analysis, 330
sunscreen skin penetration, 50
sunscreen stability, 330
tocopherol/tocopheryl acetate
analysis, 353
X-ray microscopy, 480
- Microencapsulation**
and avobenzone, 56
and octinoxate, 56
in sunscreens, 54
- Microfluorometry**
method, 1
- Modeling**
hair breakage, 401
- Moisturization**
and licorice leaf extract, 260
and polyoxyethylene/polyoxypropylene
dimethyl ether, 39
in skin, 13, 23, 303
and wool lipids, 235
- Mushroom tyrosinase inhibition**
8-hydroxynaringenin, 205
- Myristyl alcohol**
analysis, 331
- Nanoemulsions**
formulation of, 479
- Nano technology**
and DNA, 62
and zinc oxide, 58
- Niacinamide**
in anti-aging, 178
- NMF**
and lipid extraction, 13, 23, 303
and liposomes, 260
- Octinoxate**
analysis, 166
in free-radical scavenging, 166
in microencapsulation, 56
in skin penetration, 50
in SPF enhancement, 54, 56
in sunscreen, 50, 54, 166, 330
- Octisalate**
in sunscreen, 330
- Octocrylene**
in sunscreen, 330
- Oleth-5 phosphate**
in hair dyes, 197
- Olfaction**
and aging, 484
- Optical brightener**
Wild Plum, 279
- Optics**
physics, 85
- Optoacoustics**
in photodermatology, 169
- Oral nutraceuticals**
in wrinkle control, 264
- Oxybenzone**
analysis, 166
in free-radical scavenging, 166
- Padimate O**
skin penetration by, 50
in sunscreen, 50
- Palmitoyl glycine**
and skin aging, 329

- Palmitoyl isoleucine**
in anti-aging, 415
- Panthenyl triacetate**
in anti-aging, 178
and skin aging, 329
- Particle size**
method, 58
- Pearl powder**
in anti-aging, 133
as moisturizer, 133
in tyrosinase inhibition, 133
- Peptides**
review article, 165
- Perception**
of hair smoothness, 161
- Phosphate esters**
in hair straighteners, 394
- Photoaging**
formulation, 162
- Photodermatology**
optoacoustics, 169
- Phthalates**
cosmetic survey and analysis of, 457
- Physics**
optics, 85
- Phytrantriol emulsions**
formulation, 162
- Pigmentation**
and kojic acid, 265
- Pigments**
color mechanism of, 85
formulation of, 405
in surface treatments, 407
- Platycarya strobilacea extract**
anti-aging effects of, 211
anti-wrinkling effects of, 211
- Polyglyceryl esters**
waxes, 388
- Polyoxyethylene/polyoxypropylene dimethyl ether**
in moisturization, 39
- Polypodium leucotomos***
and skin aging, 419
- Porcine skin**
solar radiation effects on, 51
- Pores**
catalase activity in, 480
- Powder cosmetics**
calcium silicate, 325
- Preservatives**
alternatives, 107
benzoic acid, 265
benzyl alcohol, 265
sorbic acid, 265
testing of, 265
- Proline**
in anti-aging, 178
- Quercus infectoria***
in free-radical scavenging, 166
in tyrosinase inhibition, 166
- Raman confocal spectroscopy**
in stratum corneum, 181
- Reconstructed human epidermis**
solar radiation effects on, 51
- Regulatory issues**
colors - FDA, 199
cosmetic/drug claims, 411
EU cosmetic regulations, 380
- Relipidation**
in hair, 1
- Review articles**
glycolipids, 49
hibiscus abelmoschus seed extract, 263
in vitro SPF assessment, 263
LEKTI-1, 49
lipopeptides, 329
lympho-epithelial-kazal-type 1 inhibitor, 49
peptides, 165
skin aging, 165
- Rheum palmatum***
in free-radical scavenging, 166
in tyrosinase inhibition, 166
- Rice washings**
in hair treatment, 326
- Risk assessment**
and chemicals, 259
- Salivary effects**
fragrance, 167
- Sarsasapogenin**
in adipocyte regulation, 176
- Sensitive skin**
and collagen tripeptide F, 50
and gluco-oligosaccharide, 50
- Shampoo**
cationic/anionic complex
- Skin**
caffeine effects on, 169
cyclopeptide effects on, 417
and deoxyribonucleoside 5'-monophosphate, 164
exfoliation of, 247
moisturization of, 13, 23, 303
rough, 166
senescence evaluation of, 268
sensitive atopic, 50
stratum corneum chemistry, 181
wrinkles, 70
- Skin aging**
and cocoyl alanine, 329
and ethyl linoleate, 329
and lipoamino acids, 329
and palmitoyl glycine, 329

- and panthenyl triacetate, 329
- and *Polypodium leucotomos*, 419
- review article, 165
- and UVB radiation, 484
- Skin barrier function**
 - and skin lipids, 185
 - sodium lauryl sulfate effects on, 49
- Skin care**
 - acne, 378
- Skin cell detoxification**
 - autophagic system, 483
- Skin cosmetics**
 - Hibiscus abelmoschus seed extract, 263
- Skin lighteners**
 - dimethylmethoxy chromanyl palmitate, 169
- Skin lipids**
 - and electron paramagnetic resonance, 49
 - in facial appearance, 377
 - in skin barrier function, 185
- Skin matrix proteins**
 - UV-light effects on, 413
- Skin penetration**
 - by sunscreens, 50, 56
- Skin smoothness**
 - perception of, 161
- Snake venom**
 - and skin wrinkles, 70
- Soap modeling**
 - method, 64
- Sodium lauryl sulfate**
 - skin barrier effects on, 49
- Solar radiation effects**
 - on animal alternative testing, 51
 - on porcine skin, 51
 - on reconstructed human epidermis, 51
- Sorbic acid**
 - preservative effects of, 265
- SPF**
 - in vitro* testing, 263
- SPF enhancement**
 - by avobenzene, 54, 56
 - by ethylhexyl methoxycrylene, 54
 - by octinoxate, 54, 56
- Stearyl alcohol**
 - analysis, 331
- Stem cells**
 - epidermal, 183
- Stratum corneum**
 - amino acids in, 303
 - and climate effects, 181
 - lipid extraction from, 13
 - and Raman confocal spectroscopy, 181
 - sodium lauryl sulfate effects on, 49
- Sunscreens**
 - amiloxate in 330
 - analysis, 330
 - avobenzene in, 50, 54, 166, 330
 - bemotrizinol in, 50, 330
 - bisotrizole in, 50, 330
 - diethylamino hydroxybenzoyl hexyl benzoate in, 50, 330
 - diethylhexyl butamido triazole in, 330
 - functions of, 170
 - ensulizole in, 330
 - ethylhexyl methoxycrylene in, 54
 - ethylhexyl triazone in, 330
 - microencapsulation in, 56
 - octinoxate in, 50, 54, 166, 330
 - octisalate in, 330
 - octocrylene in, 330
 - oxybenzone in, 166, 330
 - padimate O in, 50
 - skin penetration by, 50, 56
 - stability of, 330
 - titanium dioxide in, 50
 - zinc oxide in, 50, 58
- Surfactants**
 - and hair dye fading, 203
- Sustainability**
 - of biocatalytic esterification, 390
 - overview of, 383, 386
- Sweet potato extract**
 - UV absorption by, 333
- Synthetic wax**
 - properties of, 189
- Tactile sensation**
 - hair, 378
- Tanning agents**
 - dihydroxyacetone, 73, 172
 - melatime, 172
- Terminalia chebula***
 - and free-radical scavenging, 166
 - in tyrosinase inhibition, 166
- Thermal imaging**
 - in hair combing, 201
- Titanium dioxide**
 - skin penetration by, 50
 - in sunscreen, 50
- Tocopherol/tocopheryl acetate**
 - analysis, 353
- Tocopheryl acetate**
 - analysis, 265
- Toxicity**
 - of cosmetics, 171
- Triglyceride reduction**
 - by berberine, 260
 - by *Coptis japonica* root extract, 260
- Tyrosinase inhibition**
 - by botanicals, 166
 - by 8-hydroxynaringenin, 205
 - by pearl powder, 133