

SUBJECT INDEX TO VOLUME 62

- Achillea millefolium* extract**
in anti-aging, 74
- Acrylamidopropyltrimonium chloride/
acrylamide copolymer**
in conditioning shampoo, 101
- Adenosine**
in hair loss treatment, 332
- Amino acids**
in stratum corneum, 338
- Amodimethicone**
in hair conditioning, 419
- Analysis**
of essential oils, 393
- Anionic/cationic complexes**
in hair care, 209
- Anti-aging**
Achillea millefolium extract in, 74
light diffusion in, 452
3-D elastic fiber in, 57
- Anti-melanogenic agents**
arabinoxyloligosaccharide, 424
in screening of, 515
- Antimicrobials**
tea tree oil, 337
- Antioxidants**
Phyllanthus emblica fruit extract, 49
- Antiperspirants**
use by teenagers, 339
- Arabinoxyloligosaccharides**
in skin lightening, 426
- Artemia salina* extract**
diguanoside tetraphosphate in, 469
- Artocarpus incisus* extract**
in depigmentation, 1
- Baldness**
adenosine treatment of, 332
- Botanicals**
Achillea millefolium, 74
Artemia salina, 469
Artocarpus incisus, 1
Ginkgo biloba, 305
Opuntia humifusa, 505
- Oryza sativa*, 436
Pemphis acidula, 41
Phyllanthus emblica, 49
Tamarindus indica, 448
- Carrier systems**
review of, 549
- Carvacrol**
antioxidant properties of, 393
- Cationic Cassia polymers**
in hair conditioning, 434
and statistical modeling, 161
- Cell culture**
of human embryonic kidney cells, 515
in skin protection, 346
and skin detoxification, 351
and skin stress, 450
- Cellulite**
cosmetic treatment of, 305
- Ceramides**
in treatment of damaged hair, 565
- Chaperone proteins**
role in treatment of skin aging, 335
- Cocodimonium hydroxypropyl hydrolyzed
keratin**
in hair surface treatment, 237
- Clock genes**
in anti-aging treatment, 438
- Conditioning shampoo**
efficacy of, 101
physical properties of, 259
polymer/surfactant coacervate in, 179
- Corneovacumeter**
in skin evaluation, 354
- Cosmetic applications**
synchrotron light in, 444
- Cosmetic ingredients**
Achillea millefolium extract, 74
acrylamidopropyltrimonium chloride/
acrylamide copolymer, 101
arabinoxyloligosaccharide, 424
Artocarpus incisus extract, 1
carvacrol, 393

- cationic cassia polymers, 161, 434
 chromosomal effects, 70
 cocodimonium hydroxypropyl hydrolyzed keratin, 237
 cyclopeptide-5, 345
 diguanoside tetraphosphate, 469
 dimethiconol, 101
 essential oils, 393
 eugenol, 393
 ferulic acid, 483
 guar hydroxypropyltrimonium chloride, 101
 jojoba oil, 101
 lipoic acid, 405
 maltodextrin/vinyl pyrrolidone copolymer, 430
 meadowfoam seed oil, 101
Opuntia humifusa powder, 505
 oxothiazolidine, 59, 66
 ozonized *Oryza sativa* callus culture extract, 436
 panthenol, 361
 peppermint oil, 525
 phospholipids, 417
 phosphoric acid esters, 60
 polyacrylate crosspolymer-3, 418
 polyquaternium-7, 101
 polyquaternium-10, 101
 polyquaternium-55, 265
 polyquaternium-67, 101
 retinyl palmitate, 405
 retinol, 337
 stevioside, 448
 sweet orange oil, 59
Tamarindus indica polysaccharides, 448
 thymol, 393
 titanium dioxide, 535
 urea, 336
 VP/acrylates/lauryl methacrylate copolymer, 265
 yoghurt, 505
- Cosmetic luxury**
 factors to provide feeling of, 331
- Cosmetics**
 and behavioral effects, 283
 in treatment of cellulite blemishes, 305
- Cosmetic thickeners**
 phosphoric acid esters, 60
- p-Coumaric acid**
 and melanin synthesis effects, 515
- Darutoside**
 and skin aging, 442
- Deodorants**
 use by teenagers, 339
- Depigmentation**
 by *Artocarpus incisus* extract, 1
- Devices**
 for skin cleansing, 356
- Diguanoside tetraphosphate**
 in hair growth, 469
- Dimethiconol**
 in conditioning shampoo, 101
- DNA repair**
 role of clock genes in, 438
- Elastin production**
 role of retinol in, 337
- Emollients**
 psychological effects of, 59
- Emulsion stabilization**
 review of, 57
 role of crosslinked polymers in, 350
- Emulsions**
 nanoemulsions, 1
 O/W/O type, 331
 pediatric sunscreens, 371
 peppermint oil creams, 525
 retinoids, 405
- Epidermal stem cells**
 protected against stress, 450
 in skin protection, 346
- Escin**
 in cellulite treatment, 305
- Essential oils**
 antioxidants, 393
- Ethnic hair care**
 overview of, 149
- Eugenol**
 antioxidant properties of, 393
- Facial cleansing**
 device efficacy in, 356
- Facial masks**
 efficacy of, 505
- Ferulic acid**
 stability of, 483
- Fluorotreated zinc oxide**
 in sunscreens, 418
- Formulations**
 anionic/cationic complexes, 209
 clear gels, 60
 composite powder technology in, 64
 emulsion stability of, 57, 350
 hair penetration and substantivity of, 80
 and light diffusion, 452
 nanoemulsions, 1
 O/W/O emulsions, 331
 pediatric sunscreens, 371
 peppermint emulsions, 525
 phospholipids, 417
 phosphoric acid ester thickeners, 60
 retinoid emulsions, 405
- Fractionated melanin**
 photo-toxic effects of, 445
- Fragrance**
 psychological effects of, 57

- Genes**
 - in cosmetogenomics, 342
- Genomic studies**
 - clock genes, 438
 - computational modeling, 344
 - cosmetic chromosomal effects, 70
 - cosmetogenomics, 342
 - DNA microarrays, 76
 - DNA repair, 438
 - epidermal stem cells, 346
 - fractionated melanin, 445
 - genotoxic potential testing, 29
 - human genomic microarrays, 436
 - methodology review, 72
 - oridonine/darutoside responses, 442
 - skin moisture regulation, 348
- Ginkgo biloba***
 - in cellulite treatment, 305
- Graying hair**
 - mechanism of, 121
- Guar hydroxypropyltrimonium chloride**
 - in conditioning shampoo, 101
- Hair**
 - breaking index of, 203
 - bulk properties of, 428
 - feel, 336
 - health, 82
 - metal uptake by, 383
 - proteomic analysis of, 229
 - thermal setting of, 432
 - tryptophan fluorescence in, 291
- Hair breaking index**
 - in damage assessment, 203
- Hair care**
 - and anionic/cationic complexes, 209
 - ethnic considerations in, 149
- Hair color**
 - vibrance factor of, 78
- Hair conditioners**
 - reduced buildup of, 419
 - role of cationic Cassia polymers in, 434
 - statistical modeling in, 161
 - testing of, 127
- Hair damage**
 - ceramide treatment of, 565
 - effect of cocodimonium hydroxypropyl hydrolyzed keratin, 237
 - from setting with hot irons, 109
 - and use of heat protection sprays, 15
 - X-ray microtomography imaging of, 58
- Hair graying**
 - mechanism of, 121
- Hair growth**
 - diguanoside tetraphosphate in, 469
- Hair health**
 - with diameter, density, age, 82
- Hair loss**
 - and adenosine treatment, 332
- Hair orientation**
 - method, 85
- Hair penetration**
 - by cosmetic materials, 80
- Hair protein**
 - photomodification of, 418
- Hair removal**
 - and skin damage, 58
- Hair setting**
 - with heat activation, 432
- Hair shine**
 - methods, 453
- Hair straightening**
 - hair damage from, 109
- Hair stress**
 - and spectrofluorescent measurement of hair, 191
- Hair styling**
 - clear gels in, 60
 - damage from, 15
 - innovation in, 83
 - maltodextrin polymers in, 430
 - polyacrylate crosspolymer-3 in, 418
 - thermal effects of, 139
- Hair surface aging**
 - and cocodimonium hydroxypropyl hydrolyzed keratin, 237
- Hair surface energy**
 - method of study, 127
- Heat styling**
 - ethnic considerations in, 149
 - hair damage from, 15, 109
- Hybrid polymers**
 - overview of, 251
- Hydrolyzed silk PG-propyl methylsilanediol crosspolymer**
 - in hair conditioning, 419
- 3-(4-Hydroxyphenyl)lactic acid**
 - melanin synthesis effects of, 515
- 3-(4-Hydroxyphenyl)propionic acid**
 - melanin synthesis effects of, 515
- Image quantification**
 - in skin evaluation, 426
- Infant skin**
 - physiology of, 336
- Jojoba oil**
 - in conditioning shampoo, 101
- Lipids**
 - in stratum corneum, 68
- Liposomes**
 - in carrier systems, 549
 - in damaged hair, 565
 - overview of, 251

Lipstick

- luster of, 317
- texture of, 332

Maltodextrin/vinyl pyrrolidone copolymer

- in hair styling, 430

Meadowfoam seed oil

- in conditioning shampoo, 101

MED

- determination of, 327

Melanin, fractionated

- photo-toxic effects of, 45

Melanogenesis

- and arabinoxylo-oligosaccharide, 424
- inhibition of, 342
- and *Pemphis acidula* extract, 41

Menstrual discomfort

- and sweet orange oil, 59

Metabolic analysis

- in periodontal disease, 440

Metals

- hair uptake of, 383

Methods

- anti-melanogenic screening, 515
- composite powder technology, 64
- computational modeling, 344
- corneovacuometry, 354
- cosmetic luxury, improvement of feeling of, 331
- cosmetogenomics, 342
- genomic techniques, review of, 72
- hair breakage index, in hair damage assessment, 203
- hair color vibrance factor, determination of, 78
- hair contact angles, measurement of, 237
- hair orientation, measurement of, 85
- hair protein modification, 418
- hair shine products, assessment of, 453
- hair surface energy, measurement of, 127
- human genomic microarray testing, 76, 436
- image quantification, 426
- light diffusion, 452
- lipstick luster measurement, 317
- lipstick texture quantification, 332
- melanogenesis inhibition, 424
- micronuclei assay, 29
- minimal erythral dose (MED), determination of, 327
- O/W/O emulsions, preparation of, 331
- photocytotoxicity, determination of, 535
- proteomic analysis, 229
- skin biomechanical properties, evaluation of, 354
- skin damage, prediction of, 422
- skin moisture regulation, 348
- skin softening, mechanism by liquid oil, 331
- spectrofluorescent measurement of hair, 191
- synchrotron light technique, 444

- tactile sensation, evaluation of, 417
- tattoo ink toxicity, identification of, 535
- thermal hair styling, 139
- X-ray microtomography, 58

Microemulsions

- review of, 549

Microparticulates

- review of, 549

Minimal erythema dose

- testing, 327

Moisturization

- in hair, 336
- in skin, 348

Nails

- proteomic analysis of, 229

Nanoemulsions

- Artocarpus incisus* extract in, 1
- sunscreens, 62

Nanoparticles

- overview of, 251
- review of, 549
- SPF response to, 338

Niosomes

- in carrier systems, 549

Non-animal testing

- micronuclei assay, 29

Odor

- prevention, 339

***Opuntia humifusa* powder**

- in facial masks, 505

Oridonine

- and skin aging, 442

***Orthosiphon stamineus* extract**

- in sebum reduction, 337

Oxothiazolidine

- in treatment of photoaging, 59, 66

Ozonized *Oryza sativa* callus culture extract

- in skin lightener, 436

Pediatric sunscreens

- as towelette application, 371

***Pemphis acidula* extract**

- melanogenesis activity of, 41

Peppermint oil

- formulation, 525

Peptide-silicone microcapsules

- in sunscreens, 332

Periodontal disease

- metabolic analysis of, 440

Phosphoric acid esters

- in thickeners, 60

Photoaging

- oxothiazolidine, in treatment of, 59, 66
- Phyllanthus emblica* fruit extract, in treatment of, 49

Photocytotoxicity

- of tattoo inks, 535
- of titanium dioxide, 535

- Phyllanthus emblica* fruit extract**
as antioxidant, 49
in protection from photoaging, 49
- Polymers**
crosslinked, 350
polyacrylate crosspolymer-3, 418
- Polyquaternium-7**
in conditioning shampoo, 101
- Polyquaternium-10**
in conditioning shampoo, 101
- Polyquaternium-55**
in thermal protection, 265
- Polyquaternium 67**
in conditioning shampoo, 101
- Protein synthesis**
in genetic expression, 348
- Proteomic analysis**
method, 229
- Psychological effects**
of emollients, 59
of fragrance, 59
of sweet orange oil, 59
- Retinol**
in elastin production, 337
in treatment of skin aging, 337
- Reviews**
carrier systems, 549
emulsion stabilization, 57
microemulsions, 549
nanoparticulates, 549
- Sebum reduction**
effect of *Orthosiphon stamineus* extract on, 337
- Shampoos**
cationic Cassia polymers in, 434
physical properties of, 259
polymer/surfactant coacervate in, 179
- Silicone deposition on hair**
statistical modeling, 161
- Skin**
infant physiology of, 336
- Skin aging**
role of chaperone proteins in, 335
role of retinol in combating, 337
effect of oridonine/darutoside in combating, 442
- Skin barrier**
lipids in, 68
- Skin care**
urea, role of, 336
- Skin creams**
peppermint oil in, 525
- Skin damage**
cosmetic treatments for, 422
from hair removal, 58
- Skin detoxification**
cell culture in, 351
- Skin evaluation**
by corneovacuumeter, 354
- Skin lightening agents**
arabinoxyloligosaccharide, 424
Artocarpus incisus extract, 1
ferulic acid, 483
oridonine/darutoside, 442
ozonized *Oryza sativa* callus culture extract, 436
Pemphis acidula extract, 41
- Skin moisturization**
and genetics, 348
panthenol, role in, 361
- Skin penetration**
of nanoparticles, 62
- Skin physiology**
cosmetogenomics, 342
moisturization, 348
- Skin softness, mechanism for**
oil, role in, 331
- Spectrofluorescent measurement**
of hair stress, 191
- SPF**
response based on nanoparticles, 338
- Stem cells**
protection by, 346
role in protection against skin stress, 450
in skin detoxification, 351
- Stevioside**
in UV protection, 448
- Straightening irons**
in hair damage, 15
- Stratum corneum**
amino acids in, 338
lipid composition of, 68
- Sunscreens**
fluorotreated zinc oxide in, 418
inorganic UV filters in, 64
nanoparticles in, 62, 338
peptide-silicone microcapsules in, 332
as towelette application, 371
- Survivin**
in stem cell protection, 346
- Sweat**
prevention of, 339
- Sweet orange oil**
as "rescue fragrance" for menstrual discomfort, 59
- Synchrotron light**
cosmetic application of, 444
- Tactile sensation**
method for evaluation, 417
- Tamarindus indica* polysaccharides**
in UV protection, 448
- Tattoo inks**
titanium dioxide in, 535

- Tea tree oil**
antimicrobial activity of, 337
- Testing**
for cosmetic attractiveness, 283
- Thermal styling**
hair damage from, 15, 109
method, 139
pretreatment, 265
- 3-D elastic fibers**
as replacement for age-related damaged fibers,
57
- Thymol**
antioxidant properties of, 393
- Titanium dioxide**
in composite powders, 64
photocytotoxicity of, 535
in tattoo inks, 535
- Towelettes**
as pediatric sunscreens, 371
- Tryptophan fluorescence**
in hair, 291
- Tyrosinase inhibitors**
anti-melanogenic agents, 515
arabinoxyloligosaccharide, 424
- Urea**
in skin care, 336
- UV absorbers**
peptide-silicone microcapsules, 332
- UV protection**
by stevioside, 448
by *Tamarindus indica* polysaccharides, 448
- UVB radiation**
and epidermal stem cells, 346
- Visnadine**
cellulite treatment with, 305
- VP/acrylates/lauryl methacrylate copolymer**
in thermal protection, 265
- VP/eicosene copolymer**
and lipstick luster, 317
- VP/Hexadecene copolymer**
and lipstick luster, 317
- X-ray microtomography**
in imaging of hair damage, 58
- Yoghurt**
in facial masks, 505
- Zinc oxide**
in composite powders, 64
fluorotreated, 418