

## SUBJECT INDEX TO VOLUME 64

---

### **Absolute de pomade**

*Jasminum sambac*, 483

### **Absolutes**

*Jasminum sambac*, 483

### **Absorbance**

Purpald in aldehyde determinations, 391

### **Absorbent pads**

environmental influences on sweat glands, 243

### **Absorption spectra**

cosmeceutical liposomes, 9

### **Acclimatization**

environmental influences on sweat glands, 243

### **Acetonitrile**

punicalagins in melanin inhibition, 445

### **10-Acetyl-3,7-dihydroxyphenoxazine**

reactive oxygen species in keratinocytes, 207

### **Acetyl tetrapeptide-3**

alopecia treatment, 45

### **Acne**

enzymatically generated hydrogen peroxide, 1  
squalene in cosmetology, 59

### **Acne vulgaris**

enzymatically generated hydrogen peroxide, 1  
seaweed, 219

### **Acquired unintentional unruly hair**

alkaline peroxide, 261

### **Adapalene**

acne treatment, 1

### **Addition-recovery tests**

hinokitiol in skin lotions, 381

### **Aging**

cellular senescence, 79  
EGCG in oxidative damage, 35  
small RNAs in cosmeceuticals, 455

### **Aldehydes**

application of Purpald, 391

### **Alginates**

seaweed in acne vulgaris treatment, 219

### **Alkaline peroxide**

acquired unintentional unruly hair, 261

### **Allergens**

Purpald in aldehyde determinations, 391

### **Alopecia**

*Lycopersicon esculentum* extract, 429  
small RNAs in antiaging cosmeceuticals, 455

*Trifolium pratense* and biomimetic peptide, 45

### **$\alpha$ -farnesene**

*Jasminum sambac* volatile compounds, 483

### **Amaranth**

tyrosinase inhibition, 99

### **Amaranth oil**

squalene in cosmetology, 59

### **Amino acids**

effects of hair relaxer treatment, 287

### **Anagen phase**

*Lycopersicon esculentum* in hair growth, 429

### **Anagen/telogen ratio**

alopecia treatment, 45

### **Androgen receptor**

*Lycopersicon esculentum* in hair growth, 429

### **Androgenetic alopecia**

*Lycopersicon esculentum* extract, 429  
small RNAs in antiaging cosmeceuticals, 455

### **Androgens**

enzymatically generated hydrogen peroxide, 1

### **Anthocyanins**

nanoberries in topical antioxidants, 469

### **Anti-inflammatory agents**

seaweed in skin hydration, 193

### **Anti-inflammatory compounds**

cosmetic formulations, 341

### **Antiaging cosmeceuticals**

small RNAs, 455

### **Antibacterial agents**

hinokitiol in skin lotions, 381

### **Antibiotics**

acne treatment, 1

- Antimicrobial agents**
  - seaweed in skin hydration, 193
- Antioxidants**
  - EGCG in oxidative damage, 35
  - N*-feruloyldopamine in melanogenesis, 133
  - iron accumulation after menopause, 175
  - nanoberries, 469
  - reactive oxygen species in keratinocytes, 207
  - seaweed in skin hydration, 193
  - squalene in cosmetology, 59
- Antiperspirants**
  - environmental influences on sweat glands, 243
- Apoptosis detection**
  - EGCG in damaged fibroblasts, 35
- Arbutin**
  - amaranth in tyrosinase inhibition, 99
  - cosmeceutical liposomes, 9
  - N*-feruloyldopamine in melanogenesis, 133
  - vs. isoferulic acid, 235
  - vs. punicalagins in melanin inhibition, 445
- Arid environments**
  - sorbitol skin treatment, 165
- Aromatherapy**
  - Jasminum sambac*, 483
- Ataxia telangiectasia mutated proteins**
  - cellular senescence, 79
- Atomic force microscopy**
  - acquired unintentional unruly hair, 261
  - delipidized hair, 355
  - glycylglycine for hair softness, 19
- Atopic dermatitis**
  - squalene in cosmetology, 59
- Australia/New Zealand method**
  - sun protection factor testing, 297
- Automated iron**
  - silicones in hair straightening, 119
- Avobenzone**
  - cosmeceutical liposomes, 9
  - drug–excipient compatibility, 317
- Axillae**
  - environmental influences on sweat glands, 243
- B16 cells**
  - Korean indigenous plants, 145
- B16-F10 cells**
  - N*-feruloyldopamine in melanogenesis, 133
- Bacillus megaterium***
  - amaranth in tyrosinase inhibition, 99
- Bacterial infections**
  - enzymatically generated hydrogen peroxide, 1
  - squalene in cosmetology, 59
- Baldness**
  - Lycopersicon esculentum* extract, 429
- Barrier functions**
  - moisturizers in diabetes, 329
  - sorbitol skin treatment, 165
- Benzoyl peroxide**
  - acne treatment, 1
- Benzyl acetate**
  - Jasminum sambac* volatile compounds, 483
- $\beta$ -carotene**
  - nanoberries in topical antioxidants, 469
- $\beta$ -galactosidase**
  - cellular senescence, 79
- $\beta$  layers**
  - delipidized hair, 355
- Biochanin A**
  - alopecia treatment, 45
- Biomimetic peptide**
  - alopecia treatment, 45
- Birefringence**
  - silicones in hair straightening, 119
- Black South Africans**
  - effects of hair relaxer treatment, 287
- Bleaching**
  - acquired unintentional unruly hair, 261
  - glycylglycine for hair softness, 19
- Blueberries**
  - nanoberries in topical antioxidants, 469
- Borate buffer**
  - hinokitiol in skin lotions, 381
- Bound lipids**
  - delipidized hair, 355
- Breast cells**
  - iron accumulation after menopause, 175
- n*-Butyl alcohol**
  - Korean indigenous plants, 145
- Butylated hydroxytoluene**
  - compatibility with avobenzone, 317
- Butylparaben**
  - parabens in cosmetics, 67
- Calibration plot**
  - hinokitiol in skin lotions, 381
- Caprylic capric triglyceride**
  - compatibility with avobenzone, 317
- Carbonyl compounds**
  - Purpald in aldehyde determinations, 391
- Carbopol**
  - vs. magnesium ascorbyl phosphate, 273
- Cassia derivatives**
  - shampoo composition, 411
- Catagen phase**
  - Lycopersicon esculentum* in hair growth, 429
- Catechins**
  - EGCG in oxidative damage, 35
- Cationic polymers**
  - delipidized hair, 355
  - shampoo composition, 411
- Cell membrane complex**
  - delipidized hair, 355

**Cell-penetrating peptides**

small RNAs in antiaging cosmeceuticals, 455

**Cell toxicity**

*N*-feruloyldopamine in melanogenesis, 133

**Cell viability**

punicalagins in melanin inhibition, 445

**Cellular senescence**

fibroblasts and dermal papillae, 79

**Cellulose**

shampoo composition, 411

**Ceramides**

sorbitol skin treatment, 165

**Cetareth 20**

compatibility with avobenzone, 317

**Cetearyl alcohol**

compatibility with avobenzone, 317

***Chamaecyparis obtusa***

hinokitiol in skin lotions, 381

**Charge density**

shampoo composition, 411

**Chemical bleaching**

acquired unintentional unruly hair, 261

**Children**

parabens in cosmetics, 67

**China**

parabens in cosmetics, 67

**Chinese herbal medicine**

amaranth in tyrosinase inhibition, 99

***Chrysanthemum indicum***

tyrosinase inhibition, 145

**Circular dichroism spectroscopy**

amaranth in tyrosinase inhibition, 99

**Clarity**

shampoo composition, 411

**CO<sub>2</sub> extract**

*Lycopersicon esculentum* in hair growth, 429

**Coacervation**

shampoo composition, 411

**Coarse hair**

glycylglycine for softness, 19

**Cocamidopropyl betaine**

shampoo composition, 411

**Cold fat extraction**

*Jasminum sambac*, 483

**Cold processing**

olive oil-based cosmetic creams, 371

**COLIPA International method**

sun protection factor testing, 297

**Collagens**

alopecia treatment, 45

**Color**

Purpald in aldehyde determinations, 391

**Colorimetric assay**

EGCG in damaged fibroblasts, 35

**Comedones**

seaweed in acne vulgaris treatment, 219

**Complexion brightening**

*N*-feruloyldopamine in melanogenesis, 133

**Concretes**

*Jasminum sambac*, 483

**Conditioning shampoo**

formulation composition, 411

**Contact angle**

delipidized hair, 355

**Contact force**

flat iron hair straightening, 119

**Corneometry**

moisturizers in diabetes, 329

seaweed in skin hydration, 193

**Cortex cell membrane complex**

glycylglycine for hair softness, 19

**Cortical cells**

acquired unintentional unruly hair, 261

**Cosmeceuticals**

avobenzone and arbutin, 9

small RNAs in antiaging, 455

topical anti-inflammatory compounds, 341

**Cosmetic analysis**

effects of hair relaxer treatment, 287

**Cosmetic creams**

virgin olive oil-based, 371

**Cosmetic excipients**

compatibility with avobenzone, 317

**Cosmetic formulations**

avobenzone-exciipient compatibility, 317

magnesium ascorbyl phosphate, 273

moisturizers in diabetes, 329

topical anti-inflammatory compounds, 341

**Cosmetic products**

Purpald in aldehyde determinations, 391

**Cosmetology**

plant-based squalene, 59

**Critical micelle concentration**

shampoo composition, 411

**Curly hair**

acquired unintentional unruly hair, 261

**3-Cyclohexene-1-carboxaldehyde**

application of Purpald, 391

**Cystine**

effects of hair relaxer treatment, 287

**Cytokines**

sensory discomfort with relaxers, 111

**Cytotoxicity**

Korean indigenous plants, 145

nanoberrries in topical antioxidants, 469

punicalagins in melanin inhibition, 445

**Defectiveness intensity**

olive oil-based cosmetic creams, 371

**Delipidized hair**

physicochemical properties, 355

- Denaturation**  
silicones in hair straightening, 119
- Depigmentation**  
amaranth in tyrosinase inhibition, 99  
Korean indigenous plants, 145
- Depigmenting efficacy test**  
Korean indigenous plants, 145
- Derivatization reaction time**  
Purpald in aldehyde determinations, 391
- Derivatization reagents**  
Purpald in aldehyde determinations, 391
- Dermal fibroblasts**  
EGCG in oxidative damage, 35
- Dermal papillae**  
cellular senescence, 79
- Diabetic foot syndrome**  
topical moisturizers, 329
- 2',7'-Dichlorofluorescein diacetate**  
reactive oxygen species in keratinocytes, 207
- Diethylhexyl syringylidene malonate**  
compatibility with avobenzene, 317
- Differential scanning calorimetry**  
avobenzene, 317  
nanoberries in topical antioxidants, 469  
silicones in hair straightening, 119
- Dihydroethidium**  
reactive oxygen species in keratinocytes, 207
- Dihydrotestosterone**  
*Lycopersicon esculentum* in hair growth, 429
- L-3,4-Dihydroxy-indole-2-carboxylic acid auto-oxidation assay**  
Korean indigenous plants, 145
- 3-(4,5-Dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide**  
EGCG in damaged fibroblasts, 35
- Diphenolase**  
amaranth in tyrosinase inhibition, 99  
of mushroom tyrosinase, 235
- 2,2-Diphenyl-1-picrylhydrazyl**  
EGCG in oxidative damage, 35
- 1,1-Diphenyl-2-picrylhydrazyl**  
*N*-feruloyldopamine in melanogenesis, 133
- Dipotassium glycyrrhizinate**  
topical anti-inflammatory compounds, 341
- Disulfide bond scission**  
silicones in hair straightening, 119
- DNA microarray**  
cellular senescence, 79
- Donor chamber**  
cosmeceutical liposomes, 9
- L-DOPA**  
oxidation via tyrosinase, 235
- Draize skin irritation test**  
*Lycopersicon esculentum* in hair growth, 429
- Drug loading**  
topical anti-inflammatory compounds, 341
- Drug-excipient compatibility**  
avobenzene, 317
- Ellagic acid**  
punicalagins in melanin inhibition, 445
- Emollients**  
squalene in cosmetology, 59
- Emulgels**  
topical anti-inflammatory compounds, 341
- Emulsions**  
olive oil-based cosmetic creams, 371  
topical anti-inflammatory compounds, 341
- Enfleurage**  
*Jasminum sambac*, 483
- Enthalpy**  
avobenzene-excipient compatibility, 317  
silicones in hair straightening, 119
- Entrapment efficiency**  
liposome formulation, 9
- Environmental conditions**  
sorbitol skin treatment, 165  
sweat gland activity, 243
- Environmental conservation**  
plant-based squalene, 59
- Epidermal keratinocytes**  
iron accumulation after menopause, 175
- Epidermal melanocytes**  
*N*-feruloyldopamine in melanogenesis, 133
- Epidermal to dermal drug deposition ratio**  
magnesium ascorbyl phosphate, 273
- Epigallocatechin-3-gallate**  
damage to dermal fibroblasts, 35
- Equivalent bending modulus**  
glycylglycine for hair softness, 19
- Erythema**  
topical anti-inflammatory compounds, 341
- Erythema evaluation**  
sun protection factor testing, 297
- Esters**  
parabens in cosmetics, 67
- Estrogen**  
iron accumulation after menopause, 175
- Ethanol solutions**  
lauroyl/palmitoyl glycol chitosan, 273
- Ethanollic extracts**  
nanoberries in topical antioxidants, 469
- Ethyl acetate**  
Korean indigenous plants, 145  
*Lycopersicon esculentum* in hair growth, 429
- Ethylparaben**  
parabens in cosmetics, 67
- Euonymus alatus***  
tyrosinase inhibition, 145
- Evaporimetry**  
environmental influences on sweat glands, 243

***Evodia officinalis***

tyrosinase inhibition, 145

**Exocytosis**

sorbitol skin treatment, 165

**Exposure increments**

sun protection factor testing, 297

**Extracellular matrix proteins**

alopecia treatment, 45

**Extraits***Jasminum sambac*, 483**Ferritin**

accumulation after menopause, 175

***N*-Feruloyldopamine**

inhibition of melanogenesis, 133

**Fibroblasts**

cellular senescence, 79

EGCG in oxidative damage, 35

**Filaggrin**

sorbitol skin treatment, 165

**Finasteride**vs. *Lycopersicon esculentum* in hair growth, 429**Flat iron**

silicones in hair straightening, 119

**Flower oils***Jasminum sambac*, 483**Fluorescence microplate reader**

reactive oxygen species in keratinocytes, 207

**4-Fluoro-7-nitro-2,1,3-benzoxadiazole**

hinokitiol in skin lotions, 381

**Flux density**

environmental influences on sweat glands, 243

**Flux values**

sunscreens, 181

**Food and Drug Administration-Final Monograph method**

sun protection factor testing, 297

**Force curve method**

acquired unintentional unruly hair, 261

**Force mapping**

glycylglycine for hair softness, 19

**Formulation composition**

conditioning shampoo, 411

***Forsythia viridissima***

tyrosinase inhibition, 145

**Fourier transform infrared spectroscopy**avobenzone-excipient compatibility, 317  
delipidized hair, 355**Fragrance applications***Jasminum sambac*, 483**Fragrance ingredients**

Purpald in aldehyde determinations, 391

**Free lipids**

delipidized hair, 355

**Free radicals**

nanoberrries in topical antioxidants, 469

**Friction**

glycylglycine for hair softness, 19

**Fruitiness intensity**

olive oil-based cosmetic creams, 371

**Fungal infections**

squalene in cosmetology, 59

**Gallic acid**

punicalagins in melanin inhibition, 445

**Gas chromatography mass spectroscopy***Jasminum sambac* aroma profiles, 483***Gastrodia elata* extract**

inhibition of melanogenesis, 89

**Gene expression**

cellular senescence, 79

*N*-feruloyldopamine in melanogenesis, 133*G. elata* extract in melanogenesis, 89

small RNAs in antiaging cosmeceuticals, 455

***Gentiana scabra***

tyrosinase inhibition, 145

**Geographical variations**

sorbitol skin treatment, 165

**Gliding speed**

flat iron hair straightening, 119

**Glucose oxidase**

enzymatically generated hydrogen peroxide, 1

**Glutathione peroxidase**

EGCG in oxidative damage, 35

**Glyceraldehyde 3-phosphate dehydrogenase***Lycopersicon esculentum* in hair growth, 429**Glycerin**

compatibility with avobenzone, 317

**Glycol chitosan**

vs. lauroyl/palmitoyl glycol chitosan, 273

vs. magnesium ascorbyl phosphate, 273

**Glycylglycine**

hair softness, 19

***Glycyrrhiza glabra***

topical anti-inflammatory compounds, 341

***Gomphrena globosa***

tyrosinase inhibition, 99

**Guanidine carbonate/calcium hydroxide**

sensory discomfort with relaxers, 111

**Guanidine hydroxide**

effects of hair relaxer treatment, 287

**Guar**

shampoo composition, 411

**Guinea pig models**

tyrosinase inhibition, 145

**Gustatory sweating**

environmental influences on sweat glands, 243

**Hair analysis**

cosmetic and amino acid, 287

**Hair care**

small RNAs in antiaging cosmeceuticals, 455

- Hair damage**  
glycylglycine for hair softness, 19  
relaxer treatment, 287  
unruliness from alkaline peroxide, 261
- Hair elasticity**  
delipidized hair, 355
- Hair fiber alignment**  
glycylglycine for softness, 19
- Hair flexibility**  
delipidized hair, 355
- Hair growth**  
alopecia treatment, 45  
*Lycopersicon esculentum* extract, 429
- Hair loss**  
cellular senescence, 79  
small RNAs in antiaging cosmeceuticals, 455  
*Trifolium pratense* and biomimetic peptide, 45
- Hair relaxers**  
cytokine expression, 111
- Hair softness**  
glycylglycine, 19
- Hair stiffness**  
delipidized hair, 355
- Hair straightening**  
effects of, 287  
function of silicones, 119  
glycylglycine for hair softness, 19  
sensory discomfort with relaxers, 111
- Hair styling agents**  
delipidized hair, 355
- Hair temperature**  
flat iron hair straightening, 119
- Hair tonic**  
*Lycopersicon esculentum* in hair growth, 429
- Hayflick limit**  
cellular senescence, 79
- Hexapeptide-11**  
cellular senescence, 79
- High-performance liquid chromatography**  
avobenzon—excipient compatibility, 317  
hinokitiol in skin lotions, 381  
*Lycopersicon esculentum* in hair growth, 429  
magnesium ascorbyl phosphate, 273  
parabens in cosmetics, 67  
punicalagins in melanin inhibition, 445  
topical anti-inflammatory compounds, 341
- Hinokitiol**  
concentration in skin lotion, 381
- HM3KO melanoma cells**  
*G. elata* extract, 89
- Hoechst staining**  
EGCG in damaged fibroblasts, 35
- Hormonal dysfunction**  
alopecia treatment, 45
- Hot processing**  
olive oil-based cosmetic creams, 371
- Houttuynia cordata***  
tyrosinase inhibition, 145
- Human embryonic stem cells**  
small RNAs in antiaging cosmeceuticals, 455
- Human skin**  
vs. silicone membrane in flux values, 181
- Humectants**  
diabetic foot syndrome, 329  
seaweed in skin hydration, 193
- Humid environments**  
sorbitol skin treatment, 165
- Hunter values**  
seaweed in skin hydration, 193
- Hyaluronidase**  
small RNAs in antiaging cosmeceuticals, 455
- Hydration**  
diabetic foot syndrome, 329
- Hydrocolloids**  
seaweed in skin hydration, 193
- Hydrogels**  
lauroyl/palmitoyl glycol chitosan, 273
- Hydrogen peroxide**  
EGCG in damaged fibroblasts, 35  
enzymatically generated, 1  
oxidative stress in keratinocytes, 207
- Hydrogenated lecithin**  
topical anti-inflammatory compounds, 341
- Hydrophilic compounds**  
arbutin, 9  
magnesium ascorbyl phosphate, 273
- Hydrophobic compounds**  
avobenzon, 9
- Hydrophobic interactions**  
shampoo composition, 411
- Hydroquinone**  
*N*-feruloyldopamine in melanogenesis, 133  
vs. punicalagins in melanin inhibition, 445
- Hydroxyethyl cellulose**  
shampoo composition, 411
- Hydroxyisohexyl 3-cyclohexene carboxaldehyde**  
application of Purpald, 391
- Hydroxyl radical**  
oxidative stress in keratinocytes, 207
- 3'-(p-Hydroxyphenyl) fluorescein**  
reactive oxygen species in keratinocytes, 207
- Hydroxypropylmethylcellulose**  
vs. magnesium ascorbyl phosphate, 273
- Hyperpigmentation**  
small RNAs in antiaging cosmeceuticals, 455
- Image analysis**  
environmental influences on sweat glands, 243

**Immunofluorescent labeling**

alopecia treatment, 45

**Indole***Jasminum sambac* aroma profiles, 483**Induced pluripotent stem cells**

small RNAs in antiaging cosmeceuticals, 455

**Infrared imaging**

environmental influences on sweat glands, 243

**Infrared spectroscopy**avobenzon—excipient compatibility, 317  
delipidized hair, 355**Infundibulum**

enzymatically generated hydrogen peroxide, 1

**Inhibition behavior**of isoferulic acid on diphenolase, 235  
of isoferulic acid on monophenolase, 235**Insulin-like growth factor-1***Lycopersicon esculentum* in hair growth, 429**Interference**

hinokitiol in skin lotions, 381

**Interleukin-1***Lycopersicon esculentum* in hair growth, 429**Interleukin-1 receptor antagonist**

sensory discomfort with relaxers, 111

**Interleukin-1 $\alpha$** seaweed in acne vulgaris treatment, 219  
sensory discomfort with relaxers, 111**Interleukin-8**

alopecia treatment, 45

**International Olive Oil Council**

olive oil-based cosmetic creams, 371

**Intracellular melanin synthesis inhibition test**

Korean indigenous plants, 145

**Inverse gas chromatography surface angle**

delipidized hair, 355

**Involucrin**

sorbitol skin treatment, 165

**Ionic strength**

shampoo composition, 411

**Iron accumulation**

menopause, 175

**Isoferulic acid**

inhibitory effect on mushroom tyrosinase, 235

**Isopropyl myristate**

compatibility with avobenzon, 317

**Isothermal stress testing**

avobenzon—excipient compatibility, 317

**Japanese hair**

glycylglycine for softness, 19

**Jasmine**

aroma profiles, 483

***Jasminum sambac***

aroma profiles, 483

**Kendall's coefficient of concordance**

glycylglycine for hair softness, 19

**Keratin**

silicones in hair straightening, 119

**Keratinocyte growth factor***Lycopersicon esculentum* in hair growth, 429**Keratinocytes**enzymatically generated hydrogen peroxide, 1  
iron accumulation after menopause, 175  
nanoberries in topical antioxidants, 469  
reactive oxygen species generation, 207  
sorbitol skin treatment, 165**Kinetic analysis**

of isoferulic acid, 235

**Kojic acid***N*-feruloyldopamine in melanogenesis, 133  
vs. punicalagins in melanin inhibition, 445**Korean herbal medicine**

tyrosinase inhibition, 145

**Korean seaweed**

skin hydration, 193

**Lactic acid**

seaweed in acne vulgaris treatment, 219

**Lag time**

of tyrosinase oxidation, 235

***Laminaria digitata***

acne vulgaris treatment, 219

***Laminaria japonica***

skin moisturization, 193

**Laminins**

alopecia treatment, 45

**Lauroyl glycol chitosan**

delivery vehicle for magnesium ascorbyl phosphate, 273

**Lauroyl/palmitoyl glycol chitosan**

skin delivery of magnesium ascorbyl phosphate, 273

**Leave-on products**

parabens in cosmetics, 67

**Linalool***Jasminum sambac* volatile compounds, 483**Lineweaver–Burk plot**

isoferulic acid, 235

**Linoleic acid**

nanoberries in topical antioxidants, 469

**Lipid emulsions**

squalene in cosmetology, 59

**Lipid solvents**

sunscreens flux values, 181

**Lipids**

delipidized hair, 355

**Liposomes**cosmeceutical, 9  
nanoberries in topical antioxidants, 469

- Liver cells**  
iron accumulation after menopause, 175
- Lockhead effect**  
shampoo composition, 411
- Lonicera japonica***  
tyrosinase inhibition, 145
- Low strain region**  
glycylglycine for hair softness, 19
- Lycopene**  
*Lycopersicon esculentum* in hair growth, 429
- Lycopersicon esculentum***  
hair growth and alopecia, 429
- Lye hair relaxers**  
cytokine expression, 111  
effects of treatment, 287
- Macrofibrils**  
alkaline peroxide, 261
- Magnesium ascorbyl phosphate**  
skin delivery of, 273
- Male pattern hair loss**  
*Trifolium pratense* and biomimetic peptide, 45
- Malondialdehyde**  
EGCG in oxidative damage, 35
- MART-1**  
*N*-feruloyldopamine in melanogenesis, 133
- Mechanical combing**  
delipidized hair, 355
- Melan-a cells**  
punicalagins in melanin inhibition, 445
- Melanin**  
amaranth in tyrosinase inhibition, 99
- Melanin biosynthesis**  
tyrosinase, 235
- Melanocytes**  
punicalagins in melanin inhibition, 445
- Melanogenesis**  
inhibition by *N*-feruloyldopamine, 133  
Korean indigenous plants, 145
- Melanoma**  
*G. elata* extract, 89
- Melanosomes**  
*N*-feruloyldopamine in melanogenesis, 133
- Menopause**  
iron accumulation in skin, 175
- Messenger RNA**  
*G. elata* extract in melanogenesis, 89  
*Lycopersicon esculentum* in hair growth, 429
- Methanol**  
Korean indigenous plants, 145
- Methyl anthranilate**  
*Jasminum sambac* aroma profiles, 483
- 18-Methyleicosanoic acid**  
delipidized hair, 355
- Methylene chloride**  
Korean indigenous plants, 145
- Methylparaben**  
parabens in cosmetics, 67
- Micelle charge**  
shampoo composition, 411
- Michaelis constant**  
isoferulic acid concentration, 235
- Microfilament organization**  
silicones in hair straightening, 119
- Microinflammation**  
alopecia treatment, 45
- Microphthalmia-associated transcription factors**  
small RNAs in antiaging cosmeceuticals, 455
- Microporation**  
small RNAs in antiaging cosmeceuticals, 455
- MicroRNA-29**  
small RNAs in antiaging cosmeceuticals, 455
- MicroRNA-31**  
small RNAs in antiaging cosmeceuticals, 455
- Minimal erythema dose**  
topical anti-inflammatory compounds, 341
- Mixed esters**  
parabens in cosmetics, 67
- Modulus values**  
glycylglycine for hair softness, 19
- Moisturization**  
sorbitol skin treatment, 165
- Moisturizers**  
diabetic foot syndrome, 329  
squalene in cosmetology, 59
- Mole fraction**  
shampoo composition, 411
- Molecular docking**  
amaranth in tyrosinase inhibition, 99
- Molecular weight**  
shampoo composition, 411
- Monesters**  
parabens in cosmetics, 67
- Monophenolase**  
amaranth in tyrosinase inhibition, 99  
of mushroom tyrosinase, 235
- Monoxidil**  
vs. *Lycopersicon esculentum* in hair growth, 429
- Mouse models**  
*Lycopersicon esculentum* in hair growth, 429
- Multiple iron cycles**  
silicones in hair straightening, 119
- Mushroom tyrosinase**  
inhibitory effect of isoferulic acid, 235

- Mushroom tyrosinase inhibition assay**  
*N*-feruloyldopamine in melanogenesis, 133  
*G. elata* extract in melanogenesis, 89
- Nanoberries**  
topical antioxidants, 469
- Nanoindentation**  
glycylglycine for hair softness, 19
- Nanoparticles**  
topical anti-inflammatory compounds, 341
- Nanostructured lipid carriers**  
squalene in cosmetology, 59
- Nanotechnology**  
small RNAs in antiaging cosmeceuticals, 455
- Natural ingredients**  
nanoberries in topical antioxidants, 469  
punicalagins in melanin inhibition, 445  
seaweed in acne vulgaris treatment, 219
- Natural moisturizing factors**  
sorbitol skin treatment, 165
- Neutral red assay**  
Korean indigenous plants, 145
- No-lye hair relaxers**  
cytokine expression, 111
- Nociceptive activation**  
sensory discomfort with relaxers, 111
- Noncovalently bound lipids**  
delipidized hair, 355
- Normal human epidermal melanocytes**  
*N*-feruloyldopamine in melanogenesis, 133
- Nuclear magnetic resonance spectroscopy**  
lauroyl/palmitoyl glycol chitosan, 273
- Occlusives**  
seaweed in skin hydration, 193
- Octanol**  
sunscreen flux values, 181
- Odor**  
olive oil-based cosmetic creams, 371
- Oil concentration**  
olive oil-based cosmetic creams, 371
- Oil-in-water emulsions**  
seaweed in skin hydration, 193
- Ointment base**  
moisturizers in diabetes, 329
- Oligosaccharides**  
seaweed in acne vulgaris treatment, 219
- Olive oil**  
cosmetic creams, 371  
*Jasminum sambac* aroma profiles, 483  
squalene in cosmetology, 59
- Omega loops**  
delipidized hair, 355
- Orthocortex-like structures**  
acquired unintentional unruly hair, 261
- Osmoprotectants**  
sorbitol skin treatment, 165
- Osmotic stress**  
sorbitol skin treatment, 165
- Oxidation**  
of tyrosinase, 235
- Oxidative stress**  
dermal fibroblasts, 35  
reactive oxygen species in keratinocytes, 207
- Oxidizing agents**  
enzymatically generated hydrogen peroxide, 1
- p53 protein**  
cellular senescence, 79
- Paeonia lactiflora***  
tyrosinase inhibition, 145
- Paeonia trifoliata***  
tyrosinase inhibition, 145
- Palmitoyl glycol chitosan**  
delivery vehicle for magnesium ascorbyl phosphate, 273
- Panel size**  
sun protection factor testing, 297
- Parabens**  
cosmetics for children, 67
- Paracortex-like structures**  
acquired unintentional unruly hair, 261
- Paraffinum liquidum**  
compatibility with avobenzone, 317
- Particle size**  
liposome formulation, 9  
topical anti-inflammatory compounds, 341
- Penetration enhancers**  
topical anti-inflammatory compounds, 341
- Peptides**  
cellular senescence, 79  
small RNAs in antiaging cosmeceuticals, 455
- Perilla frutescens***  
tyrosinase inhibition, 145
- Permanent waving**  
glycylglycine for hair softness, 19
- Peroxide**  
acquired unintentional unruly hair, 261
- pH**  
hinokitiol in skin lotions, 381  
seaweed in skin hydration, 193
- Phase separation**  
shampoo composition, 411
- Phosphoric acid**  
punicalagins in melanin inhibition, 445
- Photoaging**  
small RNAs in antiaging cosmeceuticals, 455
- Photon correlation spectroscopy**  
topical anti-inflammatory compounds, 341
- Phycocolloids**  
seaweed in skin hydration, 193
- Pigmentation**  
*N*-feruloyldopamine in melanogenesis, 133  
*G. elata* extract in melanogenesis, 89  
Korean indigenous plants, 145

- punicalagins in melanin inhibition, 445
  - small RNAs in antiaging cosmeceuticals, 455
- Pmel17**
  - N*-feruloyldopamine in melanogenesis, 133
- Polar solvents**
  - sunscreen flux values, 181
- Polarized microscopy**
  - silicones in hair straightening, 119
- Polycations**
  - shampoo composition, 411
- Polymer concentration**
  - magnesium ascorbyl phosphate, 273
- Polymer gels**
  - palmitoyl glycol chitosan, 273
- Polyphenol oxidase**
  - inhibitory effect of isoferulic acid, 235
- Polyphenols**
  - nanoberries in topical antioxidants, 469
- Polyporus umbellatus***
  - tyrosinase inhibition, 145
- Polyquaternium-55**
  - delipidized hair, 355
- Pomegranates**
  - punicalagins in melanin inhibition, 445
- Poncirus trifoliata***
  - tyrosinase inhibition, 145
- Precolumn derivatization**
  - hinokitiol in skin lotions, 381
- Preference testing**
  - Jasminum sambac* aroma profiles, 483
- Preservatives**
  - parabens in cosmetics, 67
- Pro-opiomelanocortin**
  - small RNAs in antiaging cosmeceuticals, 455
- Propionibacterium acnes***
  - enzymatically generated hydrogen peroxide, 1
  - seaweed in acne vulgaris treatment, 219
- Propylene glycol**
  - sunscreen flux values, 181
- Propylparaben**
  - compatibility with avobenzone, 317
  - parabens in cosmetics, 67
- Prostaglandin E<sub>2</sub>**
  - sensory discomfort with relaxers, 111
- Prunus mume***
  - tyrosinase inhibition, 145
- Psoriasis**
  - squalene in cosmetology, 59
- Punica granatum***
  - punicalagins in melanin inhibition, 445
- Punicalagins**
  - melanin inhibition, 445
- Purpald**
  - aldehyde determinations, 391
- Quaternium-26**
  - delipidized hair, 355
- Rabbit models**
  - Lycopersicon esculentum* in hair growth, 429
- Radical scavenging**
  - EGCG in oxidative damage, 35
- Reactive oxygen species**
  - generation in keratinocytes, 207
- Receptor chamber**
  - cosmeceutical liposomes, 9
- Red clover extract**
  - alopecia treatment, 45
- Red globe amaranth**
  - tyrosinase inhibition, 99
- 5- $\alpha$ -Reductase**
  - alopecia treatment, 45
- Refractive index**
  - seaweed in skin hydration, 193
- Relaxer treatment**
  - effects on hair, 287
- Release rates**
  - magnesium ascorbyl phosphate, 273
- Replica techniques**
  - environmental influences on sweat glands, 243
- Replicative senescence**
  - fibroblasts and dermal papillae, 79
- Retention time**
  - hinokitiol in skin lotions, 381
- Retinoid**
  - acne treatment, 1
- Reverse-phase evaporation**
  - cosmeceutical liposomes, 9
- Reverse transcriptase polymerase chain reaction**
  - N*-feruloyldopamine in melanogenesis, 133
  - G. elata* extract in melanogenesis, 89
  - Lycopersicon esculentum* in hair growth, 429
- Reversed-phase high-performance liquid chromatography**
  - hair relaxer treatment, 287
- Rheology**
  - environmental influences on sweat glands, 243
- Rhizoma Cimicifugae***
  - isoferulic acid, 235
- Rice bran oil**
  - Jasminum sambac* aroma profiles, 483
- Rinse-off products**
  - parabens in cosmetics, 67
- RNA interference**
  - antiaging cosmeceuticals, 455
- Roberts–Sloan equation**
  - sunscreen flux values, 181

***Saccharomyces cerevisiae***

cellular senescence, 79

**Safety**

small RNAs in antiaging cosmeceuticals, 455

**Salicylic acid**

acne treatment, 1

**Sauna**

environmental influences on sweat glands, 243

**Scalp**

effects of hair relaxer treatment, 287

**Scalp discomfort**

hair relaxers, 111

**Scanning calorimetry**

delipidized hair, 355

**Seasonal variations**

sorbitol skin treatment, 165

**Seaweed**acne vulgaris treatment, 219  
skin hydration, 193**Seaweed oligosaccharide–zinc complex**

acne vulgaris treatment, 219

**Seborrheic dermatitis**

squalene in cosmetology, 59

**Sebum**enzymatically generated hydrogen peroxide, 1  
seaweed in acne vulgaris treatment, 219**Senescence-associated  $\beta$ -galactosidase**

cellular senescence, 79

**Sensory profiles**

olive oil–based cosmetic creams, 371

**Shark liver oil**

plant-based squalene, 59

**Silflo replica**

environmental influences on sweat glands, 243

**Silicone**hair straightening, 119  
shampoo composition, 411**Silicone membrane**

sunscreen flux values, 181

**Skin aging**iron accumulation after menopause, 175  
reactive oxygen species in keratinocytes, 207**Skin cancer**

reactive oxygen species in keratinocytes, 207

**Skin care**

small RNAs in antiaging cosmeceuticals, 455

**Skin damage**

reactive oxygen species in keratinocytes, 207

**Skin deposition**

magnesium ascorbyl phosphate, 273

**Skin dryness**diabetic foot syndrome, 329  
seaweed in skin hydration, 193**Skin flux**

magnesium ascorbyl phosphate, 273

**Skin hydration**effects of seaweed, 193  
seaweed in acne vulgaris treatment, 219  
small RNAs in antiaging cosmeceuticals, 455  
squalene in cosmetology, 59**Skin inflammation**

enzymatically generated hydrogen peroxide, 1

**Skin injuries**

EGCG in oxidative damage, 35

**Skin irritation test***Lycopersicon esculentum* in hair growth, 429**Skin lightening**

punicalagins in melanin inhibition, 445

**Skin lotions**

hinokitiol concentration, 381

**Skin models**

sensory discomfort with relaxers, 111

**Skin permeation**cosmetics for children, 67  
delivery of magnesium ascorbyl phosphate, 273  
liposome formulation, 9  
magnesium ascorbyl phosphate, 273  
topical anti-inflammatory compounds, 341**Skin sensitivity**

seaweed in acne vulgaris treatment, 219

**Skin wrinkling**cellular senescence, 79  
small RNAs in antiaging cosmeceuticals, 455**Small RNAs**

antiaging cosmeceuticals, 455

***Smilax china***

tyrosinase inhibition, 145

**Sodium cetearyl sulfate**

compatibility with avobenzone, 317

**Sodium chloride**

sorbitol skin treatment, 165

**Sodium cholate**

nanoberries in topical antioxidants, 469

**Sodium hydroxide**effects of hair relaxer treatment, 287  
Purpald in aldehyde determinations, 391  
sensory discomfort with relaxers, 111**Sodium lauryl ether sulfate**

shampoo composition, 411

**Sodium lauryl sulfate**compatibility with avobenzone, 317  
shampoo composition, 411**Solar simulators**

sun protection factor testing, 297

- Solid lipid nanoparticles**
  - topical anti-inflammatory compounds, 341
- Solubility**
  - sunscreen flux values, 181
- Sorbitol**
  - seasonal effects on skin, 165
- Soy lecithin**
  - topical anti-inflammatory compounds, 341
- Soy phosphatidylcholine**
  - nanoberries in topical antioxidants, 469
- Spectral analysis**
  - cosmeceutical liposomes, 9
- Spectrophotometry**
  - Purpald in aldehyde determinations, 391
- Spermaceti wax**
  - Jasminum sambac* aroma profiles, 483
- Squalene**
  - plant-based, 59
- Staphylococcus aureus***
  - seaweed in acne vulgaris treatment, 219
- Statistical modeling**
  - shampoo composition, 411
- Stearyl glycyrrhetinate**
  - topical anti-inflammatory compounds, 341
- Stem cells**
  - small RNAs in antiaging cosmeceuticals, 455
- Storage temperature**
  - cosmeceutical liposomes, 9
- Straight hair**
  - acquired unintentional unruly hair, 261
- Straightening permanency**
  - silicones in hair straightening, 119
- Stratum corneum**
  - magnesium ascorbyl phosphate, 273
  - moisturizers in diabetes, 329
  - nanoberries in topical antioxidants, 469
  - seaweed in skin hydration, 193
  - sorbitol skin treatment, 165
  - topical anti-inflammatory compounds, 341
- Streaming potential**
  - delipidized hair, 355
- Stress-induced premature senescence**
  - cellular senescence, 79
- Stress relaxation**
  - glycylglycine for hair softness, 19
- Stretching force**
  - silicones in hair straightening, 119
- Sudoriferous behavior**
  - environmental influences on sweat glands, 243
- Sun protection factor**
  - disparate testing methodologies, 297
- Sunflower oil**
  - Jasminum sambac* aroma profiles, 483
- Sunscreens**
  - cosmeceutical liposomes, 9
  - disparate testing methodologies, 297
  - flux values, 181
  - reactive oxygen species in keratinocytes, 207
- Superoxide anion**
  - oxidative stress in keratinocytes, 207
- Superoxide dismutase**
  - EGCG in oxidative damage, 35
- Surface energy**
  - delipidized hair, 355
- Surfactants**
  - delipidized hair, 355
  - shampoo composition, 411
- Sweat glands**
  - environmental influences, 243
- Telogen phase**
  - Lycopersicon esculentum* in hair growth, 429
- Tensile strength**
  - delipidized hair, 355
- Terminal deoxynucleotidyl transferase dUTP nick end labeling**
  - EGCG in oxidative damage, 35
- Testing methodologies**
  - sun protection factor, 297
- Testosterone 5 $\alpha$ -reductase**
  - Lycopersicon esculentum* in hair growth, 429
- Thai aroma materials**
  - Jasminum sambac*, 483
- Thermal analysis**
  - avobenzene, 317
- Thermal distribution**
  - environmental influences on sweat glands, 243
- Thermoregulation**
  - environmental influences on sweat glands, 243
- Thin film hydration**
  - cosmeceutical liposomes, 9
- Thuja occidentalis***
  - hinokitiol in skin lotions, 381
- Thuja plicata***
  - hinokitiol in skin lotions, 381
- Thujopsis dolabrata***
  - hinokitiol in skin lotions, 381
- Topical antioxidants**
  - nanoberries, 469
- Topical compounds**
  - cosmetic formulations, 341
- Topical moisturizers**
  - diabetic foot syndrome, 329
- Total antioxidant capacity**
  - iron accumulation after menopause, 175
- Transcription factors**
  - G. elata* extract in melanogenesis, 89
- Transepidermal water loss**
  - environmental influences on sweat glands, 243

- moisturizers in diabetes, 329
- seaweed in skin hydration, 193
- sorbitol skin treatment, 165
- Transforming growth factor- $\beta$** 
  - Lycopersicon esculentum* in hair growth, 429
- Transglutaminase**
  - sorbitol skin treatment, 165
- Trifolium pratense***
  - alopecia treatment, 45
- Tropolones**
  - hinokitiol in skin lotions, 381
- Turbidity**
  - shampoo composition, 411
- Tyrosinase**
  - N*-feruloyldopamine in melanogenesis, 133
  - G. elata* extract in melanogenesis, 89
  - inhibition by amaranth, 99
  - inhibitory effect of isoferulic acid, 235
  - Korean indigenous plants, 145
  - punicalagins in melanin inhibition, 445
- Tyrosinase-related proteins**
  - G. elata* extract in melanogenesis, 89
- Tyrosine inhibition**
  - magnesium ascorbyl phosphate, 273
- Ultradeformable liposomes**
  - nanoberrries in topical antioxidants, 469
- Ultraviolet B**
  - reactive oxygen species generation, 207
  - small RNAs in antiaging cosmeceuticals, 455
- Ultraviolet damage**
  - lauroyl/palmitoyl glycol chitosan, 273
- Ultraviolet detection**
  - hinokitiol in skin lotions, 381
- Ultraviolet radiation**
  - cellular senescence, 79
  - EGCG in oxidative damage, 35
  - iron accumulation after menopause, 175
  - sun protection factor testing, 297
- Ultraviolet spectrophotometry**
  - topical anti-inflammatory compounds, 341
- Ultraviolet spectroscopy**
  - amaranth in tyrosinase inhibition, 99
  - nanoberrries in topical antioxidants, 469
- Unruly hair**
  - glycylglycine for hair softness, 19
- Urea**
  - moisturizers in diabetes, 329
- Vaccinium myrtillus***
  - nanoberrries in topical antioxidants, 469
- Vanillic acid**
  - amaranth in tyrosinase inhibition, 99
- Vapor sorption**
  - delipidized hair, 355
- Vascular endothelial growth factor**
  - iron accumulation after menopause, 175
  - Lycopersicon esculentum* in hair growth, 429
- Viscosity**
  - magnesium ascorbyl phosphate, 273
  - seaweed in skin hydration, 193
  - shampoo composition, 411
- Vitamin C**
  - N*-feruloyldopamine in melanogenesis, 133
  - magnesium ascorbyl phosphate, 273
  - reactive oxygen species in keratinocytes, 207
- Vitex rotundifolia***
  - tyrosinase inhibition, 145
- Volatility**
  - Jasminum sambac*, 483
- Water**
  - sunscreen flux values, 181
- Water management**
  - delipidized hair, 355
- Western blotting**
  - G. elata* extract in melanogenesis, 89
- Wet tensile tests**
  - silicones in hair straightening, 119
- Whitening agents**
  - cosmeceutical liposomes, 9
- Wool**
  - glycylglycine for hair softness, 19
  - shampoo composition, 411
- Xenoestrogens**
  - parabens in cosmetics, 67
- Yeast**
  - cellular senescence, 79
- Young's modulus**
  - acquired unintentional unruly hair, 261
  - glycylglycine for hair softness, 19
  - silicones in hair straightening, 119
- Z-3-hexenyl benzoate**
  - Jasminum sambac* aroma profiles, 483
- Zinc**
  - seaweed in acne vulgaris treatment, 219