

SUBJECT INDEX TO VOLUME 64

Absolute de pomade

Jasminum sambac, 483

Absolutes

Jasminum sambac, 483

Absorbance

Purpald in aldehyde determinations, 391

Absorbent pads

environmental influences on sweat glands, 243

Absorption spectra

cosmeceutical liposomes, 9

Acclimatization

environmental influences on sweat glands, 243

Acetonitrile

punicalagins in melanin inhibition, 445

10-Acetyl-3,7-dihydroxyphenoxazine

reactive oxygen species in keratinocytes, 207

Acetyl tetrapeptide-3

alopecia treatment, 45

Acne

enzymatically generated hydrogen peroxide, 1
squalene in cosmetology, 59

Acne vulgaris

enzymatically generated hydrogen peroxide, 1
seaweed, 219

Acquired unintentional unruly hair

alkaline peroxide, 261

Adapalene

acne treatment, 1

Addition-recovery tests

hinokitiol in skin lotions, 381

Aging

cellular senescence, 79
EGCG in oxidative damage, 35
small RNAs in cosmeceuticals, 455

Aldehydes

application of Purpald, 391

Alginates

seaweed in acne vulgaris treatment, 219

Alkaline peroxide

acquired unintentional unruly hair, 261

Allergens

Purpald in aldehyde determinations, 391

Alopecia

Lycopersicon esculentum extract, 429
small RNAs in antiaging cosmeceuticals, 455

Trifolium pratense and biomimetic peptide, 45

α -farnesene

Jasminum sambac volatile compounds, 483

Amaranth

tyrosinase inhibition, 99

Amaranth oil

squalene in cosmetology, 59

Amino acids

effects of hair relaxer treatment, 287

Anagen phase

Lycopersicon esculentum in hair growth, 429

Anagen/telogen ratio

alopecia treatment, 45

Androgen receptor

Lycopersicon esculentum in hair growth, 429

Androgenetic alopecia

Lycopersicon esculentum extract, 429
small RNAs in antiaging cosmeceuticals, 455

Androgens

enzymatically generated hydrogen peroxide, 1

Anthocyanins

nanoberries in topical antioxidants, 469

Anti-inflammatory agents

seaweed in skin hydration, 193

Anti-inflammatory compounds

cosmetic formulations, 341

Antiaging cosmeceuticals

small RNAs, 455

Antibacterial agents

hinokitiol in skin lotions, 381

Antibiotics

acne treatment, 1

- Antimicrobial agents**
 - seaweed in skin hydration, 193
- Antioxidants**
 - EGCG in oxidative damage, 35
 - N*-feruloyldopamine in melanogenesis, 133
 - iron accumulation after menopause, 175
 - nanoberries, 469
 - reactive oxygen species in keratinocytes, 207
 - seaweed in skin hydration, 193
 - squalene in cosmetology, 59
- Antiperspirants**
 - environmental influences on sweat glands, 243
- Apoptosis detection**
 - EGCG in damaged fibroblasts, 35
- Arbutin**
 - amaranth in tyrosinase inhibition, 99
 - cosmeceutical liposomes, 9
 - N*-feruloyldopamine in melanogenesis, 133
 - vs. isoferulic acid, 235
 - vs. punicalagins in melanin inhibition, 445
- Arid environments**
 - sorbitol skin treatment, 165
- Aromatherapy**
 - Jasminum sambac*, 483
- Ataxia telangiectasia mutated proteins**
 - cellular senescence, 79
- Atomic force microscopy**
 - acquired unintentional unruly hair, 261
 - delipidized hair, 355
 - glycylglycine for hair softness, 19
- Atopic dermatitis**
 - squalene in cosmetology, 59
- Australia/New Zealand method**
 - sun protection factor testing, 297
- Automated iron**
 - silicones in hair straightening, 119
- Avobenzone**
 - cosmeceutical liposomes, 9
 - drug–excipient compatibility, 317
- Axillae**
 - environmental influences on sweat glands, 243
- B16 cells**
 - Korean indigenous plants, 145
- B16-F10 cells**
 - N*-feruloyldopamine in melanogenesis, 133
- Bacillus megaterium***
 - amaranth in tyrosinase inhibition, 99
- Bacterial infections**
 - enzymatically generated hydrogen peroxide, 1
 - squalene in cosmetology, 59
- Baldness**
 - Lycopersicon esculentum* extract, 429
- Barrier functions**
 - moisturizers in diabetes, 329
 - sorbitol skin treatment, 165
- Benzoyl peroxide**
 - acne treatment, 1
- Benzyl acetate**
 - Jasminum sambac* volatile compounds, 483
- β -carotene**
 - nanoberries in topical antioxidants, 469
- β -galactosidase**
 - cellular senescence, 79
- β layers**
 - delipidized hair, 355
- Biochanin A**
 - alopecia treatment, 45
- Biomimetic peptide**
 - alopecia treatment, 45
- Birefringence**
 - silicones in hair straightening, 119
- Black South Africans**
 - effects of hair relaxer treatment, 287
- Bleaching**
 - acquired unintentional unruly hair, 261
 - glycylglycine for hair softness, 19
- Blueberries**
 - nanoberries in topical antioxidants, 469
- Borate buffer**
 - hinokitiol in skin lotions, 381
- Bound lipids**
 - delipidized hair, 355
- Breast cells**
 - iron accumulation after menopause, 175
- n*-Butyl alcohol**
 - Korean indigenous plants, 145
- Butylated hydroxytoluene**
 - compatibility with avobenzone, 317
- Butylparaben**
 - parabens in cosmetics, 67
- Calibration plot**
 - hinokitiol in skin lotions, 381
- Caprylic capric triglyceride**
 - compatibility with avobenzone, 317
- Carbonyl compounds**
 - Purpald in aldehyde determinations, 391
- Carbopol**
 - vs. magnesium ascorbyl phosphate, 273
- Cassia derivatives**
 - shampoo composition, 411
- Catagen phase**
 - Lycopersicon esculentum* in hair growth, 429
- Catechins**
 - EGCG in oxidative damage, 35
- Cationic polymers**
 - delipidized hair, 355
 - shampoo composition, 411
- Cell membrane complex**
 - delipidized hair, 355

Cell-penetrating peptides

small RNAs in antiaging cosmeceuticals, 455

Cell toxicity

N-feruloyldopamine in melanogenesis, 133

Cell viability

punicalagins in melanin inhibition, 445

Cellular senescence

fibroblasts and dermal papillae, 79

Cellulose

shampoo composition, 411

Ceramides

sorbitol skin treatment, 165

Cetareth 20

compatibility with avobenzone, 317

Cetearyl alcohol

compatibility with avobenzone, 317

Chamaecyparis obtusa

hinokitiol in skin lotions, 381

Charge density

shampoo composition, 411

Chemical bleaching

acquired unintentional unruly hair, 261

Children

parabens in cosmetics, 67

China

parabens in cosmetics, 67

Chinese herbal medicine

amaranth in tyrosinase inhibition, 99

Chrysanthemum indicum

tyrosinase inhibition, 145

Circular dichroism spectroscopy

amaranth in tyrosinase inhibition, 99

Clarity

shampoo composition, 411

CO₂ extract

Lycopersicon esculentum in hair growth, 429

Coacervation

shampoo composition, 411

Coarse hair

glycylglycine for softness, 19

Cocamidopropyl betaine

shampoo composition, 411

Cold fat extraction

Jasminum sambac, 483

Cold processing

olive oil-based cosmetic creams, 371

COLIPA International method

sun protection factor testing, 297

Collagens

alopecia treatment, 45

Color

Purpald in aldehyde determinations, 391

Colorimetric assay

EGCG in damaged fibroblasts, 35

Comedones

seaweed in acne vulgaris treatment, 219

Complexion brightening

N-feruloyldopamine in melanogenesis, 133

Concretes

Jasminum sambac, 483

Conditioning shampoo

formulation composition, 411

Contact angle

delipidized hair, 355

Contact force

flat iron hair straightening, 119

Corneometry

moisturizers in diabetes, 329

seaweed in skin hydration, 193

Cortex cell membrane complex

glycylglycine for hair softness, 19

Cortical cells

acquired unintentional unruly hair, 261

Cosmeceuticals

avobenzone and arbutin, 9

small RNAs in antiaging, 455

topical anti-inflammatory compounds, 341

Cosmetic analysis

effects of hair relaxer treatment, 287

Cosmetic creams

virgin olive oil-based, 371

Cosmetic excipients

compatibility with avobenzone, 317

Cosmetic formulations

avobenzone-exciipient compatibility, 317

magnesium ascorbyl phosphate, 273

moisturizers in diabetes, 329

topical anti-inflammatory compounds, 341

Cosmetic products

Purpald in aldehyde determinations, 391

Cosmetology

plant-based squalene, 59

Critical micelle concentration

shampoo composition, 411

Curly hair

acquired unintentional unruly hair, 261

3-Cyclohexene-1-carboxaldehyde

application of Purpald, 391

Cystine

effects of hair relaxer treatment, 287

Cytokines

sensory discomfort with relaxers, 111

Cytotoxicity

Korean indigenous plants, 145

nanoberrries in topical antioxidants, 469

punicalagins in melanin inhibition, 445

Defectiveness intensity

olive oil-based cosmetic creams, 371

Delipidized hair

physicochemical properties, 355

- Denaturation**
 - silicones in hair straightening, 119
- Depigmentation**
 - amaranth in tyrosinase inhibition, 99
 - Korean indigenous plants, 145
- Depigmenting efficacy test**
 - Korean indigenous plants, 145
- Derivatization reaction time**
 - Purpald in aldehyde determinations, 391
- Derivatization reagents**
 - Purpald in aldehyde determinations, 391
- Dermal fibroblasts**
 - EGCG in oxidative damage, 35
- Dermal papillae**
 - cellular senescence, 79
- Diabetic foot syndrome**
 - topical moisturizers, 329
- 2',7'-Dichlorofluorescein diacetate**
 - reactive oxygen species in keratinocytes, 207
- Diethylhexyl syringylidene malonate**
 - compatibility with avobenzene, 317
- Differential scanning calorimetry**
 - avobenzene, 317
 - nanoberries in topical antioxidants, 469
 - silicones in hair straightening, 119
- Dihydroethidium**
 - reactive oxygen species in keratinocytes, 207
- Dihydrotestosterone**
 - Lycopersicon esculentum* in hair growth, 429
- L-3,4-Dihydroxy-indole-2-carboxylic acid**
 - auto-oxidation assay**
 - Korean indigenous plants, 145
- 3-(4,5-Dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide**
 - EGCG in damaged fibroblasts, 35
- Diphenolase**
 - amaranth in tyrosinase inhibition, 99
 - of mushroom tyrosinase, 235
- 2,2-Diphenyl-1-picrylhydrazyl**
 - EGCG in oxidative damage, 35
- 1,1-Diphenyl-2-picrylhydrazyl**
 - N*-feruloyldopamine in melanogenesis, 133
- Dipotassium glycyrrhizinate**
 - topical anti-inflammatory compounds, 341
- Disulfide bond scission**
 - silicones in hair straightening, 119
- DNA microarray**
 - cellular senescence, 79
- Donor chamber**
 - cosmeceutical liposomes, 9
- L-DOPA**
 - oxidation via tyrosinase, 235
- Draize skin irritation test**
 - Lycopersicon esculentum* in hair growth, 429
- Drug loading**
 - topical anti-inflammatory compounds, 341
- Drug-excipient compatibility**
 - avobenzene, 317
- Ellagic acid**
 - punicalagins in melanin inhibition, 445
- Emollients**
 - squalene in cosmetology, 59
- Emulgels**
 - topical anti-inflammatory compounds, 341
- Emulsions**
 - olive oil-based cosmetic creams, 371
 - topical anti-inflammatory compounds, 341
- Enfleurage**
 - Jasminum sambac*, 483
- Enthalpy**
 - avobenzene-excipient compatibility, 317
 - silicones in hair straightening, 119
- Entrapment efficiency**
 - liposome formulation, 9
- Environmental conditions**
 - sorbitol skin treatment, 165
 - sweat gland activity, 243
- Environmental conservation**
 - plant-based squalene, 59
- Epidermal keratinocytes**
 - iron accumulation after menopause, 175
- Epidermal melanocytes**
 - N*-feruloyldopamine in melanogenesis, 133
- Epidermal to dermal drug deposition ratio**
 - magnesium ascorbyl phosphate, 273
- Epigallocatechin-3-gallate**
 - damage to dermal fibroblasts, 35
- Equivalent bending modulus**
 - glycylglycine for hair softness, 19
- Erythema**
 - topical anti-inflammatory compounds, 341
- Erythema evaluation**
 - sun protection factor testing, 297
- Esters**
 - parabens in cosmetics, 67
- Estrogen**
 - iron accumulation after menopause, 175
- Ethanol solutions**
 - lauroyl/palmitoyl glycol chitosan, 273
- Ethanolic extracts**
 - nanoberries in topical antioxidants, 469
- Ethyl acetate**
 - Korean indigenous plants, 145
 - Lycopersicon esculentum* in hair growth, 429
- Ethylparaben**
 - parabens in cosmetics, 67
- Euonymus alatus***
 - tyrosinase inhibition, 145
- Evaporimetry**
 - environmental influences on sweat glands, 243

Evodia officinalis

tyrosinase inhibition, 145

Exocytosis

sorbitol skin treatment, 165

Exposure increments

sun protection factor testing, 297

Extracellular matrix proteins

alopecia treatment, 45

Extraits*Jasminum sambac*, 483**Ferritin**

accumulation after menopause, 175

***N*-Feruloyldopamine**

inhibition of melanogenesis, 133

Fibroblasts

cellular senescence, 79

EGCG in oxidative damage, 35

Filaggrin

sorbitol skin treatment, 165

Finasteridevs. *Lycopersicon esculentum* in hair growth, 429**Flat iron**

silicones in hair straightening, 119

Flower oils*Jasminum sambac*, 483**Fluorescence microplate reader**

reactive oxygen species in keratinocytes, 207

4-Fluoro-7-nitro-2,1,3-benzoxadiazole

hinokitiol in skin lotions, 381

Flux density

environmental influences on sweat glands, 243

Flux values

sunscreen, 181

Food and Drug Administration-Final Monograph method

sun protection factor testing, 297

Force curve method

acquired unintentional unruly hair, 261

Force mapping

glycylglycine for hair softness, 19

Formulation composition

conditioning shampoo, 411

Forsythia viridissima

tyrosinase inhibition, 145

Fourier transform infrared spectroscopy

avobenzone–excipient compatibility, 317

delipidized hair, 355

Fragrance applications*Jasminum sambac*, 483**Fragrance ingredients**

Purpald in aldehyde determinations, 391

Free lipids

delipidized hair, 355

Free radicals

nanoberrries in topical antioxidants, 469

Friction

glycylglycine for hair softness, 19

Fruitiness intensity

olive oil–based cosmetic creams, 371

Fungal infections

squalene in cosmetology, 59

Gallic acid

punicalagins in melanin inhibition, 445

Gas chromatography mass spectroscopy*Jasminum sambac* aroma profiles, 483***Gastrodia elata* extract**

inhibition of melanogenesis, 89

Gene expression

cellular senescence, 79

N-feruloyldopamine in melanogenesis, 133*G. elata* extract in melanogenesis, 89

small RNAs in antiaging cosmeceuticals, 455

Gentiana scabra

tyrosinase inhibition, 145

Geographical variations

sorbitol skin treatment, 165

Gliding speed

flat iron hair straightening, 119

Glucose oxidase

enzymatically generated hydrogen peroxide, 1

Glutathione peroxidase

EGCG in oxidative damage, 35

Glyceraldehyde 3-phosphate dehydrogenase*Lycopersicon esculentum* in hair growth, 429**Glycerin**

compatibility with avobenzone, 317

Glycol chitosan

vs. lauroyl/palmitoyl glycol chitosan, 273

vs. magnesium ascorbyl phosphate, 273

Glycylglycine

hair softness, 19

Glycyrrhiza glabra

topical anti-inflammatory compounds, 341

Gomphrena globosa

tyrosinase inhibition, 99

Guanidine carbonate/calcium hydroxide

sensory discomfort with relaxers, 111

Guanidine hydroxide

effects of hair relaxer treatment, 287

Guar

shampoo composition, 411

Guinea pig models

tyrosinase inhibition, 145

Gustatory sweating

environmental influences on sweat glands, 243

Hair analysis

cosmetic and amino acid, 287

Hair care

small RNAs in antiaging cosmeceuticals, 455

- Hair damage**
glycylglycine for hair softness, 19
relaxer treatment, 287
unruliness from alkaline peroxide, 261
- Hair elasticity**
delipidized hair, 355
- Hair fiber alignment**
glycylglycine for softness, 19
- Hair flexibility**
delipidized hair, 355
- Hair growth**
alopecia treatment, 45
Lycopersicon esculentum extract, 429
- Hair loss**
cellular senescence, 79
small RNAs in antiaging cosmeceuticals, 455
Trifolium pratense and biomimetic peptide, 45
- Hair relaxers**
cytokine expression, 111
- Hair softness**
glycylglycine, 19
- Hair stiffness**
delipidized hair, 355
- Hair straightening**
effects of, 287
function of silicones, 119
glycylglycine for hair softness, 19
sensory discomfort with relaxers, 111
- Hair styling agents**
delipidized hair, 355
- Hair temperature**
flat iron hair straightening, 119
- Hair tonic**
Lycopersicon esculentum in hair growth, 429
- Hayflick limit**
cellular senescence, 79
- Hexapeptide-11**
cellular senescence, 79
- High-performance liquid chromatography**
avobenzon—excipient compatibility, 317
hinokitiol in skin lotions, 381
Lycopersicon esculentum in hair growth, 429
magnesium ascorbyl phosphate, 273
parabens in cosmetics, 67
punicalagins in melanin inhibition, 445
topical anti-inflammatory compounds, 341
- Hinokitiol**
concentration in skin lotion, 381
- HM3KO melanoma cells**
G. elata extract, 89
- Hoechst staining**
EGCG in damaged fibroblasts, 35
- Hormonal dysfunction**
alopecia treatment, 45
- Hot processing**
olive oil-based cosmetic creams, 371
- Houttuynia cordata***
tyrosinase inhibition, 145
- Human embryonic stem cells**
small RNAs in antiaging cosmeceuticals, 455
- Human skin**
vs. silicone membrane in flux values, 181
- Humectants**
diabetic foot syndrome, 329
seaweed in skin hydration, 193
- Humid environments**
sorbitol skin treatment, 165
- Hunter values**
seaweed in skin hydration, 193
- Hyaluronidase**
small RNAs in antiaging cosmeceuticals, 455
- Hydration**
diabetic foot syndrome, 329
- Hydrocolloids**
seaweed in skin hydration, 193
- Hydrogels**
lauroyl/palmitoyl glycol chitosan, 273
- Hydrogen peroxide**
EGCG in damaged fibroblasts, 35
enzymatically generated, 1
oxidative stress in keratinocytes, 207
- Hydrogenated lecithin**
topical anti-inflammatory compounds, 341
- Hydrophilic compounds**
arbutin, 9
magnesium ascorbyl phosphate, 273
- Hydrophobic compounds**
avobenzon, 9
- Hydrophobic interactions**
shampoo composition, 411
- Hydroquinone**
N-feruloyldopamine in melanogenesis, 133
vs. punicalagins in melanin inhibition, 445
- Hydroxyethyl cellulose**
shampoo composition, 411
- Hydroxyisohexyl 3-cyclohexene carboxaldehyde**
application of Purpald, 391
- Hydroxyl radical**
oxidative stress in keratinocytes, 207
- 3'-(p-Hydroxyphenyl) fluorescein**
reactive oxygen species in keratinocytes, 207
- Hydroxypropylmethylcellulose**
vs. magnesium ascorbyl phosphate, 273
- Hyperpigmentation**
small RNAs in antiaging cosmeceuticals, 455
- Image analysis**
environmental influences on sweat glands, 243

Immunofluorescent labeling

alopecia treatment, 45

Indole*Jasminum sambac* aroma profiles, 483**Induced pluripotent stem cells**

small RNAs in antiaging cosmeceuticals, 455

Infrared imaging

environmental influences on sweat glands, 243

Infrared spectroscopyavobenzon—excipient compatibility, 317
delipidized hair, 355**Infundibulum**

enzymatically generated hydrogen peroxide, 1

Inhibition behaviorof isoferulic acid on diphenolase, 235
of isoferulic acid on monophenolase, 235**Insulin-like growth factor-1***Lycopersicon esculentum* in hair growth, 429**Interference**

hinokitiol in skin lotions, 381

Interleukin-1*Lycopersicon esculentum* in hair growth, 429**Interleukin-1 receptor antagonist**

sensory discomfort with relaxers, 111

Interleukin-1 α seaweed in acne vulgaris treatment, 219
sensory discomfort with relaxers, 111**Interleukin-8**

alopecia treatment, 45

International Olive Oil Council

olive oil-based cosmetic creams, 371

Intracellular melanin synthesis inhibition test

Korean indigenous plants, 145

Inverse gas chromatography surface angle

delipidized hair, 355

Involucrin

sorbitol skin treatment, 165

Ionic strength

shampoo composition, 411

Iron accumulation

menopause, 175

Isoferulic acid

inhibitory effect on mushroom tyrosinase, 235

Isopropyl myristate

compatibility with avobenzon, 317

Isothermal stress testing

avobenzon—excipient compatibility, 317

Japanese hair

glycylglycine for softness, 19

Jasmine

aroma profiles, 483

Jasminum sambac

aroma profiles, 483

Kendall's coefficient of concordance

glycylglycine for hair softness, 19

Keratin

silicones in hair straightening, 119

Keratinocyte growth factor*Lycopersicon esculentum* in hair growth, 429**Keratinocytes**enzymatically generated hydrogen peroxide, 1
iron accumulation after menopause, 175
nanoberries in topical antioxidants, 469
reactive oxygen species generation, 207
sorbitol skin treatment, 165**Kinetic analysis**

of isoferulic acid, 235

Kojic acid*N*-feruloyldopamine in melanogenesis, 133
vs. punicalagins in melanin inhibition, 445**Korean herbal medicine**

tyrosinase inhibition, 145

Korean seaweed

skin hydration, 193

Lactic acid

seaweed in acne vulgaris treatment, 219

Lag time

of tyrosinase oxidation, 235

Laminaria digitata

acne vulgaris treatment, 219

Laminaria japonica

skin moisturization, 193

Laminins

alopecia treatment, 45

Lauroyl glycol chitosan

delivery vehicle for magnesium ascorbyl phosphate, 273

Lauroyl/palmitoyl glycol chitosan

skin delivery of magnesium ascorbyl phosphate, 273

Leave-on products

parabens in cosmetics, 67

Linalool*Jasminum sambac* volatile compounds, 483**Lineweaver–Burk plot**

isoferulic acid, 235

Linoleic acid

nanoberries in topical antioxidants, 469

Lipid emulsions

squalene in cosmetology, 59

Lipid solvents

sunscreens flux values, 181

Lipids

delipidized hair, 355

Liposomescosmeceutical, 9
nanoberries in topical antioxidants, 469

- Liver cells**
 - iron accumulation after menopause, 175
- Lockhead effect**
 - shampoo composition, 411
- Lonicera japonica***
 - tyrosinase inhibition, 145
- Low strain region**
 - glycylglycine for hair softness, 19
- Lycopene**
 - Lycopersicon esculentum* in hair growth, 429
- Lycopersicon esculentum***
 - hair growth and alopecia, 429
- Lye hair relaxers**
 - cytokine expression, 111
 - effects of treatment, 287
- Macrofibrils**
 - alkaline peroxide, 261
- Magnesium ascorbyl phosphate**
 - skin delivery of, 273
- Male pattern hair loss**
 - Trifolium pratense* and biomimetic peptide, 45
- Malondialdehyde**
 - EGCG in oxidative damage, 35
- MART-1**
 - N*-feruloyldopamine in melanogenesis, 133
- Mechanical combing**
 - delipidized hair, 355
- Melan-a cells**
 - punicalagins in melanin inhibition, 445
- Melanin**
 - amaranth in tyrosinase inhibition, 99
- Melanin biosynthesis**
 - tyrosinase, 235
- Melanocytes**
 - punicalagins in melanin inhibition, 445
- Melanogenesis**
 - inhibition by *N*-feruloyldopamine, 133
 - Korean indigenous plants, 145
- Melanoma**
 - G. elata* extract, 89
- Melanosomes**
 - N*-feruloyldopamine in melanogenesis, 133
- Menopause**
 - iron accumulation in skin, 175
- Messenger RNA**
 - G. elata* extract in melanogenesis, 89
 - Lycopersicon esculentum* in hair growth, 429
- Methanol**
 - Korean indigenous plants, 145
- Methyl anthranilate**
 - Jasminum sambac* aroma profiles, 483
- 18-Methyleicosanoic acid**
 - delipidized hair, 355
- Methylene chloride**
 - Korean indigenous plants, 145
- Methylparaben**
 - parabens in cosmetics, 67
- Micelle charge**
 - shampoo composition, 411
- Michaelis constant**
 - isoferulic acid concentration, 235
- Microfilament organization**
 - silicones in hair straightening, 119
- Microinflammation**
 - alopecia treatment, 45
- Microphthalmia-associated transcription factors**
 - small RNAs in antiaging cosmeceuticals, 455
- Microporation**
 - small RNAs in antiaging cosmeceuticals, 455
- MicroRNA-29**
 - small RNAs in antiaging cosmeceuticals, 455
- MicroRNA-31**
 - small RNAs in antiaging cosmeceuticals, 455
- Minimal erythema dose**
 - topical anti-inflammatory compounds, 341
- Mixed esters**
 - parabens in cosmetics, 67
- Modulus values**
 - glycylglycine for hair softness, 19
- Moisturization**
 - sorbitol skin treatment, 165
- Moisturizers**
 - diabetic foot syndrome, 329
 - squalene in cosmetology, 59
- Mole fraction**
 - shampoo composition, 411
- Molecular docking**
 - amaranth in tyrosinase inhibition, 99
- Molecular weight**
 - shampoo composition, 411
- Monesters**
 - parabens in cosmetics, 67
- Monophenolase**
 - amaranth in tyrosinase inhibition, 99
 - of mushroom tyrosinase, 235
- Monoxidil**
 - vs. *Lycopersicon esculentum* in hair growth, 429
- Mouse models**
 - Lycopersicon esculentum* in hair growth, 429
- Multiple iron cycles**
 - silicones in hair straightening, 119
- Mushroom tyrosinase**
 - inhibitory effect of isoferulic acid, 235

- Mushroom tyrosinase inhibition assay**
N-feruloyldopamine in melanogenesis, 133
G. elata extract in melanogenesis, 89
- Nanoberries**
topical antioxidants, 469
- Nanoindentation**
glycylglycine for hair softness, 19
- Nanoparticles**
topical anti-inflammatory compounds, 341
- Nanostructured lipid carriers**
squalene in cosmetology, 59
- Nanotechnology**
small RNAs in antiaging cosmeceuticals, 455
- Natural ingredients**
nanoberries in topical antioxidants, 469
punicalagins in melanin inhibition, 445
seaweed in acne vulgaris treatment, 219
- Natural moisturizing factors**
sorbitol skin treatment, 165
- Neutral red assay**
Korean indigenous plants, 145
- No-lye hair relaxers**
cytokine expression, 111
- Nociceptive activation**
sensory discomfort with relaxers, 111
- Noncovalently bound lipids**
delipidized hair, 355
- Normal human epidermal melanocytes**
N-feruloyldopamine in melanogenesis, 133
- Nuclear magnetic resonance spectroscopy**
lauroyl/palmitoyl glycol chitosan, 273
- Occlusives**
seaweed in skin hydration, 193
- Octanol**
sunscreen flux values, 181
- Odor**
olive oil-based cosmetic creams, 371
- Oil concentration**
olive oil-based cosmetic creams, 371
- Oil-in-water emulsions**
seaweed in skin hydration, 193
- Ointment base**
moisturizers in diabetes, 329
- Oligosaccharides**
seaweed in acne vulgaris treatment, 219
- Olive oil**
cosmetic creams, 371
Jasminum sambac aroma profiles, 483
squalene in cosmetology, 59
- Omega loops**
delipidized hair, 355
- Orthocortex-like structures**
acquired unintentional unruly hair, 261
- Osmoprotectants**
sorbitol skin treatment, 165
- Osmotic stress**
sorbitol skin treatment, 165
- Oxidation**
of tyrosinase, 235
- Oxidative stress**
dermal fibroblasts, 35
reactive oxygen species in keratinocytes, 207
- Oxidizing agents**
enzymatically generated hydrogen peroxide, 1
- p53 protein**
cellular senescence, 79
- Paeonia lactiflora***
tyrosinase inhibition, 145
- Paeonia trifoliata***
tyrosinase inhibition, 145
- Palmitoyl glycol chitosan**
delivery vehicle for magnesium ascorbyl phosphate, 273
- Panel size**
sun protection factor testing, 297
- Parabens**
cosmetics for children, 67
- Paracortex-like structures**
acquired unintentional unruly hair, 261
- Paraffinum liquidum**
compatibility with avobenzone, 317
- Particle size**
liposome formulation, 9
topical anti-inflammatory compounds, 341
- Penetration enhancers**
topical anti-inflammatory compounds, 341
- Peptides**
cellular senescence, 79
small RNAs in antiaging cosmeceuticals, 455
- Perilla frutescens***
tyrosinase inhibition, 145
- Permanent waving**
glycylglycine for hair softness, 19
- Peroxide**
acquired unintentional unruly hair, 261
- pH**
hinokitiol in skin lotions, 381
seaweed in skin hydration, 193
- Phase separation**
shampoo composition, 411
- Phosphoric acid**
punicalagins in melanin inhibition, 445
- Photoaging**
small RNAs in antiaging cosmeceuticals, 455
- Photon correlation spectroscopy**
topical anti-inflammatory compounds, 341
- Phycocolloids**
seaweed in skin hydration, 193
- Pigmentation**
N-feruloyldopamine in melanogenesis, 133
G. elata extract in melanogenesis, 89
Korean indigenous plants, 145

- punicalagins in melanin inhibition, 445
 - small RNAs in antiaging cosmeceuticals, 455
- Pmel17**
 - N*-feruloyldopamine in melanogenesis, 133
- Polar solvents**
 - sunscreen flux values, 181
- Polarized microscopy**
 - silicones in hair straightening, 119
- Polycations**
 - shampoo composition, 411
- Polymer concentration**
 - magnesium ascorbyl phosphate, 273
- Polymer gels**
 - palmitoyl glycol chitosan, 273
- Polyphenol oxidase**
 - inhibitory effect of isoferulic acid, 235
- Polyphenols**
 - nanoberries in topical antioxidants, 469
- Polyporus umbellatus***
 - tyrosinase inhibition, 145
- Polyquaternium-55**
 - delipidized hair, 355
- Pomegranates**
 - punicalagins in melanin inhibition, 445
- Poncirus trifoliata***
 - tyrosinase inhibition, 145
- Precolumn derivatization**
 - hinokitiol in skin lotions, 381
- Preference testing**
 - Jasminum sambac* aroma profiles, 483
- Preservatives**
 - parabens in cosmetics, 67
- Pro-opiomelanocortin**
 - small RNAs in antiaging cosmeceuticals, 455
- Propionibacterium acnes***
 - enzymatically generated hydrogen peroxide, 1
 - seaweed in acne vulgaris treatment, 219
- Propylene glycol**
 - sunscreen flux values, 181
- Propylparaben**
 - compatibility with avobenzone, 317
 - parabens in cosmetics, 67
- Prostaglandin E₂**
 - sensory discomfort with relaxers, 111
- Prunus mume***
 - tyrosinase inhibition, 145
- Psoriasis**
 - squalene in cosmetology, 59
- Punica granatum***
 - punicalagins in melanin inhibition, 445
- Punicalagins**
 - melanin inhibition, 445
- Purpald**
 - aldehyde determinations, 391
- Quaternium-26**
 - delipidized hair, 355
- Rabbit models**
 - Lycopersicon esculentum* in hair growth, 429
- Radical scavenging**
 - EGCG in oxidative damage, 35
- Reactive oxygen species**
 - generation in keratinocytes, 207
- Receptor chamber**
 - cosmeceutical liposomes, 9
- Red clover extract**
 - alopecia treatment, 45
- Red globe amaranth**
 - tyrosinase inhibition, 99
- 5- α -Reductase**
 - alopecia treatment, 45
- Refractive index**
 - seaweed in skin hydration, 193
- Relaxer treatment**
 - effects on hair, 287
- Release rates**
 - magnesium ascorbyl phosphate, 273
- Replica techniques**
 - environmental influences on sweat glands, 243
- Replicative senescence**
 - fibroblasts and dermal papillae, 79
- Retention time**
 - hinokitiol in skin lotions, 381
- Retinoid**
 - acne treatment, 1
- Reverse-phase evaporation**
 - cosmeceutical liposomes, 9
- Reverse transcriptase polymerase chain reaction**
 - N*-feruloyldopamine in melanogenesis, 133
 - G. elata* extract in melanogenesis, 89
 - Lycopersicon esculentum* in hair growth, 429
- Reversed-phase high-performance liquid chromatography**
 - hair relaxer treatment, 287
- Rheology**
 - environmental influences on sweat glands, 243
- Rhizoma Cimicifugae***
 - isoferulic acid, 235
- Rice bran oil**
 - Jasminum sambac* aroma profiles, 483
- Rinse-off products**
 - parabens in cosmetics, 67
- RNA interference**
 - antiaging cosmeceuticals, 455
- Roberts–Sloan equation**
 - sunscreen flux values, 181

Saccharomyces cerevisiae

cellular senescence, 79

Safety

small RNAs in antiaging cosmeceuticals, 455

Salicylic acid

acne treatment, 1

Sauna

environmental influences on sweat glands, 243

Scalp

effects of hair relaxer treatment, 287

Scalp discomfort

hair relaxers, 111

Scanning calorimetry

delipidized hair, 355

Seasonal variations

sorbitol skin treatment, 165

Seaweedacne vulgaris treatment, 219
skin hydration, 193**Seaweed oligosaccharide–zinc complex**

acne vulgaris treatment, 219

Seborrheic dermatitis

squalene in cosmetology, 59

Sebumenzymatically generated hydrogen peroxide, 1
seaweed in acne vulgaris treatment, 219**Senescence-associated β -galactosidase**

cellular senescence, 79

Sensory profiles

olive oil–based cosmetic creams, 371

Shark liver oil

plant-based squalene, 59

Silflo replica

environmental influences on sweat glands, 243

Siliconehair straightening, 119
shampoo composition, 411**Silicone membrane**

sunscreen flux values, 181

Skin agingiron accumulation after menopause, 175
reactive oxygen species in keratinocytes, 207**Skin cancer**

reactive oxygen species in keratinocytes, 207

Skin care

small RNAs in antiaging cosmeceuticals, 455

Skin damage

reactive oxygen species in keratinocytes, 207

Skin deposition

magnesium ascorbyl phosphate, 273

Skin drynessdiabetic foot syndrome, 329
seaweed in skin hydration, 193**Skin flux**

magnesium ascorbyl phosphate, 273

Skin hydrationeffects of seaweed, 193
seaweed in acne vulgaris treatment, 219
small RNAs in antiaging cosmeceuticals, 455
squalene in cosmetology, 59**Skin inflammation**

enzymatically generated hydrogen peroxide, 1

Skin injuries

EGCG in oxidative damage, 35

Skin irritation test*Lycopersicon esculentum* in hair growth, 429**Skin lightening**

punicalagins in melanin inhibition, 445

Skin lotions

hinokitiol concentration, 381

Skin models

sensory discomfort with relaxers, 111

Skin permeationcosmetics for children, 67
delivery of magnesium ascorbyl phosphate, 273
liposome formulation, 9
magnesium ascorbyl phosphate, 273
topical anti-inflammatory compounds, 341**Skin sensitivity**

seaweed in acne vulgaris treatment, 219

Skin wrinklingcellular senescence, 79
small RNAs in antiaging cosmeceuticals, 455**Small RNAs**

antiaging cosmeceuticals, 455

Smilax china

tyrosinase inhibition, 145

Sodium cetearyl sulfate

compatibility with avobenzone, 317

Sodium chloride

sorbitol skin treatment, 165

Sodium cholate

nanoberries in topical antioxidants, 469

Sodium hydroxideeffects of hair relaxer treatment, 287
Purpald in aldehyde determinations, 391
sensory discomfort with relaxers, 111**Sodium lauryl ether sulfate**

shampoo composition, 411

Sodium lauryl sulfatecompatibility with avobenzone, 317
shampoo composition, 411**Solar simulators**

sun protection factor testing, 297

- Solid lipid nanoparticles**
 - topical anti-inflammatory compounds, 341
- Solubility**
 - sunscreen flux values, 181
- Sorbitol**
 - seasonal effects on skin, 165
- Soy lecithin**
 - topical anti-inflammatory compounds, 341
- Soy phosphatidylcholine**
 - nanoberries in topical antioxidants, 469
- Spectral analysis**
 - cosmeceutical liposomes, 9
- Spectrophotometry**
 - Purpald in aldehyde determinations, 391
- Spermaceti wax**
 - Jasminum sambac* aroma profiles, 483
- Squalene**
 - plant-based, 59
- Staphylococcus aureus***
 - seaweed in acne vulgaris treatment, 219
- Statistical modeling**
 - shampoo composition, 411
- Stearyl glycyrrhetinate**
 - topical anti-inflammatory compounds, 341
- Stem cells**
 - small RNAs in antiaging cosmeceuticals, 455
- Storage temperature**
 - cosmeceutical liposomes, 9
- Straight hair**
 - acquired unintentional unruly hair, 261
- Straightening permanency**
 - silicones in hair straightening, 119
- Stratum corneum**
 - magnesium ascorbyl phosphate, 273
 - moisturizers in diabetes, 329
 - nanoberries in topical antioxidants, 469
 - seaweed in skin hydration, 193
 - sorbitol skin treatment, 165
 - topical anti-inflammatory compounds, 341
- Streaming potential**
 - delipidized hair, 355
- Stress-induced premature senescence**
 - cellular senescence, 79
- Stress relaxation**
 - glycylglycine for hair softness, 19
- Stretching force**
 - silicones in hair straightening, 119
- Sudoriferous behavior**
 - environmental influences on sweat glands, 243
- Sun protection factor**
 - disparate testing methodologies, 297
- Sunflower oil**
 - Jasminum sambac* aroma profiles, 483
- Sunscreens**
 - cosmeceutical liposomes, 9
 - disparate testing methodologies, 297
 - flux values, 181
 - reactive oxygen species in keratinocytes, 207
- Superoxide anion**
 - oxidative stress in keratinocytes, 207
- Superoxide dismutase**
 - EGCG in oxidative damage, 35
- Surface energy**
 - delipidized hair, 355
- Surfactants**
 - delipidized hair, 355
 - shampoo composition, 411
- Sweat glands**
 - environmental influences, 243
- Telogen phase**
 - Lycopersicon esculentum* in hair growth, 429
- Tensile strength**
 - delipidized hair, 355
- Terminal deoxynucleotidyl transferase dUTP nick end labeling**
 - EGCG in oxidative damage, 35
- Testing methodologies**
 - sun protection factor, 297
- Testosterone 5 α -reductase**
 - Lycopersicon esculentum* in hair growth, 429
- Thai aroma materials**
 - Jasminum sambac*, 483
- Thermal analysis**
 - avobenzene, 317
- Thermal distribution**
 - environmental influences on sweat glands, 243
- Thermoregulation**
 - environmental influences on sweat glands, 243
- Thin film hydration**
 - cosmeceutical liposomes, 9
- Thuja occidentalis***
 - hinokitiol in skin lotions, 381
- Thuja plicata***
 - hinokitiol in skin lotions, 381
- Thujopsis dolabrata***
 - hinokitiol in skin lotions, 381
- Topical antioxidants**
 - nanoberries, 469
- Topical compounds**
 - cosmetic formulations, 341
- Topical moisturizers**
 - diabetic foot syndrome, 329
- Total antioxidant capacity**
 - iron accumulation after menopause, 175
- Transcription factors**
 - G. elata* extract in melanogenesis, 89
- Transepidermal water loss**
 - environmental influences on sweat glands, 243

- moisturizers in diabetes, 329
- seaweed in skin hydration, 193
- sorbitol skin treatment, 165
- Transforming growth factor- β**
 - Lycopersicon esculentum* in hair growth, 429
- Transglutaminase**
 - sorbitol skin treatment, 165
- Trifolium pratense***
 - alopecia treatment, 45
- Tropolones**
 - hinokitiol in skin lotions, 381
- Turbidity**
 - shampoo composition, 411
- Tyrosinase**
 - N*-feruloyldopamine in melanogenesis, 133
 - G. elata* extract in melanogenesis, 89
 - inhibition by amaranth, 99
 - inhibitory effect of isoferulic acid, 235
 - Korean indigenous plants, 145
 - punicalagins in melanin inhibition, 445
- Tyrosinase-related proteins**
 - G. elata* extract in melanogenesis, 89
- Tyrosine inhibition**
 - magnesium ascorbyl phosphate, 273
- Ultradeformable liposomes**
 - nanoberrries in topical antioxidants, 469
- Ultraviolet B**
 - reactive oxygen species generation, 207
 - small RNAs in antiaging cosmeceuticals, 455
- Ultraviolet damage**
 - lauroyl/palmitoyl glycol chitosan, 273
- Ultraviolet detection**
 - hinokitiol in skin lotions, 381
- Ultraviolet radiation**
 - cellular senescence, 79
 - EGCG in oxidative damage, 35
 - iron accumulation after menopause, 175
 - sun protection factor testing, 297
- Ultraviolet spectrophotometry**
 - topical anti-inflammatory compounds, 341
- Ultraviolet spectroscopy**
 - amaranth in tyrosinase inhibition, 99
 - nanoberrries in topical antioxidants, 469
- Unruly hair**
 - glycylglycine for hair softness, 19
- Urea**
 - moisturizers in diabetes, 329
- Vaccinium myrtillus***
 - nanoberrries in topical antioxidants, 469
- Vanillic acid**
 - amaranth in tyrosinase inhibition, 99
- Vapor sorption**
 - delipidized hair, 355
- Vascular endothelial growth factor**
 - iron accumulation after menopause, 175
 - Lycopersicon esculentum* in hair growth, 429
- Viscosity**
 - magnesium ascorbyl phosphate, 273
 - seaweed in skin hydration, 193
 - shampoo composition, 411
- Vitamin C**
 - N*-feruloyldopamine in melanogenesis, 133
 - magnesium ascorbyl phosphate, 273
 - reactive oxygen species in keratinocytes, 207
- Vitex rotundifolia***
 - tyrosinase inhibition, 145
- Volatility**
 - Jasminum sambac*, 483
- Water**
 - sunscreen flux values, 181
- Water management**
 - delipidized hair, 355
- Western blotting**
 - G. elata* extract in melanogenesis, 89
- Wet tensile tests**
 - silicones in hair straightening, 119
- Whitening agents**
 - cosmeceutical liposomes, 9
- Wool**
 - glycylglycine for hair softness, 19
 - shampoo composition, 411
- Xenoestrogens**
 - parabens in cosmetics, 67
- Yeast**
 - cellular senescence, 79
- Young's modulus**
 - acquired unintentional unruly hair, 261
 - glycylglycine for hair softness, 19
 - silicones in hair straightening, 119
- Z-3-hexenyl benzoate**
 - Jasminum sambac* aroma profiles, 483
- Zinc**
 - seaweed in acne vulgaris treatment, 219