

## SUBJECT INDEX TO VOLUME 61

---

- Acetyl tyrosine**  
and anti-aging, 178
- Acne**  
and skin care, 378
- Adipocytes**  
in gene regulation, 176
- Aging**  
and olfaction, 484
- Alkyl ether carboxylates**  
formulation, 379
- Alternative preservatives**  
p-anisic acid, 107  
glyceryl caprylate  
levulinic acid, 107  
*Lonicera caprifolium*, 107  
*Lonicera japonica*, 107
- Amiloxate**  
in sunscreen, 330
- Amino acids**  
and stratum corneum, 303
- Analysis, of**  
arachidyl alcohol, 331  
ascorbyl tetraisopalmitate, 265  
avobenzone, 166  
benzylbutyl phthalate, 457  
cetrimonium chloride and alkyl alcohols, 331  
cetyl alcohol, 331  
dibutyl phthalate, 457  
diethylene glycol, 225  
diethyl phthalate, 457  
diethylhexyl phthalate, 457  
dimethyl phthalate, 457  
ethylene glycol, 225  
hair conditioners, 331  
ketoconazole, 367  
myristyl alcohol, 331  
octinoxate, 166  
oxybenzone, 166  
stearyl alcohol, 331  
sunscreens, 330  
tocopherol/tocopheryl acetate, 353  
tocopheryl acetate, 265
- Animal alternative testing**  
and cosmetic safety, 172  
and solar radiation effects, 51
- p-Anisic acid**  
as alternative preservative, 107
- Anthocyanins**  
in UV absorption, 333
- Anti-aging**  
acetyl tyrosine in, 178  
ATP in, 178  
and autophagic system, 483  
bioflavonoids in, 483  
breadfruit extract in, 311  
ectoine in, 170  
ethyl linoleate in, 178  
hydrolyzed oat protein in, 178  
niacinamide in, 178  
palmitoyl isoleucine in, 415  
panthenyl triacetate in, 178  
pearl powder in, 133  
platycarya strobilacea extract in, 211  
*Polypodium leucotomos* in, 419  
praline in, 178  
and wrinkles, 70  
xanthohumol in, 125
- Antioxidants**  
chemistry of, 379  
and melanogenesis, 378
- Antioxidant activity**  
testing method, 331  
and xanthohumol, 125
- Anti-wrinkling effects**  
and *Platycarya strobilacea*, 211
- Arachidyl alcohol**  
analysis of, 331
- Artocarpus incisus**  
and breadfruit extract, 311
- Ascorbyl tetraisopalmitate**  
analysis of, 265
- ATP**  
in anti-aging, 178

- Autophagic system**
  - and skin cells, 483
- Avobenzone**
  - analysis of, 166
  - and free radical scavenging, 166
  - microencapsulation of, 56
  - solar radiation effects of, 54
  - and SPF enhancement, 56
  - in sunscreen, 50, 54, 166, 330
- Bemotrizinole**
  - skin penetration by, 50
  - in sunscreen, 50, 330
- Benzoic acid**
  - preservative effects of, 265
- Benzylbutyl phthalate**
  - cosmetic survey and analysis of, 457
- Benzyl alcohol**
  - preservative effects of, 265
- Berberine**
  - in triglyceride reduction, 260
- Bioavailability**
  - in cosmetics, 171
- Biocatalytic esterification**
  - sustainability of, 390
- Bioflavonoids**
  - in keratinocyte detoxification, 483
- Bisotrizole**
  - skin penetration by, 50
  - in sunscreen, 50, 330
- Botanicals**
  - Artocarpus incisus*, 311
  - Coptis japonica*, 260
  - Hibiscus abelmoschus*, 263
  - Lavandula stoechas*, 166
  - Lonicera caprifolium*, 107
  - Lonicera japonica*, 107
  - Mentha longifolia*, 166
  - Platycarya strobilacea*, 211
  - Polypodium leucotomos*, 419
  - Quercus infectoria*, 166
  - Rheum palmatum*, 166
  - in skin treatment, 267
  - Terminalia chebula*, 166
- Breadfruit extract**
  - in anti-aging, 311
- Caffeine**
  - skin effects of, 169
- Calcium silicate**
  - in powder cosmetics, 325
- Catalase activity**
  - in facial pores, 480
- Cationic/anionic complex**
  - reactivity of, 289
  - in shampoo, 289
- Cationic hydrogels**
  - controlled delivery of, 421
- Ceramide synthesis**
  - and licorice leaf extract, 260
- Ceramides**
  - in wool lipids, 235
- Cetrimonium chloride**
  - analysis of, 331
- Cetyl alcohol**
  - analysis, 331
- Chamomile**
  - overview of, 379
- Chemical risk assessment**
  - method, 259
- Cleansing products**
  - overview of, 187
- Climate effects**
  - and stratum corneum, 181
- Clothes washing**
  - detergents, 173
- Cocoyl alanine**
  - and skin aging, 329
- COLIPA**
  - in UVA testing method, 330
- Collagen tripeptide F**
  - and sensitive atopic skin, 50
- Color**
  - mechanism, 85
- Color additives**
  - pigments, 405, 407
  - regulatory review of, 199
- Color cosmetics**
  - synthetic wax, 189
- Complexion radiance**
  - method, 68
- Controlled delivery**
  - of cationic hydrogels, 421
- Copper oxide**
  - in wrinkle control, 264
- Coptis japonica root extract**
  - in triglyceride reduction, 260
- Cosmetic business**
  - review, 403
- Cosmetic colors**
  - pigments, 405, 407
  - regulatory review of, 199
- Cosmetic esters**
  - in enzymatic esterification, 390
- Cosmetic ingredients**
  - acetyl tyrosine, 178
  - alkyl ether carboxylates, 379
  - anthocyanins, 333
  - ATP, 178
  - berberine, 260

- breadfruit extract, 311
  - calcium silicate, 325
  - cermides, 235
  - cetrimonium chloride, 331
  - cetyl ricinoleate, 390
  - chamomile, 379
  - cocoyl alanine, 329
  - Coptis japonica* root extract, 260
  - cyclopeptides, 417
  - decyl cocoate, 390
  - dihydroxyacetone, 73, 171, 172
  - dimethylaminoethanol, 269
  - dimethylaminoethanol bitartrate, 269
  - dioleoyl phosphate, 197
  - esters, 390
  - ethyl linoleate, 178, 329
  - glycolipids, 49
  - hibiscus *abemoschus* seed extract
  - horse chestnut triterpenes, 380
  - hydrolyzed oat protein, 178
  - isocetyl palmitate, 390
  - kojic acid, 265
  - licorice leaf extract, 260
  - licorice root extract, 268
  - lipopeptides, 329
  - lysolecithin, 326
  - myristyl myristate, 390
  - niacinamide, 178
  - oleth-5 phosphate, 197
  - oleyl erucate, 390
  - palmitoyl glycine, 329
  - panthenyl triacetate, 178, 329
  - pearl powder, 133
  - peptide/silicone polymer, 259
  - phthalates, 457
  - phytantriol, 162
  - platycarya strobilacea extract
  - polyglyceryl wax esters, 388
  - polyoxyethylene/polyoxypropylene
    - dimethyl ether, 39
  - proline, 178
  - snake venom, 70
  - sodium lauryl sulfate, 49
  - sweet potato extract, 333
  - synthetic wax, 189
  - waglerin, 70
  - wild plum, 279
  - xanthohumol, 125
  - zinc oxide, 166
- Cosmetic safety**  
and alternate animal testing, 172
- Cosmetic survey, of**  
benzylbutyl phthalate, 457  
dibutyl phthalate, 457  
diethyl phthalate, 457  
diethylhexyl phthalate, 457  
dimethyl phthalate, 457
- Cosmetics**  
bioavailability of, 171  
DNA evaluation of, 66  
powders, 325  
toxicity of, 171
- Cosmetics/drugs**  
claims for, 411
- Crisis management**  
leadership, 268
- Curved hair**  
characterization, 163
- Delipidation**  
of hair, 1
- Deoxyribonucleoside 5'-monophosphate**  
in skin treatment, 164
- Detergents**  
in clothes washing, 173
- Diaper dermatitis**  
and zinc oxide, 166
- Dibutyl phthalate**  
cosmetic survey and analysis of, 457
- Diethylamino hydroxybenzyl hexyl benzoate**  
skin penetration by, 50  
in sunscreen, 50, 330
- Diethylene glycol**  
analysis of, 225
- Diethyl phthalate**  
cosmetic survey and analysis, 457
- Diethylhexyl butamido triazone**  
in sunscreen, 330
- Diethylhexyl phthalate**  
cosmetic survey and analysis, 457
- Dihydroxyacetone**  
formulation of, 73  
properties of, 171  
as tanning agent, 73, 172  
and UV radiation, 171
- Dimethylaminoethanol**  
stability of, 269
- Dimethylaminoethanol bitartrate**  
stability of, 269
- Dimethylmethoxy chromanyl palmitate**  
as skin lightener, 169
- Dimethyl phthalate**  
cosmetic survey and analysis, 457
- Dioleoyl phosphate**  
in hair dyes, 197
- Dipalmitoyl phosphatidic acid**  
and liposomes, 260
- DNA**  
in cosmetic evaluation, 66  
in nano technology, 62
- Drug delivery**  
and liposomes, 171

- Drugs/cosmetics**  
claims for, 411
- Ectoine**  
anti-aging effects of, 170
- Electron paramagnetic resonance**  
and skin lipids, 39
- Emulsification**  
overview of, 325
- Emulsions**  
formulation of, 377, 479  
low energy, 195  
lysolecithin in, 326  
overview of, 377
- Ensulizole**  
as sunscreen, 330
- Enzymatic esterification**  
and cosmetic esters, 390
- Epidermal stem cell differentiation**  
and regulator proteins, 183
- Essential oils**  
quality requirements of, 267
- Ethnic skin**  
differences in, 166
- Ethylene glycol**  
analysis, 225
- Ethylhexyl methoxycrylene**  
and solar radiation effects, 54  
in sunscreen, 54
- Ethylhexyl triazone**  
in sunscreen, 330
- Ethyl linoleate**  
in anti-aging, 178  
and skin aging, 329
- EU cosmetic regulations**  
update, 380
- Exfoliating agents**  
glycolic acid, 247  
grape juice extract, 247  
mandelic acid, 247  
tolerance of, 247
- Eye bags**  
characterization of, 163
- Facial appearance**  
and skin lipids, 377
- Facial pores**  
and catalase activity, 480
- Fluorescence**  
and grey hair, 165
- Formulation, of**  
alkyl ether carboxylates, 379  
alternative preservatives, 107  
caffeine microspheres, 169  
cationic hydrogels, 421  
colored hair properties, 392  
dihydroxyacetone, 73  
emulsions, 377, 479  
hair dyes, 197  
hair sanitizers, 193  
hair straighteners, 394  
lipsticks, 191  
low energy emulsification, 195  
lymphatic promotion, 162  
namoemulsions, 479  
photoaging, 162  
phytrantriol emulsions, 162  
pigments, 405, 407  
preservatives, 107
- Foundations**  
makeup, 327
- Fragrances**  
salivary effects, 167
- Free- radical scavenging**  
in botanicals, 166  
in sunscreens, 166
- Friction meter**  
method, 161
- Gene regulation**  
and adipocytes, 176
- Glaucine**  
in adipocyte regulation, 176
- D-Glucosamine**  
in hyaluronan production, 480
- Glyceryl caprylate**  
as alternative preservative, 107
- Glycolic acid**  
in exfoliating agents, 247
- Glycolipids**  
review article, 49
- Gluko-oligosaccharide**  
and sensitive atopic skin, 50
- Grape juice acid**  
in exfoliating agents, 247
- Green chemistry**  
overview of, 382
- Grey hair**  
and fluorescence, 165
- Grooming**  
hair breakage, 439
- Hair**  
appearance, 147  
curved, 163  
delipidation of, 1  
relipidation of, 1  
styling, 343  
tactile sensation of, 378  
water wave stability of, 31
- Hair appearance**  
and 18-MEA, 147

- Hair breakage**
  - modeling, 401
  - in repeated grooming, 439
- Hair color**
  - grey hair, 165
- Hair combing**
  - thermal imaging of, 201
- Hair conditioners**
  - analysis of, 331
- Hair damage**
  - X-ray microscopy of, 480
- Hair dyes**
  - dioleoyl phosphate in, 197
  - fading of, 203
  - and hair structure changes, 392
  - oleth-5 phosphate in, 197
  - oxidative mechanisms in, 479
  - penetration by, 197
- Hair gels**
  - and styling performance, 343
- Hair growth**
  - modulation of, 397, 399
- Hair sprays**
  - and styling performance, 343
- Hair straighteners**
  - phosphate esters in, 394
- Hair surface**
  - and 18-MEA, 467
  - and hair dyes, 392
- Hand sanitizer**
  - and moisturization, 193
- Hair styling performance**
  - stiffness test, 343
- Hair treatment**
  - rice washings, 326
- Hair waving**
  - stability of, 31
- Hibiscus abelmoschus seed extract**
  - in skin cosmetics, 263
- Horse chestnut**
  - overview of, 380
- HPLC analysis**
  - tocopherol/tocopheryl acetate, 353
- Hyaluronan**
  - D-glucosamine effects, 480
- Hyaluronan synthesis**
  - and licorice leaf extract, 260
- Hydrolyzed oat protein**
  - in anti-aging, 178
- 8-Hydroxynaringenin**
  - mushroom tyrosinase inhibitor, 205
- In vitro SPF assessment**
  - review article, 263
- In vitro UVA testing**
  - testing method, 330
- Keratin fibers**
  - and 18-MEA, 467
- Keratinocyte detoxification**
  - and bioflavonoids, 483
- Ketoconazole**
  - analysis, 367
- Kojic acid**
  - in pigmentation studies, 265
- Lavandula stoechas**
  - and free-radical scavenging, 166
  - in tyrosinase inhibition, 166
- Leadership**
  - in crisis management, 268
- LEKTI-1**
  - review article, 49
- Levulinic acid**
  - as alternative preservative, 107
- Licorice leaf extract**
  - in ceramide synthesis, 260
  - in hyaluronan synthesis, 260
  - in moisturization, 260
- Licorice root extract**
  - properties of, 268
- Lipid extraction**
  - and NMF, 13, 23, 303
  - in stratum corneum, 13
- Lipo amino acids**
  - and skin aging, 329
- Lipopeptides**
  - review article, 329
- Liposomes**
  - and dipalmitoyl phosphatidic acid, 260
  - in drug delivery, 171
  - and NMF, 260
  - in wool lipids, 235
- Lips**
  - color of, 326
  - luster measurements of, 409
- Lipstick**
  - color of, 326
  - luster measurements of, 409
  - oil/wax interactions in, 191
- Lonicera caprifolium**
  - as alternative preservative, 107
- Lonicera japonica**
  - as alternative preservative, 107
- Low energy emulsification**
  - formulation, 195
- Luster measurement**
  - of lipstick, 409
- Lymphatic promotion**
  - formulation, 162
- Lympho-epithelial-kazal-type 1 inhibition**
  - review article, 49

**Lysolecithin**

emulsions, 326

**Makeup**

foundation, 327

**Mandelic acid**

in exfoliating agents, 247

**18-MEA**

and hair appearance, 147

on hair surface, 467

in keratin fibers, 467

**Melanogenesis**

and antioxidants, 378

**Melatime**

as tanning agent, 172

***Mentha longifolia***

and free radical scavenging, 166

in tyrosinase inhibition, 166

**Methods**

antioxidant activity, 331

chemical risk assessment, 259

complexion radiance, 68

diethylene glycol analysis, 225

electron paramagnetic resonance, 39

ethylene glycol analysis, 225

exfoliation effects, 247

facial appearance, 377

friction meter, 161

hair breakage, 401

hair combing, 201

hair dye penetration, 197

hair stiffness test, 343

hair styling, 343

*in vitro* sunscreen stability, 330

*in vitro* UVA testing, 330

lipstick luster measurement, 409

low energy emulsification, 195

microfluorometry, 1

optoacoustics, 169

particle size, 58

raman confocal spectroscopy, 181

skin senescence evaluation, 268

soap modeling, 64

sunscreen analysis, 330

sunscreen skin penetration, 50

sunscreen stability, 330

tocopherol/tocopheryl acetate

analysis, 353

X-ray microscopy, 480

**Microencapsulation**

and avobenzone, 56

and octinoxate, 56

in sunscreens, 54

**Microfluorometry**

method, 1

**Modeling**

hair breakage, 401

**Moisturization**

and licorice leaf extract, 260

and polyoxyethylene/polyoxypropylene

dimethyl ether, 39

in skin, 13, 23, 303

and wool lipids, 235

**Mushroom tyrosinase inhibition**

8-hydroxynaringenin, 205

**Myristyl alcohol**

analysis, 331

**Nanoemulsions**

formulation of, 479

**Nano technology**

and DNA, 62

and zinc oxide, 58

**Niacinamide**

in anti-aging, 178

**NMF**

and lipid extraction, 13, 23, 303

and liposomes, 260

**Octinoxate**

analysis, 166

in free-radical scavenging, 166

in microencapsulation, 56

in skin penetration, 50

in SPF enhancement, 54, 56

in sunscreen, 50, 54, 166, 330

**Octisalate**

in sunscreen, 330

**Octocrylene**

in sunscreen, 330

**Oleth-5 phosphate**

in hair dyes, 197

**Olfaction**

and aging, 484

**Optical brightener**

Wild Plum, 279

**Optics**

physics, 85

**Optoacoustics**

in photodermatology, 169

**Oral nutraceuticals**

in wrinkle control, 264

**Oxybenzone**

analysis, 166

in free-radical scavenging, 166

**Padimate O**

skin penetration by, 50

in sunscreen, 50

**Palmitoyl glycine**

and skin aging, 329

- Palmitoyl isoleucine**
  - in anti-aging, 415
- Panthenyl triacetate**
  - in anti-aging, 178
  - and skin aging, 329
- Particle size**
  - method, 58
- Pearl powder**
  - in anti-aging, 133
  - as moisturizer, 133
  - in tyrosinase inhibition, 133
- Peptides**
  - review article, 165
- Perception**
  - of hair smoothness, 161
- Phosphate esters**
  - in hair straighteners, 394
- Photoaging**
  - formulation, 162
- Photodermatology**
  - optoacoustics, 169
- Phthalates**
  - cosmetic survey and analysis of, 457
- Physics**
  - optics, 85
- Phytrantriol emulsions**
  - formulation, 162
- Pigmentation**
  - and kojic acid, 265
- Pigments**
  - color mechanism of, 85
  - formulation of, 405
  - in surface treatments, 407
- Platycarya strobilacea extract**
  - anti-aging effects of, 211
  - anti-wrinkling effects of, 211
- Polyglyceryl esters**
  - waxes, 388
- Polyoxyethylene/polyoxypropylene dimethyl ether**
  - in moisturization, 39
- Polypodium leucotomos***
  - and skin aging, 419
- Porcine skin**
  - solar radiation effects on, 51
- Pores**
  - catalase activity in, 480
- Powder cosmetics**
  - calcium silicate, 325
- Preservatives**
  - alternatives, 107
  - benzoic acid, 265
  - benzyl alcohol, 265
  - sorbic acid, 265
  - testing of, 265
- Proline**
  - in anti-aging, 178
- Quercus infectoria***
  - in free-radical scavenging, 166
  - in tyrosinase inhibition, 166
- Raman confocal spectroscopy**
  - in stratum corneum, 181
- Reconstructed human epidermis**
  - solar radiation effects on, 51
- Regulatory issues**
  - colors - FDA, 199
  - cosmetic/drug claims, 411
  - EU cosmetic regulations, 380
- Relipidation**
  - in hair, 1
- Review articles**
  - glycolipids, 49
  - hibiscus abelmoschus seed extract, 263
  - in vitro* SPF assessment, 263
  - LEKTI-1, 49
  - lipopeptides, 329
  - lympho-epithelial-kazal-type 1 inhibitor, 49
  - peptides, 165
  - skin aging, 165
- Rheum palmatum***
  - in free-radical scavenging, 166
  - in tyrosinase inhibition, 166
- Rice washings**
  - in hair treatment, 326
- Risk assessment**
  - and chemicals, 259
- Salivary effects**
  - fragrance, 167
- Sarsasapogenin**
  - in adipocyte regulation, 176
- Sensitive skin**
  - and collagen tripeptide F, 50
  - and gluco-oligosaccharide, 50
- Shampoo**
  - cationic/anionic complex
- Skin**
  - caffeine effects on, 169
  - cyclopeptide effects on, 417
  - and deoxyribonucleoside 5'-monophosphate, 164
  - exfoliation of, 247
  - moisturization of, 13, 23, 303
  - rough, 166
  - senescence evaluation of, 268
  - sensitive atopic, 50
  - stratum corneum chemistry, 181
  - wrinkles, 70
- Skin aging**
  - and cocoyl alanine, 329
  - and ethyl linoleate, 329
  - and lipoamino acids, 329
  - and palmitoyl glycine, 329

- and panthenyl triacetate, 329
- and *Polypodium leucotomos*, 419
- review article, 165
- and UVB radiation, 484
- Skin barrier function**
  - and skin lipids, 185
  - sodium lauryl sulfate effects on, 49
- Skin care**
  - acne, 378
- Skin cell detoxification**
  - autophagic system, 483
- Skin cosmetics**
  - Hibiscus abelmoschus seed extract, 263
- Skin lighteners**
  - dimethylmethoxy chromanyl palmitate, 169
- Skin lipids**
  - and electron paramagnetic resonance, 49
  - in facial appearance, 377
  - in skin barrier function, 185
- Skin matrix proteins**
  - UV-light effects on, 413
- Skin penetration**
  - by sunscreens, 50, 56
- Skin smoothness**
  - perception of, 161
- Snake venom**
  - and skin wrinkles, 70
- Soap modeling**
  - method, 64
- Sodium lauryl sulfate**
  - skin barrier effects on, 49
- Solar radiation effects**
  - on animal alternative testing, 51
  - on porcine skin, 51
  - on reconstructed human epidermis, 51
- Sorbic acid**
  - preservative effects of, 265
- SPF**
  - in vitro* testing, 263
- SPF enhancement**
  - by avobenzene, 54, 56
  - by ethylhexyl methoxycrylene, 54
  - by octinoxate, 54, 56
- Stearyl alcohol**
  - analysis, 331
- Stem cells**
  - epidermal, 183
- Stratum corneum**
  - amino acids in, 303
  - and climate effects, 181
  - lipid extraction from, 13
  - and Raman confocal spectroscopy, 181
  - sodium lauryl sulfate effects on, 49
- Sunscreens**
  - amiloxate in 330
  - analysis, 330
  - avobenzene in, 50, 54, 166, 330
  - bemotrizinol in, 50, 330
  - bisotrizole in, 50, 330
  - diethylamino hydroxybenzoyl hexyl benzoate in, 50, 330
  - diethylhexyl butamido triazole in, 330
  - functions of, 170
  - ensulizole in, 330
  - ethylhexyl methoxycrylene in, 54
  - ethylhexyl triazone in, 330
  - microencapsulation in, 56
  - octinoxate in, 50, 54, 166, 330
  - octisalate in, 330
  - octocrylene in, 330
  - oxybenzone in, 166, 330
  - padimate O in, 50
  - skin penetration by, 50, 56
  - stability of, 330
  - titanium dioxide in, 50
  - zinc oxide in, 50, 58
- Surfactants**
  - and hair dye fading, 203
- Sustainability**
  - of biocatalytic esterification, 390
  - overview of, 383, 386
- Sweet potato extract**
  - UV absorption by, 333
- Synthetic wax**
  - properties of, 189
- Tactile sensation**
  - hair, 378
- Tanning agents**
  - dihydroxyacetone, 73, 172
  - melatime, 172
- Terminalia chebula***
  - and free-radical scavenging, 166
  - in tyrosinase inhibition, 166
- Thermal imaging**
  - in hair combing, 201
- Titanium dioxide**
  - skin penetration by, 50
  - in sunscreen, 50
- Tocopherol/tocopheryl acetate**
  - analysis, 353
- Tocopheryl acetate**
  - analysis, 265
- Toxicity**
  - of cosmetics, 171
- Triglyceride reduction**
  - by berberine, 260
  - by *Coptis japonica* root extract, 260
- Tyrosinase inhibition**
  - by botanicals, 166
  - by 8-hydroxynaringenin, 205
  - by pearl powder, 133